WEBVTT

NOTE duration:"01:04:42" NOTE recognizability:0.802

NOTE language:en-us

NOTE Confidence: 0.8990328025

00:00:00.000 --> 00:00:04.960 Oh, it's really exciting.

NOTE Confidence: 0.8990328025

00:00:04.960 --> 00:00:07.369 Super, super exciting.

NOTE Confidence: 0.8990328025

 $00:00:07.370 \dashrightarrow 00:00:11.620$  Thank you guys for being the kickoff.

NOTE Confidence: 0.8990328025

 $00:00:11.620 \longrightarrow 00:00:13.210$  Yeah, and who knew

NOTE Confidence: 0.8388181925

 $00:00:13.270 \longrightarrow 00:00:15.270$  that September 6th was the

NOTE Confidence: 0.8388181925

 $00:00:15.270 \longrightarrow 00:00:18.700$  day after Labor Day? OK.

NOTE Confidence: 0.674803618333333

00:00:21.130 --> 00:00:22.870 Karen, I didn't tell you yet.

NOTE Confidence: 0.674803618333333

 $00{:}00{:}22.870 \dashrightarrow 00{:}00{:}24.328$  I got covered over the weekend,

NOTE Confidence: 0.674803618333333

00:00:24.330 --> 00:00:29.590 so I'm COVID recovering now. You

NOTE Confidence: 0.863260804285714

 $00:00:29.600 \longrightarrow 00:00:32.820$  are in the ranks of the proud

NOTE Confidence: 0.863260804285714

 $00:00:32.820 \longrightarrow 00:00:36.448$  who who held out for that full 2

NOTE Confidence: 0.863260804285714

 $00:00:36.448 \longrightarrow 00:00:39.270 1/2$  years before going down now.

NOTE Confidence: 0.639588868

00:00:40.310 --> 00:00:43.455 With a really, really long Oh my goodness,

 $00:00:43.455 \longrightarrow 00:00:47.540$  OK, we are live actually. OK.

NOTE Confidence: 0.66224873

 $00:00:49.010 \longrightarrow 00:00:51.322$  Well, welcome everybody to night to

NOTE Confidence: 0.66224873

 $00{:}00{:}51.322 \rightarrow 00{:}00{:}54.250$  to Smilo shares with primary care.

NOTE Confidence: 0.814045236666667

 $00{:}00{:}54.250 \dashrightarrow 00{:}00{:}58.104$  It's our kickoff. Wait just a few

NOTE Confidence: 0.814045236666667

00:00:58.104 --> 00:00:59.820 minutes so that people can join.

NOTE Confidence: 0.928221058333333

 $00:01:50.820 \longrightarrow 00:01:52.080$  Before we get started,

NOTE Confidence: 0.928221058333333

 $00:01:52.080 \longrightarrow 00:01:55.132$  I see we have about 14 people did did.

NOTE Confidence: 0.928221058333333

 $00:01:55.132 \longrightarrow 00:01:57.092$  Maybe you can answer the

NOTE Confidence: 0.928221058333333

 $00{:}01{:}57.092 --> 00{:}01{:}58.660$  question and the answer.

NOTE Confidence: 0.928221058333333

 $00:01:58.660 \longrightarrow 00:02:00.835$  Did anybody have a difficult

NOTE Confidence: 0.928221058333333

 $00{:}02{:}00.835 \dashrightarrow 00{:}02{:}02.575$  have difficulty logging on?

NOTE Confidence: 0.928221058333333

 $00:02:02.580 \longrightarrow 00:02:03.580$  Through the zoom link.

NOTE Confidence: 0.793485292666667

 $00:02:05.730 \longrightarrow 00:02:08.278$  If anybody did, please please just give

NOTE Confidence: 0.793485292666667

00:02:08.278 --> 00:02:11.160 us this the feedback in the Q&A.

NOTE Confidence: 0.86392605

00:02:17.780 --> 00:02:20.126 And then if you might be asking the

NOTE Confidence: 0.86392605

00:02:20.126 --> 00:02:22.660 wrong people, I know. They got on.

 $00:02:27.470 \longrightarrow 00:02:28.598$  Is 16126 and

NOTE Confidence: 0.825465791428571

 $00:02:30.070 \longrightarrow 00:02:33.416$  Dan, can you go on mute please?

NOTE Confidence: 0.825465791428571

00:02:33.420 --> 00:02:35.380 Thanks. OK. All right, well,

NOTE Confidence: 0.825465791428571

 $00:02:35.380 \longrightarrow 00:02:37.575$  let's get started because we

NOTE Confidence: 0.825465791428571

 $00:02:37.575 \longrightarrow 00:02:40.600$  have a lot going on tonight.

NOTE Confidence: 0.825465791428571

 $00:02:40.600 \longrightarrow 00:02:42.160$  My name is Anne Chang.

NOTE Confidence: 0.825465791428571

 $00:02:42.160 \longrightarrow 00:02:44.240$  I'm a medical oncologist

NOTE Confidence: 0.825465791428571

 $00:02:44.240 \longrightarrow 00:02:46.840$  and deputy CMO for Smilo,

NOTE Confidence: 0.825465791428571

00:02:46.840 --> 00:02:49.096 and I've been working very closely

NOTE Confidence: 0.825465791428571

 $00:02:49.096 \dashrightarrow 00:02:51.699$  with Karen Brown and Ryan O'Connell.

NOTE Confidence: 0.825465791428571

 $00{:}02{:}51.700 \dashrightarrow 00{:}02{:}53.278$  I'll let you guys introduce yourselves.

NOTE Confidence: 0.648880112

 $00:02:54.800 \longrightarrow 00:02:56.080$  Good. So I'm Karen brown.

NOTE Confidence: 0.648880112

 $00{:}02{:}56.080 \dashrightarrow 00{:}02{:}58.612$  I'm the medical director of primary

NOTE Confidence: 0.648880112

 $00{:}02{:}58.612 \dashrightarrow 00{:}03{:}01.063$  care for Northeast Medical Group and

NOTE Confidence: 0.648880112

 $00:03:01.063 \longrightarrow 00:03:03.492$  thrilled to see this series get Off.

 $00{:}03{:}03.500 \dashrightarrow 00{:}03{:}05.828$ Ryan O'Connell, General Internist

NOTE Confidence: 0.501009803333333

 $00:03:05.840 \longrightarrow 00:03:06.968$  at NE Medical

NOTE Confidence: 0.746124005

00:03:06.980 --> 00:03:10.330 Group know I think most everyone,

NOTE Confidence: 0.746124005

 $00:03:10.330 \longrightarrow 00:03:12.530$  but for those I haven't met, thank you.

NOTE Confidence: 0.746124005

 $00:03:12.530 \longrightarrow 00:03:15.432$  And really a special shout out to Ann

NOTE Confidence: 0.746124005

 $00{:}03{:}15.432 \dashrightarrow 00{:}03{:}18.446$  Karen and to all the panelists who have

NOTE Confidence: 0.746124005

 $00:03:18.446 \longrightarrow 00:03:21.553$  really worked hard to make this really

NOTE Confidence: 0.746124005

 $00:03:21.553 \longrightarrow 00:03:23.437$  meaningful and highly educational.

NOTE Confidence: 0.746124005

 $00:03:23.440 \longrightarrow 00:03:24.289$  I'm really excited.

NOTE Confidence: 0.7201480028

00:03:25.100 --> 00:03:26.788 Great. And Kevin Billinsley,

NOTE Confidence: 0.7201480028

 $00{:}03{:}26.788 \mathrel{--}{>} 00{:}03{:}28.898$  who's also our course director

NOTE Confidence: 0.7201480028

 $00:03:28.898 \longrightarrow 00:03:31.140$  but is unable to attend today.

NOTE Confidence: 0.7201480028

00:03:31.140 --> 00:03:35.940 So first just to opening slide,

NOTE Confidence: 0.7201480028

00:03:35.940 --> 00:03:38.700 if you can pull that up, please?

NOTE Confidence: 0.7201480028

 $00:03:38.700 \longrightarrow 00:03:40.980$  Telling you what this series is,

NOTE Confidence: 0.7201480028

 $00:03:40.980 \longrightarrow 00:03:43.068$  it's a monthly series.

 $00:03:43.068 \longrightarrow 00:03:45.156$  It's called smile shares.

NOTE Confidence: 0.7201480028

00:03:45.160 --> 00:03:46.632 Actually. It's called with

NOTE Confidence: 0.7201480028

00:03:46.632 --> 00:03:48.472 primary care for primary care.

NOTE Confidence: 0.7201480028

 $00:03:48.480 \longrightarrow 00:03:50.923$  I think we ultimately decided with with

NOTE Confidence: 0.7201480028

 $00:03:50.923 \longrightarrow 00:03:53.411$  primary care and this month is focused

NOTE Confidence: 0.7201480028

00:03:53.411 --> 00:03:55.469 on prostate cancer and each month

NOTE Confidence: 0.7201480028

 $00:03:55.535 \longrightarrow 00:03:57.719$  it's going to be a different topic.

NOTE Confidence: 0.7201480028

 $00:03:57.720 \longrightarrow 00:04:00.174$  These are topics that both Karen

NOTE Confidence: 0.7201480028

 $00:04:00.174 \longrightarrow 00:04:02.940$  and Ryan chose for primary care,

NOTE Confidence: 0.7201480028

 $00:04:02.940 \longrightarrow 00:04:04.296$  not only for themselves,

NOTE Confidence: 0.7201480028

00:04:04.296 --> 00:04:05.991 but thinking about and talking

NOTE Confidence: 0.7201480028

 $00:04:05.991 \longrightarrow 00:04:07.160$  to other people.

NOTE Confidence: 0.7201480028

 $00{:}04{:}07.160 \dashrightarrow 00{:}04{:}09.680$  The designated audience is.

NOTE Confidence: 0.7201480028

00:04:09.680 --> 00:04:11.570 Primary care clinicians.

NOTE Confidence: 0.7201480028

00:04:11.570 --> 00:04:12.704 And our faculty,

 $00:04:12.704 \longrightarrow 00:04:14.972$  we tried to choose people from

NOTE Confidence: 0.7201480028

 $00:04:14.972 \longrightarrow 00:04:17.509$  a specific geographic region.

NOTE Confidence: 0.7201480028

00:04:17.510 --> 00:04:19.346 So today, we're in Greenwich really,

NOTE Confidence: 0.7201480028

 $00:04:19.350 \longrightarrow 00:04:21.510$  and focusing on prostate cancer.

NOTE Confidence: 0.7201480028

 $00:04:21.510 \longrightarrow 00:04:23.582$  And the idea is really to link

NOTE Confidence: 0.7201480028

 $00:04:23.582 \longrightarrow 00:04:25.058$  up and build relationships

NOTE Confidence: 0.7201480028

 $00{:}04{:}25.058 \dashrightarrow 00{:}04{:}27.638$  between primary care and smilo

NOTE Confidence: 0.7201480028

00:04:27.638 --> 00:04:29.702 physicians and EMG physicians.

NOTE Confidence: 0.7201480028

 $00{:}04{:}29.710 \dashrightarrow 00{:}04{:}31.606$  And and this is going to be a

NOTE Confidence: 0.7201480028

 $00:04:31.606 \longrightarrow 00:04:32.950$  monthly series just like that.

NOTE Confidence: 0.7201480028

 $00{:}04{:}32.950 \dashrightarrow 00{:}04{:}34.390$  Trust your gut so you can get used

NOTE Confidence: 0.7201480028

 $00:04:34.390 \longrightarrow 00:04:36.070$  to it and put it on your calendar.

NOTE Confidence: 0.7201480028

00:04:36.070 --> 00:04:38.541 It's going to be the first Tuesday

NOTE Confidence: 0.7201480028

 $00:04:38.541 \longrightarrow 00:04:41.339$  of the month from 5 to 6 virtually.

NOTE Confidence: 0.7201480028

 $00:04:41.340 \longrightarrow 00:04:43.293$  And hopefully maybe this year we can

NOTE Confidence: 0.7201480028

 $00:04:43.293 \longrightarrow 00:04:45.875$  do a few of these in person as well.

 $00:04:45.880 \longrightarrow 00:04:48.216$  And the Big Y is really as

NOTE Confidence: 0.7201480028

 $00:04:48.216 \longrightarrow 00:04:50.673$  we were talking about this that

NOTE Confidence: 0.7201480028

 $00:04:50.673 \longrightarrow 00:04:53.024$  there there's just there's an

NOTE Confidence: 0.7201480028

 $00{:}04{:}53.024 \dashrightarrow 00{:}04{:}54.928$  explosion of information around

NOTE Confidence: 0.7201480028

 $00{:}04{:}54.928 \dashrightarrow 00{:}04{:}57.313$  cancer even for oncologists and

NOTE Confidence: 0.7201480028

 $00:04:57.313 \longrightarrow 00:04:59.578$  I think for primary clinicians.

NOTE Confidence: 0.7201480028

 $00:04:59.580 \longrightarrow 00:05:01.460$  This is an area where,

NOTE Confidence: 0.7201480028

 $00:05:01.460 \longrightarrow 00:05:02.210$  you know,

NOTE Confidence: 0.7201480028

 $00:05:02.210 \longrightarrow 00:05:03.710$  understanding the updated recommendations

NOTE Confidence: 0.7201480028

 $00{:}05{:}03.710 \dashrightarrow 00{:}05{:}06.260$  and some of the new approaches are

NOTE Confidence: 0.7201480028

 $00:05:06.260 \longrightarrow 00:05:08.240$  really important to hear about and

NOTE Confidence: 0.7201480028

 $00:05:08.240 \longrightarrow 00:05:10.196$  while there are lots of different,

NOTE Confidence: 0.7201480028

00:05:10.200 --> 00:05:11.364 you know.

NOTE Confidence: 0.7201480028

00:05:11.364 --> 00:05:13.110 Lectures around cancer,

NOTE Confidence: 0.7201480028

 $00:05:13.110 \longrightarrow 00:05:15.895$  specifically this this format is

00:05:15.895 --> 00:05:18.680 really focused on primary care.

NOTE Confidence: 0.7201480028

 $00{:}05{:}18.680 \dashrightarrow 00{:}05{:}20.732$  And those questions that are most

NOTE Confidence: 0.7201480028

 $00{:}05{:}20.732 \dashrightarrow 00{:}05{:}23.122$  most important to you and it'll be

NOTE Confidence: 0.7201480028

 $00:05:23.122 \longrightarrow 00:05:25.024$  case based to night we have three

NOTE Confidence: 0.7201480028

 $00:05:25.024 \longrightarrow 00:05:27.355$  cases that are really going to

NOTE Confidence: 0.7201480028

 $00:05:27.355 \longrightarrow 00:05:29.876$  highlight those what we thought would

NOTE Confidence: 0.7201480028

 $00:05:29.876 \longrightarrow 00:05:32.510$  be very topical or very important

NOTE Confidence: 0.7201480028

00:05:32.510 --> 00:05:35.200 questions that you run that you come

NOTE Confidence: 0.7201480028

 $00{:}05{:}35.200 \dashrightarrow 00{:}05{:}37.737$  across in clinic and to highlight

NOTE Confidence: 0.7201480028

 $00:05:37.737 \longrightarrow 00:05:41.083$  the clinical pearls from our our faculty.

NOTE Confidence: 0.7201480028

 $00:05:41.090 \longrightarrow 00:05:43.120$  So let's go to the next slide.

NOTE Confidence: 0.7201480028 00:05:43.120 --> 00:05:43.618 Ohh, NOTE Confidence: 0.7201480028

1.01B commemon 0.1201100020

 $00:05:43.618 \longrightarrow 00:05:45.610$  this is the agenda.

NOTE Confidence: 0.7201480028

 $00:05:45.610 \longrightarrow 00:05:47.339$  So we're going to do the the

NOTE Confidence: 0.7201480028

 $00:05:47.339 \longrightarrow 00:05:48.080$  three case presentations.

NOTE Confidence: 0.7201480028

 $00:05:48.080 \longrightarrow 00:05:50.132$  We will have some time for

 $00:05:50.132 \longrightarrow 00:05:52.130$  for a question to answer.

NOTE Confidence: 0.7201480028

 $00{:}05{:}52.130 \dashrightarrow 00{:}05{:}54.664$  Each one will take about 15 minutes.

NOTE Confidence: 0.7201480028

00:05:54.670 --> 00:05:57.382 So we'll encourage you guys to

NOTE Confidence: 0.7201480028

 $00{:}05{:}57.382 \dashrightarrow 00{:}06{:}00.070$  put your questions in the chat.

NOTE Confidence: 0.7201480028

 $00:06:00.070 \longrightarrow 00:06:02.310$  Some of those may be answered as we go along.

NOTE Confidence: 0.7201480028

 $00:06:02.310 \longrightarrow 00:06:03.913$  Some of those if if you want

NOTE Confidence: 0.7201480028

 $00:06:03.913 \longrightarrow 00:06:05.268$  to hold them to the end,

NOTE Confidence: 0.7201480028

 $00:06:05.270 \longrightarrow 00:06:07.638$  we will hope to have hope to have

NOTE Confidence: 0.7201480028

 $00:06:07.638 \longrightarrow 00:06:09.926$  a little bit of time at the end.

NOTE Confidence: 0.7201480028

 $00:06:09.930 \longrightarrow 00:06:16.090$  And then our our terrific faculty is here.

NOTE Confidence: 0.7201480028

00:06:16.090 --> 00:06:17.550 Or you wanna introduce Aaron?

NOTE Confidence: 0.68169218

00:06:21.110 --> 00:06:24.890 Or we have Aaron Culbert, who is an

NOTE Confidence: 0.68169218

 $00{:}06{:}24.890 \dashrightarrow 00{:}06{:}27.890$  internist in the Greenwich region,

NOTE Confidence: 0.68169218

 $00:06:27.890 \longrightarrow 00:06:30.992$  well respected by her colleagues and

NOTE Confidence: 0.68169218

 $00:06:30.992 \longrightarrow 00:06:34.878$  her patients, and turns out to be quite

 $00:06:34.878 \longrightarrow 00:06:36.830$  knowledgeable about prostate cancer.

NOTE Confidence: 0.44805566125

 $00:06:38.690 \longrightarrow 00:06:40.530$  How she's a mother

NOTE Confidence: 0.847561753125

 $00:06:40.830 \longrightarrow 00:06:43.602$  as well as a physician and has all sorts

NOTE Confidence: 0.847561753125

 $00:06:43.602 \longrightarrow 00:06:46.555$  of athletic activities as well as well.

NOTE Confidence: 0.588374266666667

 $00:06:48.550 \longrightarrow 00:06:50.938$  And and next is Bruce Mcgibbon.

NOTE Confidence: 0.588374266666667

 $00:06:50.940 \longrightarrow 00:06:52.956$  He's already he's been a radiation

NOTE Confidence: 0.588374266666667

00:06:52.956 --> 00:06:54.889 oncologist at Yale for 13 years,

NOTE Confidence: 0.588374266666667

 $00:06:54.890 \longrightarrow 00:06:57.282$  and he is the medical director of Rad

NOTE Confidence: 0.588374266666667

 $00{:}06{:}57.282 \to 00{:}06{:}59.930$  ONC at Greenwich for the past three.

NOTE Confidence: 0.588374266666667

 $00:06:59.930 \longrightarrow 00:07:01.214$  And he's particularly

NOTE Confidence: 0.588374266666667

 $00{:}07{:}01.214 \dashrightarrow 00{:}07{:}02.926$  interested in prostate cancer,

NOTE Confidence: 0.588374266666667

 $00:07:02.930 \longrightarrow 00:07:06.018$  also very active and and an owner of

NOTE Confidence: 0.588374266666667

 $00{:}07{:}06.018 \dashrightarrow 00{:}07{:}09.826$ a new kitten he informed us last week.

NOTE Confidence: 0.588374266666667

00:07:09.830 --> 00:07:11.930 And then my colleague Dan Petrovac,

NOTE Confidence: 0.588374266666667

 $00:07:11.930 \longrightarrow 00:07:13.750$  who's a medical oncologist,

NOTE Confidence: 0.588374266666667

 $00:07:13.750 \longrightarrow 00:07:16.941$  he's a professor of medicine and leads

00:07:16.941 --> 00:07:19.594 the Gu cancers for Yale and Smilo.

NOTE Confidence: 0.588374266666667

 $00:07:19.600 \longrightarrow 00:07:21.296$  Uh, in New Haven.

NOTE Confidence: 0.588374266666667

 $00:07:21.296 \longrightarrow 00:07:23.840$  He's been in Greenwich for for

NOTE Confidence: 0.588374266666667

 $00:07:23.937 \longrightarrow 00:07:27.297$  practicing for 10 years as well he is.

NOTE Confidence: 0.588374266666667

 $00:07:27.300 \longrightarrow 00:07:30.688$  Do you expert these develop new drugs

NOTE Confidence: 0.588374266666667

00:07:30.688 --> 00:07:33.560 he's brought them to FDA approval

NOTE Confidence: 0.588374266666667

 $00:07:33.560 \longrightarrow 00:07:36.620$  really just known internationally

NOTE Confidence: 0.588374266666667

 $00{:}07{:}36.620 \dashrightarrow 00{:}07{:}40.540$  and an amazing clinician and

NOTE Confidence: 0.588374266666667

 $00{:}07{:}40.540 \dashrightarrow 00{:}07{:}43.120$  and a clinical researcher and also

NOTE Confidence: 0.588374266666667

 $00:07:43.120 \longrightarrow 00:07:45.417$  very active in tennis and golf.

NOTE Confidence: 0.588374266666667

 $00:07:45.420 \longrightarrow 00:07:47.802$  And then finally Jerry Portman who

NOTE Confidence: 0.588374266666667

 $00:07:47.802 \longrightarrow 00:07:50.739$  has been a urologist at Yale for 10

NOTE Confidence: 0.588374266666667

 $00{:}07{:}50.739 \dashrightarrow 00{:}07{:}53.152$  years in Greenwich for a year and he

NOTE Confidence: 0.588374266666667

 $00{:}07{:}53.152 \to 00{:}07{:}55.302$  is you know he does generally urology

NOTE Confidence: 0.588374266666667

 $00:07:55.302 \longrightarrow 00:07:57.170$  but really focuses on urologic.

 $00:07:57.170 \longrightarrow 00:07:59.470$  Ecology and he loves to travel.

NOTE Confidence: 0.588374266666667 00:07:59.470 --> 00:08:00.140 In fact, NOTE Confidence: 0.588374266666667

 $00:08:00.140 \longrightarrow 00:08:02.150$  he was participating on his vacation

NOTE Confidence: 0.588374266666667

 $00:08:02.150 \longrightarrow 00:08:04.470$  last week in planning of this event.

NOTE Confidence: 0.588374266666667

 $00:08:04.470 \longrightarrow 00:08:07.360$  So we're going to get going and

NOTE Confidence: 0.588374266666667

 $00:08:07.360 \longrightarrow 00:08:09.542$  turn it right over to Aaron to

NOTE Confidence: 0.588374266666667

 $00:08:09.542 \longrightarrow 00:08:11.663$  start us off on the first case.

NOTE Confidence: 0.588374266666667 00:08:11.670 --> 00:08:12.206 Thanks, NOTE Confidence: 0.588374266666667 00:08:12.206 --> 00:08:12.742 Karen. NOTE Confidence: 0.588374266666667

00:08:12.742 --> 00:08:13.278 All NOTE Confidence: 0.898760204

 $00:08:13.290 \longrightarrow 00:08:14.424$  right. Thank you so much and

NOTE Confidence: 0.898760204

 $00{:}08{:}14.424 \dashrightarrow 00{:}08{:}15.638$  thank you so much, Karen,

NOTE Confidence: 0.898760204

00:08:15.638 --> 00:08:17.470 for that kind introduction.

NOTE Confidence: 0.898760204

 $00{:}08{:}17.470 \dashrightarrow 00{:}08{:}20.966$  We're going to start with our first case,

NOTE Confidence: 0.898760204

00:08:20.970 --> 00:08:22.878 pretty typical primary care,

NOTE Confidence: 0.898760204

 $00{:}08{:}22.878 --> 00{:}08{:}24.309$  bread and butter.

 $00:08:24.310 \longrightarrow 00:08:28.006$  We have our 47 year old white male.

NOTE Confidence: 0.898760204

 $00:08:28.010 \longrightarrow 00:08:30.430$  Nonsmoker patient who presents

NOTE Confidence: 0.898760204

 $00:08:30.430 \longrightarrow 00:08:34.060$  today for a routine physical exam.

NOTE Confidence: 0.898760204

00:08:34.060 --> 00:08:36.979 When asked, he notes no urinary symptoms,

NOTE Confidence: 0.898760204

 $00:08:36.980 \longrightarrow 00:08:38.918$  unless of course he has coffee

NOTE Confidence: 0.898760204

 $00:08:38.918 \longrightarrow 00:08:40.780$  at night right before bedtime,

NOTE Confidence: 0.898760204

 $00:08:40.780 \longrightarrow 00:08:42.655$  which results in one to

NOTE Confidence: 0.898760204

 $00:08:42.655 \longrightarrow 00:08:44.155$  two episodes of nocturia.

NOTE Confidence: 0.898760204

 $00:08:44.160 \longrightarrow 00:08:46.498$  When we questioned him about family history,

NOTE Confidence: 0.898760204

 $00:08:46.500 \longrightarrow 00:08:48.999$  he relates his father was diagnosed with

NOTE Confidence: 0.898760204

 $00:08:48.999 \longrightarrow 00:08:51.740$  prostate cancer at the age of 61 and

NOTE Confidence: 0.898760204

 $00:08:51.740 \longrightarrow 00:08:53.810$  notes that his paternal grandfather was

NOTE Confidence: 0.898760204

 $00{:}08{:}53.810 \dashrightarrow 00{:}08{:}55.825$  also diagnosed with prostate cancer.

NOTE Confidence: 0.898760204

 $00{:}08{:}55.830 --> 00{:}08{:}58.504$  Not sure of the age for that.

NOTE Confidence: 0.898760204

 $00:08:58.510 \longrightarrow 00:09:00.906$  Uh, so he uhm,

 $00:09:00.906 \longrightarrow 00:09:04.500$  unless we count that coffee is

NOTE Confidence: 0.898760204

 $00{:}09{:}04.633 \dashrightarrow 00{:}09{:}07.976$  asymptomatic for urinary symptoms.

NOTE Confidence: 0.898760204

 $00{:}09{:}07.976 \dashrightarrow 00{:}09{:}11.468$  He expresses concern to us about

NOTE Confidence: 0.898760204

00:09:11.468 --> 00:09:14.508 his family history of prostate

NOTE Confidence: 0.898760204

 $00:09:14.508 \longrightarrow 00:09:16.864$  cancer and says DOC,

NOTE Confidence: 0.898760204

 $00{:}09{:}16.870 \dashrightarrow 00{:}09{:}20.356$  can I get screened for prostate cancer?

NOTE Confidence: 0.898760204

 $00:09:20.360 \longrightarrow 00:09:24.482$  So we are going to talk uh to him.

NOTE Confidence: 0.898760204

00:09:24.490 --> 00:09:28.614 I think it's easier to go through

NOTE Confidence: 0.898760204

 $00{:}09{:}28.614 \dashrightarrow 00{:}09{:}30.954$  some of the screening recommendations

NOTE Confidence: 0.898760204

00:09:30.954 --> 00:09:33.549 utilizing our care signature pathway

NOTE Confidence: 0.898760204

 $00{:}09{:}33.550 \dashrightarrow 00{:}09{:}36.210$  for prostate cancer screening.

NOTE Confidence: 0.898760204

00:09:36.210 --> 00:09:39.535 This was a collaboration between

NOTE Confidence: 0.898760204

 $00{:}09{:}39.535 \dashrightarrow 00{:}09{:}42.360$  our clinicians also involved

NOTE Confidence: 0.898760204

 $00:09:42.360 \longrightarrow 00:09:45.432$  review of a lot of the evidence

NOTE Confidence: 0.898760204

 $00:09:45.432 \longrightarrow 00:09:48.676$  that's available as well.

NOTE Confidence: 0.898760204

 $00:09:48.680 \longrightarrow 00:09:50.942$  Consideration of the

00:09:50.942 --> 00:09:52.450 national recommendations,

NOTE Confidence: 0.898760204

 $00:09:52.450 \longrightarrow 00:09:54.655$  I think Mike Lehman was involved as

NOTE Confidence: 0.898760204

 $00:09:54.655 \longrightarrow 00:09:57.142$  well as our other affiliated urologists

NOTE Confidence: 0.898760204

 $00:09:57.142 \longrightarrow 00:09:59.520$  were involved in developing this pathway

NOTE Confidence: 0.898760204

 $00:09:59.520 \longrightarrow 00:10:02.329$  and keeping it as up to date as we

NOTE Confidence: 0.898760204

 $00:10:02.329 \longrightarrow 00:10:04.273$  can with the change in recommendations.

NOTE Confidence: 0.898760204

00:10:04.280 --> 00:10:06.408 Certainly since 2018 there's

NOTE Confidence: 0.898760204

 $00:10:06.408 \longrightarrow 00:10:09.114$  been a lot of changes,

NOTE Confidence: 0.898760204

 $00:10:09.114 \longrightarrow 00:10:12.558$  especially with the Class C recommendation

NOTE Confidence: 0.898760204

 $00:10:12.558 \longrightarrow 00:10:15.074$  for prostate cancer screening for

NOTE Confidence: 0.898760204

 $00:10:15.074 \longrightarrow 00:10:18.570$  patients 55 to 69 and a lot of debate.

NOTE Confidence: 0.898760204

 $00{:}10{:}18.570 \dashrightarrow 00{:}10{:}19.998$  Revolve revolving around the

NOTE Confidence: 0.898760204

 $00{:}10{:}19.998 \dashrightarrow 00{:}10{:}21.426$  prostate specific antigen as

NOTE Confidence: 0.898760204

 $00:10:21.426 \longrightarrow 00:10:23.348$  well as digital rectal exams.

NOTE Confidence: 0.898760204

 $00:10:23.350 \longrightarrow 00:10:26.266$  So we'll go through that as if you were

00:10:26.266 --> 00:10:29.098 in the room talking to your patient,

NOTE Confidence: 0.898760204

00:10:29.098 --> 00:10:31.394 going through the pathway to

NOTE Confidence: 0.898760204

 $00{:}10{:}31.394 \dashrightarrow 00{:}10{:}33.814$ evaluate his prostate cancer risk

NOTE Confidence: 0.898760204

 $00:10:33.814 \longrightarrow 00:10:36.720$  and go through the screening.

NOTE Confidence: 0.890879757142857

 $00:10:38.770 \longrightarrow 00:10:41.745$  So we have our test patient here.

NOTE Confidence: 0.890879757142857

00:10:41.750 --> 00:10:43.325 Karen's kind enough to drive for me,

NOTE Confidence: 0.890879757142857

 $00:10:43.330 \longrightarrow 00:10:45.770$  so she's going to open up that pathway.

NOTE Confidence: 0.890879757142857

 $00:10:45.770 \longrightarrow 00:10:47.450$  So this is how it would look

NOTE Confidence: 0.890879757142857

00:10:47.450 --> 00:10:50.978 if you were in doing your note.

NOTE Confidence: 0.890879757142857

00:10:50.980 --> 00:10:52.980 If you type in prostate,

NOTE Confidence: 0.890879757142857

 $00{:}10{:}52.980 \to 00{:}10{:}56.305$ not prostate, uh, it will come up

NOTE Confidence: 0.890879757142857

 $00:10:56.305 \longrightarrow 00:10:59.410$  with the prostate cancer screening.

NOTE Confidence: 0.890879757142857

 $00{:}10{:}59.410 \dashrightarrow 00{:}11{:}01.150$  Pathway or you wanna click on

NOTE Confidence: 0.890879757142857

00:11:01.150 --> 00:11:02.310 that initial screening pathway?

NOTE Confidence: 0.10259658

 $00:11:04.680 \longrightarrow 00:11:08.180$  And it will open up.

NOTE Confidence: 0.10259658

00:11:08.180 --> 00:11:09.768 Obviously the entire pathway,

00:11:09.768 --> 00:11:13.100 she's gonna fit it to our screen here.

NOTE Confidence: 0.10259658

 $00{:}11{:}13.100 \dashrightarrow 00{:}11{:}16.439$  So we're gonna go through uh and see our,

NOTE Confidence: 0.10259658

00:11:16.440 --> 00:11:17.907 our our case,

NOTE Confidence: 0.10259658

 $00:11:17.907 \longrightarrow 00:11:21.330$  uh for today was 47 years old.

NOTE Confidence: 0.10259658

00:11:21.330 --> 00:11:23.229 Karen, if you want to open up the authors,

NOTE Confidence: 0.10259658

 $00:11:23.230 \longrightarrow 00:11:25.732$  I think you want to give full credit to

NOTE Confidence: 0.10259658

00:11:25.732 --> 00:11:27.910 the contributors for the pathway content,

NOTE Confidence: 0.10259658

 $00{:}11{:}27.910 \dashrightarrow 00{:}11{:}30.133$  because I know this took a lot of work.

NOTE Confidence: 0.10259658

 $00:11:30.140 \longrightarrow 00:11:31.740$  Uh, so there's our list.

NOTE Confidence: 0.10259658

00:11:31.740 --> 00:11:33.390 Mike Leitman up at the top,

NOTE Confidence: 0.10259658

 $00:11:33.390 \longrightarrow 00:11:35.315$  an extra bacus who's from

NOTE Confidence: 0.10259658

00:11:35.315 --> 00:11:37.240 the Greenwich region as well,

NOTE Confidence: 0.10259658

 $00{:}11{:}37.240 \dashrightarrow 00{:}11{:}39.478$  Jerry Portman, who's with us today,

NOTE Confidence: 0.10259658

00:11:39.480 --> 00:11:41.886 Karen Brown who's with us today,

NOTE Confidence: 0.10259658

 $00:11:41.890 \longrightarrow 00:11:43.500$  as well as a host of others.

00:11:43.500 --> 00:11:45.636 So thank you very much for making this

NOTE Confidence: 0.10259658

 $00{:}11{:}45.636 \dashrightarrow 00{:}11{:}47.919$  easy to use on the primary care side.

NOTE Confidence: 0.873033107777778

00:11:50.060 --> 00:11:52.215 Alright. So we're going to

NOTE Confidence: 0.873033107777778

 $00:11:52.215 \longrightarrow 00:11:53.939$  go through the pathway.

NOTE Confidence: 0.873033107777778

 $00:11:53.940 \longrightarrow 00:11:55.512$  We're going to spend a little

NOTE Confidence: 0.873033107777778

 $00:11:55.512 \longrightarrow 00:11:57.205$  bit of time here because it

NOTE Confidence: 0.873033107777778

00:11:57.205 --> 00:11:58.957 does open up into some detail.

NOTE Confidence: 0.873033107777778

 $00:11:58.960 \longrightarrow 00:12:01.200$  We're going to talk about some risk factors.

NOTE Confidence: 0.873033107777778

 $00{:}12{:}01.200 \dashrightarrow 00{:}12{:}03.866$  We're going to go through as well,

NOTE Confidence: 0.873033107777778

 $00:12:03.866 \longrightarrow 00:12:05.970$  OK, if we check the PSA and it

NOTE Confidence: 0.873033107777778

 $00{:}12{:}06.037 \dashrightarrow 00{:}12{:}08.059$  comes back at a certain level.

NOTE Confidence: 0.873033107777778

 $00:12:08.060 \longrightarrow 00:12:10.592$  So we'll give you a whole

NOTE Confidence: 0.873033107777778

00:12:10.592 --> 00:12:11.858 pathway overview here.

NOTE Confidence: 0.873033107777778

00:12:11.860 --> 00:12:13.600 So our patient is 47,

NOTE Confidence: 0.873033107777778

 $00:12:13.600 \longrightarrow 00:12:17.919$  he meets the criteria being above 40.

NOTE Confidence: 0.873033107777778

 $00{:}12{:}17.920 \dashrightarrow 00{:}12{:}19.600$  So we'll consider prostate

 $00:12:19.600 \longrightarrow 00:12:21.280$  cancer screening for him.

NOTE Confidence: 0.873033107777778

00:12:21.280 --> 00:12:23.933 It's important to note this does not

NOTE Confidence: 0.873033107777778

 $00:12:23.933 \longrightarrow 00:12:26.649$  apply to patients who have a prior

NOTE Confidence: 0.873033107777778

00:12:26.649 --> 00:12:29.400 prostate biopsy with a high grade

NOTE Confidence: 0.873033107777778

 $00:12:29.400 \longrightarrow 00:12:31.900$  neoplasia or atypical cell proliferation.

NOTE Confidence: 0.873033107777778

00:12:31.900 --> 00:12:34.294 We also want to double check that our patient

NOTE Confidence: 0.873033107777778

00:12:34.294 --> 00:12:37.520 has a greater than 10 year life expectancy.

NOTE Confidence: 0.873033107777778

 $00:12:37.520 \longrightarrow 00:12:39.040$  Our patient is healthy,

NOTE Confidence: 0.873033107777778

 $00:12:39.040 \longrightarrow 00:12:40.940$  has no other medical comorbidities

NOTE Confidence: 0.873033107777778

 $00:12:40.940 \longrightarrow 00:12:42.049$  that we know of.

NOTE Confidence: 0.873033107777778

00:12:42.050 --> 00:12:44.660 Uh, and he is younger than 75 years old.

NOTE Confidence: 0.873033107777778

 $00:12:44.660 \longrightarrow 00:12:47.453$  So we're gonna proceed down that pathway

NOTE Confidence: 0.873033107777778

 $00{:}12{:}47.453 \dashrightarrow 00{:}12{:}50.338$  and then we go to risk factors which

NOTE Confidence: 0.873033107777778

 $00{:}12{:}50.338 \dashrightarrow 00{:}12{:}53.500$  I want to spend a little bit of time

NOTE Confidence: 0.873033107777778

 $00:12:53.500 \longrightarrow 00:12:55.858$  about certainly African American descent,

 $00:12:55.858 \longrightarrow 00:12:57.846$  we need to note.

NOTE Confidence: 0.873033107777778

 $00{:}12{:}57.850 \dashrightarrow 00{:}13{:}00.265$  So on our initial case presentation slide,

NOTE Confidence: 0.873033107777778

 $00:13:00.270 \longrightarrow 00:13:02.391$  you know if he were African American

NOTE Confidence: 0.873033107777778

 $00:13:02.391 \longrightarrow 00:13:04.681$  that would be an additional risk factor

NOTE Confidence: 0.873033107777778

00:13:04.681 --> 00:13:07.258 on top of his family history and it

NOTE Confidence: 0.873033107777778

 $00:13:07.258 \longrightarrow 00:13:09.690$  gives you the incidence rates as as well,

NOTE Confidence: 0.873033107777778

 $00:13:09.690 \longrightarrow 00:13:11.310$  but it it's quite elevated.

NOTE Confidence: 0.873033107777778 00:13:11.310 --> 00:13:12.114 So they. NOTE Confidence: 0.873033107777778

00:13:12.114 --> 00:13:14.124 That population should definitely be

NOTE Confidence: 0.873033107777778

 $00:13:14.124 \longrightarrow 00:13:16.551$  screened at an earlier age greater

NOTE Confidence: 0.873033107777778

 $00{:}13{:}16.551 \dashrightarrow 00{:}13{:}19.428$  than one or one or greater first

NOTE Confidence: 0.873033107777778

 $00:13:19.428 \longrightarrow 00:13:22.146$  degree relative within the history of

NOTE Confidence: 0.873033107777778

 $00:13:22.146 \longrightarrow 00:13:24.876$  prostate cancer on either side actually.

NOTE Confidence: 0.873033107777778

 $00:13:24.880 \longrightarrow 00:13:27.164$  So maternal and paternal

NOTE Confidence: 0.873033107777778

 $00:13:27.164 \longrightarrow 00:13:30.019$  diagnosed that less than 65.

NOTE Confidence: 0.873033107777778

 $00:13:30.020 \longrightarrow 00:13:34.108$  Family history of other cancers is important.

 $00:13:34.110 \longrightarrow 00:13:35.750$  You want to consider not

NOTE Confidence: 0.873033107777778

 $00:13:35.750 \longrightarrow 00:13:36.734$  only prostate cancer,

NOTE Confidence: 0.873033107777778

 $00:13:36.740 \longrightarrow 00:13:39.547$  but you do want to consider breast

NOTE Confidence: 0.873033107777778

 $00:13:39.547 \longrightarrow 00:13:42.589$  cancer either male or female colorectal.

NOTE Confidence: 0.873033107777778

 $00:13:42.590 \longrightarrow 00:13:45.218$  I think Melanoma is on that

NOTE Confidence: 0.873033107777778

 $00:13:45.218 \longrightarrow 00:13:48.056$  list or it was ovarian,

NOTE Confidence: 0.873033107777778 00:13:48.056 --> 00:13:49.142 pancreatic, NOTE Confidence: 0.873033107777778

00:13:49.142 --> 00:13:51.810 uterine and then it expands down

NOTE Confidence: 0.873033107777778

 $00{:}13{:}51.810 \dashrightarrow 00{:}13{:}54.229$  at the bottom if you have two

NOTE Confidence: 0.873033107777778

 $00:13:54.229 \longrightarrow 00:13:56.521$  or more first or second degree

NOTE Confidence: 0.873033107777778

00:13:56.521 --> 00:13:58.370 relatives with cancer at any age,

NOTE Confidence: 0.873033107777778

 $00:13:58.370 \longrightarrow 00:14:02.156$  so if you have multiple relatives.

NOTE Confidence: 0.873033107777778

 $00{:}14{:}02.160 \dashrightarrow 00{:}14{:}03.978$  They will also count for you.

NOTE Confidence: 0.873033107777778

00:14:03.980 --> 00:14:06.899 So he does have a family history

NOTE Confidence: 0.873033107777778

 $00:14:06.899 \longrightarrow 00:14:09.460$  of prostate cancer and his father.

 $00:14:09.460 \longrightarrow 00:14:10.821$  So we're going to say, yes,

NOTE Confidence: 0.873033107777778

 $00:14:10.821 \longrightarrow 00:14:14.509$  he's a high risk patient and then we'll

NOTE Confidence: 0.873033107777778

 $00:14:14.509 \longrightarrow 00:14:17.756$  initiate shared decision making for him.

NOTE Confidence: 0.873033107777778

 $00:14:17.760 \longrightarrow 00:14:19.937$  I'm going to come back to that.

NOTE Confidence: 0.873033107777778 00:14:19.940 --> 00:14:20.664 Thank you.

NOTE Confidence: 0.873033107777778

 $00{:}14{:}20.664 \dashrightarrow 00{:}14{:}22.836$  There's a bunch of resources there.

NOTE Confidence: 0.873033107777778

 $00:14:22.840 \longrightarrow 00:14:26.026$  I did want to touch on the germline mutations

NOTE Confidence: 0.873033107777778

00:14:26.026 --> 00:14:29.136 and the genetic testing that's available,

NOTE Confidence: 0.873033107777778 00:14:29.140 --> 00:14:32.340 so not. NOTE Confidence: 0.873033107777778

 $00:14:32.340 \longrightarrow 00:14:34.140$  Not very common to talk about.

NOTE Confidence: 0.873033107777778

 $00{:}14{:}34.140 \dashrightarrow 00{:}14{:}35.740$  It's something that Yale offers

NOTE Confidence: 0.873033107777778

 $00:14:35.740 \longrightarrow 00:14:37.747$  for our patients, which is great.

NOTE Confidence: 0.873033107777778

 $00:14:37.747 \longrightarrow 00:14:39.841$  If you click that hyperlink that

NOTE Confidence: 0.873033107777778

 $00:14:39.841 \longrightarrow 00:14:42.100$  says referral to cancer genetics,

NOTE Confidence: 0.873033107777778

00:14:42.100 --> 00:14:44.650 it'll automatically bring up to sign

NOTE Confidence: 0.873033107777778

 $00:14:44.650 \longrightarrow 00:14:47.938$  off on that ambulatory referral to genetics,

 $00:14:47.940 \longrightarrow 00:14:49.360$  type in the referral reason,

NOTE Confidence: 0.873033107777778 $00:14:49.360 \longrightarrow 00:14:50.722$  send it off. NOTE Confidence: 0.873033107777778

 $00:14:50.722 \longrightarrow 00:14:53.446$  There's also a Yale Generations project

NOTE Confidence: 0.873033107777778

00:14:53.446 --> 00:14:56.406 which you can offer to your patients,

NOTE Confidence: 0.873033107777778

00:14:56.410 --> 00:14:58.720 which is a DNA sequencing project

NOTE Confidence: 0.873033107777778

00:14:58.720 --> 00:15:00.520 that's free to participate in,

NOTE Confidence: 0.873033107777778

 $00:15:00.520 \longrightarrow 00:15:02.668$  provides a lot of genetic screening.

NOTE Confidence: 0.873033107777778

 $00:15:02.670 \longrightarrow 00:15:05.560$  Uh, opportunities?

NOTE Confidence: 0.873033107777778

 $00:15:05.560 \longrightarrow 00:15:07.660$  And Karen just pull and pull

NOTE Confidence: 0.873033107777778

 $00:15:07.660 \longrightarrow 00:15:09.840$  up our our flyer for that.

NOTE Confidence: 0.8377870025

 $00:15:09.840 \longrightarrow 00:15:13.669$  So that is definitely available to our

NOTE Confidence: 0.8377870025

 $00:15:13.669 \longrightarrow 00:15:16.380$  patients either blood or saliva testing.

NOTE Confidence: 0.8377870025

 $00{:}15{:}16.380 \dashrightarrow 00{:}15{:}18.510$  And then patients will get that

NOTE Confidence: 0.8377870025

 $00:15:18.510 \longrightarrow 00:15:21.345$  results and have a nice QR code they

NOTE Confidence: 0.8377870025

 $00:15:21.345 \longrightarrow 00:15:23.780$  can scan to get involved with that.

 $00:15:23.780 \longrightarrow 00:15:25.900$  So we can print that and give that to our

NOTE Confidence: 0.8377870025

 $00:15:25.955 \longrightarrow 00:15:28.187$  patients or just click on that link and scan

NOTE Confidence: 0.8377870025

 $00:15:28.187 \dashrightarrow 00:15:31.818$  the QR code in the visit, which is nice.

NOTE Confidence: 0.8377870025

 $00:15:31.820 \longrightarrow 00:15:34.140$  In terms of genetic testing,

NOTE Confidence: 0.8377870025

 $00:15:34.140 \longrightarrow 00:15:36.880$  BRCA gene testing is important.

NOTE Confidence: 0.8377870025

 $00:15:36.880 \longrightarrow 00:15:40.740$  And then there's additional.

NOTE Confidence: 0.8377870025

00:15:40.740 --> 00:15:42.235 Remind mutations that if you

NOTE Confidence: 0.8377870025

00:15:42.235 --> 00:15:43.730 Scroll down and click on,

NOTE Confidence: 0.8377870025

 $00{:}15{:}43.730 \rightarrow 00{:}15{:}45.598$  that germline mutations line

NOTE Confidence: 0.8377870025

 $00:15:45.598 \longrightarrow 00:15:47.380$  up right above Karen.

NOTE Confidence: 0.86268735

 $00:15:49.660 \longrightarrow 00:15:52.092$  There's also additional testing

NOTE Confidence: 0.86268735

 $00:15:52.092 \longrightarrow 00:15:54.524$  related to Lynch syndrome.

NOTE Confidence: 0.86268735

 $00:15:54.530 \longrightarrow 00:15:55.940$  I think the ATM gene,

NOTE Confidence: 0.86268735

 $00:15:55.940 \longrightarrow 00:15:58.884$  there's a few genes that we know are

NOTE Confidence: 0.86268735

 $00:15:58.884 \longrightarrow 00:16:02.180$  linked to higher risk of prostate cancer.

NOTE Confidence: 0.86268735

00:16:02.180 --> 00:16:06.260 So when it comes to shared decision making,

00:16:06.260 --> 00:16:09.395 while I'm in the room with my patients,

NOTE Confidence: 0.86268735

 $00:16:09.395 \longrightarrow 00:16:11.320$  you can open this up.

NOTE Confidence: 0.86268735

00:16:11.320 --> 00:16:13.072 I know everybody has a different

NOTE Confidence: 0.86268735

 $00:16:13.072 \longrightarrow 00:16:14.240$  report with their patients,

NOTE Confidence: 0.86268735

 $00:16:14.240 \longrightarrow 00:16:16.335$  but basically the important thing

NOTE Confidence: 0.86268735

 $00:16:16.335 \longrightarrow 00:16:18.880$  is to let the patients know.

NOTE Confidence: 0.86268735

 $00:16:18.880 \longrightarrow 00:16:21.144$  What the recommendations are,

NOTE Confidence: 0.86268735

 $00:16:21.144 \longrightarrow 00:16:24.538$  uh, what the testing is,

NOTE Confidence: 0.86268735

 $00:16:24.538 \longrightarrow 00:16:28.580$  as well as the risks of the testing.

NOTE Confidence: 0.86268735

 $00{:}16{:}28.580 \dashrightarrow 00{:}16{:}31.240$  So there's a lot of great handouts

NOTE Confidence: 0.86268735

00:16:31.240 --> 00:16:33.289 from the American Cancer Society

NOTE Confidence: 0.86268735

 $00{:}16{:}33.289 \dashrightarrow 00{:}16{:}36.412$  resources from up to date that provide

NOTE Confidence: 0.86268735

 $00{:}16{:}36.412 \dashrightarrow 00{:}16{:}38.476$  a great informational overview,

NOTE Confidence: 0.86268735

 $00:16:38.480 \longrightarrow 00:16:39.952$  especially with patients 47.

NOTE Confidence: 0.86268735

00:16:39.952 --> 00:16:41.792 He's probably never had prostate

 $00:16:41.792 \longrightarrow 00:16:43.139$  cancer screening before.

NOTE Confidence: 0.86268735

 $00{:}16{:}43.140 \dashrightarrow 00{:}16{:}45.317$  Would give them a great overview to

NOTE Confidence: 0.86268735

 $00:16:45.317 \longrightarrow 00:16:47.460$  know exactly what we're getting into

NOTE Confidence: 0.86268735

00:16:47.460 --> 00:16:49.370 because once you start screening.

NOTE Confidence: 0.86268735

 $00:16:49.370 \longrightarrow 00:16:51.890$  It's going to be continued most

NOTE Confidence: 0.86268735

00:16:51.890 --> 00:16:53.990 likely until they're 75 based

NOTE Confidence: 0.86268735

 $00:16:53.990 \longrightarrow 00:16:55.670$  on the current guidelines.

NOTE Confidence: 0.86268735

00:16:55.670 --> 00:16:58.040 So I would take this patient through, OK.

NOTE Confidence: 0.86268735

00:16:58.040 --> 00:16:59.790 Yes, we should talk about

NOTE Confidence: 0.86268735

 $00:16:59.790 \longrightarrow 00:17:00.840$  prostate cancer screening.

NOTE Confidence: 0.86268735

00:17:00.840 --> 00:17:04.696 Your dad had a history of prostate cancer.

NOTE Confidence: 0.86268735

 $00:17:04.700 \longrightarrow 00:17:08.108$  These are the ways that we would screen.

NOTE Confidence: 0.86268735

 $00:17:08.110 \dashrightarrow 00:17:11.337$  PSA is is the most commonly used.

NOTE Confidence: 0.86268735

 $00:17:11.340 \longrightarrow 00:17:14.436$  We'll come back to other methods.

NOTE Confidence: 0.86268735

 $00:17:14.440 \longrightarrow 00:17:16.248$  There are risks of false positive.

NOTE Confidence: 0.86268735

 $00:17:16.250 \longrightarrow 00:17:17.420$  Uh, if you Scroll down,

 $00:17:17.420 \longrightarrow 00:17:19.380$  there is a list of the acute factors.

NOTE Confidence: 0.86268735

 $00:17:19.380 \longrightarrow 00:17:21.444$  Yep, you got it.

NOTE Confidence: 0.86268735

 $00:17:21.444 \longrightarrow 00:17:24.024$  That may alter PSA results.

NOTE Confidence: 0.86268735

 $00:17:24.030 \longrightarrow 00:17:25.310$  So we'll get into that.

NOTE Confidence: 0.86268735

 $00{:}17{:}25.310 \dashrightarrow 00{:}17{:}26.675$  But there is a nice smart phrase

NOTE Confidence: 0.86268735

00:17:26.675 --> 00:17:27.888 you can put in your note.

NOTE Confidence: 0.86268735

00:17:27.890 --> 00:17:30.870 It's dot prostate cancer screening,

NOTE Confidence: 0.86268735

 $00{:}17{:}30.870 \dashrightarrow 00{:}17{:}31.950$  SDM's shared decision making.

NOTE Confidence: 0.86268735

 $00:17:31.950 \longrightarrow 00:17:34.130$  So you can put that into your note.

NOTE Confidence: 0.86268735

 $00{:}17{:}34.130 \dashrightarrow 00{:}17{:}37.010$  Get full credit for having that

NOTE Confidence: 0.86268735

00:17:37.010 --> 00:17:38.930 lengthy shared decision making

NOTE Confidence: 0.86268735

 $00:17:38.930 \longrightarrow 00:17:40.434$  conversation with your patient.

NOTE Confidence: 0.86268735

 $00{:}17{:}40.434 \dashrightarrow 00{:}17{:}43.670$  So you want to let the patient know,

NOTE Confidence: 0.86268735

00:17:43.670 --> 00:17:44.693 you know, hey.

NOTE Confidence: 0.86268735

 $00:17:44.693 \longrightarrow 00:17:46.739$  PSA is not a perfect test.

00:17:46.740 --> 00:17:49.070 If you have some urinary

NOTE Confidence: 0.86268735

 $00{:}17{:}49.070 \dashrightarrow 00{:}17{:}50.297$  retention instrumentation,

NOTE Confidence: 0.86268735

 $00:17:50.297 \longrightarrow 00:17:54.082$  vigorous physical activity or perineal

NOTE Confidence: 0.86268735

 $00:17:54.082 \longrightarrow 00:17:59.639$  trauma can sometimes raise the PSA.

NOTE Confidence: 0.86268735

 $00:17:59.640 \longrightarrow 00:18:00.760$  So if they say, OK,

NOTE Confidence: 0.86268735

00:18:00.760 --> 00:18:02.128 I understand they're the

NOTE Confidence: 0.86268735

00:18:02.128 --> 00:18:03.496 risks involved with PSA,

NOTE Confidence: 0.86268735

 $00:18:03.500 \longrightarrow 00:18:04.596$  I want to proceed.

NOTE Confidence: 0.86268735

 $00{:}18{:}04.596 \dashrightarrow 00{:}18{:}06.672$  You would then click on the screening

NOTE Confidence: 0.86268735

00:18:06.672 --> 00:18:08.856 PSA order either through Yale or

NOTE Confidence: 0.86268735

 $00{:}18{:}08.856 \dashrightarrow 00{:}18{:}10.927$  LabCorp or through Quest and it's

NOTE Confidence: 0.86268735

00:18:10.927 --> 00:18:13.068 going to look exactly like that if

NOTE Confidence: 0.86268735

 $00:18:13.068 \longrightarrow 00:18:15.532$  you see on the upper right hand side.

NOTE Confidence: 0.86268735

 $00{:}18{:}15.540 \dashrightarrow 00{:}18{:}18.411$  So you can just hit accept and it will

NOTE Confidence: 0.86268735

 $00:18:18.411 \longrightarrow 00:18:21.175$  sign off on that screening PSA order.

NOTE Confidence: 0.86268735

 $00:18:21.180 \longrightarrow 00:18:22.924$  Yeah, there you go.

 $00:18:22.924 \longrightarrow 00:18:23.360$  Perfect.

NOTE Confidence: 0.8414475

 $00{:}18{:}26.450 \dashrightarrow 00{:}18{:}30.614$  Alright. So say we sign off that our 47

NOTE Confidence: 0.8414475

 $00:18:30.614 \longrightarrow 00:18:33.486$  year old male is otherwise pretty healthy.

NOTE Confidence: 0.8414475

 $00:18:33.490 \longrightarrow 00:18:35.664$  It's a week or two later, depending on

NOTE Confidence: 0.8414475

00:18:35.664 --> 00:18:37.848 whether he went to Quest or LabCorp,

NOTE Confidence: 0.8414475

00:18:37.850 --> 00:18:41.811 he should have gone to Yale. And then, uh,

NOTE Confidence: 0.8414475

00:18:41.811 --> 00:18:44.656 as you go through the pathway, there's Umm,

NOTE Confidence: 0.8414475

00:18:44.656 --> 00:18:47.440 if you go down to that 3rd result,

NOTE Confidence: 0.8414475

 $00:18:47.440 \longrightarrow 00:18:51.010$  that PSA interpretation?

NOTE Confidence: 0.8414475

 $00{:}18{:}51.010 \dashrightarrow 00{:}18{:}52.090$  Normal result discussion.

NOTE Confidence: 0.8414475

 $00:18:52.090 \longrightarrow 00:18:55.296$  You can then go through that pathway and it

NOTE Confidence: 0.8414475

 $00:18:55.296 \longrightarrow 00:18:57.466$  literally takes you through step by step.

NOTE Confidence: 0.8414475

 $00{:}18{:}57.470 \dashrightarrow 00{:}19{:}01.509$  So Umm, we're going to go through,

NOTE Confidence: 0.8414475

 $00:19:01.510 \longrightarrow 00:19:02.710$  we're going to come back to

NOTE Confidence: 0.8414475

 $00:19:02.710 \longrightarrow 00:19:03.510$  the digital rectal exam.

 $00:19:03.510 \longrightarrow 00:19:05.470$  I have a couple slides on that.

NOTE Confidence: 0.8414475

 $00{:}19{:}05.470 \dashrightarrow 00{:}19{:}09.494$  Umm, we'll talk about that in a minute.

NOTE Confidence: 0.8414475

 $00:19:09.500 \longrightarrow 00:19:13.427$  If the PSA is greater than 10.

NOTE Confidence: 0.8414475

 $00:19:13.430 \longrightarrow 00:19:15.160$  It should be repeated in

NOTE Confidence: 0.8414475

 $00:19:15.160 \longrightarrow 00:19:16.890$  about four to six weeks.

NOTE Confidence: 0.8414475

 $00:19:16.890 \longrightarrow 00:19:19.074$  Uh, you want to make sure we

NOTE Confidence: 0.8414475

00:19:19.074 --> 00:19:21.029 weren't missing part of our history,

NOTE Confidence: 0.8414475

 $00{:}19{:}21.030 \dashrightarrow 00{:}19{:}23.560$ some unknown instrumentation or unknown

NOTE Confidence: 0.8414475

 $00:19:23.560 \longrightarrow 00:19:26.789$  symptoms that they didn't realize they had?

NOTE Confidence: 0.8414475

 $00:19:26.790 \longrightarrow 00:19:28.922$  Uh, we also, uh,

NOTE Confidence: 0.8414475

 $00{:}19{:}28.922 \dashrightarrow 00{:}19{:}32.550$  wanna review what that repeat lab is.

NOTE Confidence: 0.8414475

 $00:19:32.550 \longrightarrow 00:19:34.742$  If it's still elevated,

NOTE Confidence: 0.8414475

 $00:19:34.742 \longrightarrow 00:19:37.200$  then that generates a reflex.

NOTE Confidence: 0.8414475

00:19:37.200 --> 00:19:40.035 You can hit that refer to urology

NOTE Confidence: 0.8414475

 $00:19:40.035 \longrightarrow 00:19:42.210$  hyperlink up there on the right.

NOTE Confidence: 0.8414475

 $00:19:42.210 \longrightarrow 00:19:42.782$  Yeah.

 $00:19:42.782 \longrightarrow 00:19:45.070$  And at that point,

NOTE Confidence: 0.8414475

 $00{:}19{:}45.070 \dashrightarrow 00{:}19{:}47.646$  we need to get your urology involved

NOTE Confidence: 0.8414475

 $00:19:47.646 \longrightarrow 00:19:49.781$  because that indicates more of a

NOTE Confidence: 0.8414475

00:19:49.781 --> 00:19:51.686 high risk probability if our young

NOTE Confidence: 0.8414475

00:19:51.686 --> 00:19:54.590 47 year old has a PSA less than 10,

NOTE Confidence: 0.8414475

 $00:19:54.590 \longrightarrow 00:19:57.716$  which thankfully most of them do.

NOTE Confidence: 0.8414475

 $00:19:57.720 \longrightarrow 00:20:00.908$  We need to consider.

NOTE Confidence: 0.8414475

 $00:20:00.910 \longrightarrow 00:20:04.627$  Other factors so say he was 47 and on

NOTE Confidence: 0.8414475

 $00:20:04.627 \longrightarrow 00:20:07.329$  finasteride to help prevent hair loss.

NOTE Confidence: 0.8414475

 $00:20:07.330 \longrightarrow 00:20:11.068$  Umm, that's your 5A reductase inhibitor.

NOTE Confidence: 0.8414475

 $00:20:11.070 \longrightarrow 00:20:13.134$  So there actually is a correction

NOTE Confidence: 0.8414475

00:20:13.134 --> 00:20:14.166 factor for that,

NOTE Confidence: 0.8414475

 $00{:}20{:}14.170 \dashrightarrow 00{:}20{:}16.396$  something which I had to brush

NOTE Confidence: 0.8414475

 $00:20:16.396 \longrightarrow 00:20:17.880$  up on for this.

NOTE Confidence: 0.8414475

 $00:20:17.880 \longrightarrow 00:20:20:330$  So not that I have a lot of patients on it,

 $00:20:20.330 \longrightarrow 00:20:22.346$  but if you do have a patient

NOTE Confidence: 0.8414475

00:20:22.346 --> 00:20:23.470 that's already on it,

NOTE Confidence: 0.8414475

 $00:20:23.470 \longrightarrow 00:20:27.796$  you really should double your PSA value.

NOTE Confidence: 0.8414475

 $00:20:27.800 \longrightarrow 00:20:29.912$  If the PSA increases while they're

NOTE Confidence: 0.8414475

 $00:20:29.912 \longrightarrow 00:20:32.779$  already on a 504 reductase inhibitor,

NOTE Confidence: 0.8414475

00:20:32.780 --> 00:20:36.315 that also should be evaluated by urology.

NOTE Confidence: 0.8414475

 $00{:}20{:}36.320 \dashrightarrow 00{:}20{:}38.791$  The reason for that is because higher

NOTE Confidence: 0.8414475

00:20:38.791 --> 00:20:41.032 grade lesions are more common when

NOTE Confidence: 0.8414475

 $00{:}20{:}41.032 \dashrightarrow 00{:}20{:}43.258$  you're on a 5A reductase inhibitor.

NOTE Confidence: 0.8414475

00:20:43.260 --> 00:20:46.038 So assuming he's not on finasteride,

NOTE Confidence: 0.8414475

 $00{:}20{:}46.040 \dashrightarrow 00{:}20{:}47.980$  which our patient was not,

NOTE Confidence: 0.8414475

 $00:20:47.980 \longrightarrow 00:20:50.746$  you can go by age category,

NOTE Confidence: 0.8414475

00:20:50.750 --> 00:20:53.207 even though the lab cut off will

NOTE Confidence: 0.8414475

 $00:20:53.207 \longrightarrow 00:20:55.124$  be 4.0 nanograms per milliliter.

NOTE Confidence: 0.8414475

 $00:20:55.124 \longrightarrow 00:20:57.927$  It really does go by age so

NOTE Confidence: 0.8414475

 $00:20:57.927 \longrightarrow 00:20:59.067$  that first decade.

 $00:20:59.070 \longrightarrow 00:21:00.510 40 \text{ to } 49,$ 

NOTE Confidence: 0.8414475

 $00:21:00.510 \longrightarrow 00:21:02.910$  if it's greater than two

NOTE Confidence: 0.8414475

 $00:21:02.910 \longrightarrow 00:21:04.870$  is considered abnormal,

NOTE Confidence: 0.8414475

 $00:21:04.870 \longrightarrow 00:21:07.378$  then 50 to 59 greater than

NOTE Confidence: 0.8414475

00:21:07.378 --> 00:21:09.050 three also considered abnormal,

NOTE Confidence: 0.8414475

 $00:21:09.050 \longrightarrow 00:21:10.350$  and then 60 and above.

NOTE Confidence: 0.8414475

 $00:21:10.350 \longrightarrow 00:21:12.984$  You can use that upper limit

NOTE Confidence: 0.8414475

 $00:21:12.984 \longrightarrow 00:21:16.078$  normal of the lab cut off at 4.

NOTE Confidence: 0.8414475

 $00:21:16.080 \longrightarrow 00:21:21.700$  So you can go through based on all of that.

NOTE Confidence: 0.8414475

00:21:21.700 --> 00:21:25.200 If his PSA was less than 2.0

NOTE Confidence: 0.8414475

00:21:25.200 --> 00:21:26.520 nanograms per milliliter,

NOTE Confidence: 0.8414475

 $00:21:26.520 \longrightarrow 00:21:28.536$  then you would go to the right

NOTE Confidence: 0.8414475

 $00:21:28.536 \longrightarrow 00:21:30.680$  and he would have a normal PSA,

NOTE Confidence: 0.8414475

 $00{:}21{:}30.680 \dashrightarrow 00{:}21{:}32.768$  and actually it'll break it down

NOTE Confidence: 0.8414475

00:21:32.768 --> 00:21:34.949 even further into when you should

00:21:34.949 --> 00:21:36.754 be repeating the PSA numbers,

NOTE Confidence: 0.8414475

 $00:21:36.760 \longrightarrow 00:21:39.172$  and you can actually go into

NOTE Confidence: 0.8414475

 $00{:}21{:}39.172 \dashrightarrow 00{:}21{:}42.240$  your health maintenance screen.

NOTE Confidence: 0.8414475

 $00:21:42.240 \longrightarrow 00:21:45.208$  And you can update the modifier and

NOTE Confidence: 0.8414475

 $00:21:45.208 \longrightarrow 00:21:47.849$  select the frequency that you want to.

NOTE Confidence: 0.8414475

 $00{:}21{:}47.850 \dashrightarrow 00{:}21{:}51.036$  I think you might have to hit edit modifier.

NOTE Confidence: 0.8414475

 $00:21:51.040 \longrightarrow 00:21:51.380 \text{ Yep.}$ 

NOTE Confidence: 0.8374414

 $00:21:54.030 \longrightarrow 00:21:55.118$  Yeah, there it is.

NOTE Confidence: 0.874907815

00:21:59.010 --> 00:22:02.220 Wonderful. And it should pop up.

NOTE Confidence: 0.874907815

00:22:02.220 --> 00:22:06.748 Although. For us, it's not.

NOTE Confidence: 0.874907815

 $00{:}22{:}06.750 \dashrightarrow 00{:}22{:}09.414$  So you should be able to edit that

NOTE Confidence: 0.874907815

 $00:22:09.414 \longrightarrow 00:22:11.966$  modifier to be specific for the time

NOTE Confidence: 0.874907815

 $00:22:11.966 \longrightarrow 00:22:14.360$  interval that you want to repeat.

NOTE Confidence: 0.874907815

00:22:14.360 --> 00:22:16.979 You do not have to do it every year,

NOTE Confidence: 0.874907815

00:22:16.980 --> 00:22:18.960 uh, but for higher risk patients,

NOTE Confidence: 0.874907815

 $00:22:18.960 \longrightarrow 00:22:21.036$  uh, like our patient you should.

 $00:22:21.040 \longrightarrow 00:22:23.152$  And then for lower risk patients

NOTE Confidence: 0.874907815

 $00{:}22{:}23.152 \dashrightarrow 00{:}22{:}26.124$  you can do every two to four years

NOTE Confidence: 0.874907815

 $00:22:26.124 \longrightarrow 00:22:28.800$  depending on how low their PSA is.

NOTE Confidence: 0.874907815

 $00:22:28.800 \longrightarrow 00:22:31.054$  And I think that about covers the

NOTE Confidence: 0.874907815

 $00:22:31.054 \longrightarrow 00:22:32.960$  more important points of the pathway.

NOTE Confidence: 0.834748628888889

 $00:22:34.980 \longrightarrow 00:22:36.080$  Just Scroll down, make sure

NOTE Confidence: 0.834748628888889

00:22:36.080 --> 00:22:36.960 I didn't miss anything.

NOTE Confidence: 0.84382445

 $00:22:41.290 \longrightarrow 00:22:43.530$  Yeah. And then it's all the same.

NOTE Confidence: 0.84382445

00:22:43.530 --> 00:22:45.712 If PSA is abnormal again, then you

NOTE Confidence: 0.84382445

 $00:22:45.712 \longrightarrow 00:22:47.819$  would refer to urology at that point.

NOTE Confidence: 0.904693646666667

 $00:22:49.900 \longrightarrow 00:22:50.839$  Thank you, Karen.

NOTE Confidence: 0.665628383333333

00:22:53.460 --> 00:22:55.830 All right. Hopefully that the

NOTE Confidence: 0.8678422025

 $00{:}22{:}55.840 \dashrightarrow 00{:}22{:}56.911$ health maintenance didn't

NOTE Confidence: 0.8678422025

 $00:22:56.911 \longrightarrow 00:22:58.696$  work because of the age.

NOTE Confidence: 0.8678422025

 $00:22:58.700 \longrightarrow 00:23:01.460$  So we just looking at that we just

 $00:23:01.460 \longrightarrow 00:23:03.490$  problem solved and that will get fixed.

NOTE Confidence: 0.9014859

 $00{:}23{:}05.640 \dashrightarrow 00{:}23{:}09.186$  Yeah, we picked an older patient for testing.

NOTE Confidence: 0.924298187142857

00:23:09.190 --> 00:23:11.366 All right. So I just want to draw

NOTE Confidence: 0.924298187142857

 $00:23:11.366 \longrightarrow 00:23:13.168$  some attention to the smart phrases.

NOTE Confidence: 0.924298187142857

 $00:23:13.170 \longrightarrow 00:23:14.618$  There's that shared decision

NOTE Confidence: 0.924298187142857

00:23:14.618 --> 00:23:15.704 making smart phrase.

NOTE Confidence: 0.924298187142857

00:23:15.710 --> 00:23:17.348 And then if you want to,

NOTE Confidence: 0.924298187142857

 $00:23:17.350 \longrightarrow 00:23:18.615$  rather than clicking on the

NOTE Confidence: 0.924298187142857

00:23:18.615 --> 00:23:19.627 hyperlinks in the pathway,

NOTE Confidence: 0.924298187142857

 $00:23:19.630 \longrightarrow 00:23:21.226$  if you felt like you wanted

NOTE Confidence: 0.924298187142857

 $00:23:21.226 \longrightarrow 00:23:22.716$  to do the prostate resources

NOTE Confidence: 0.924298187142857

00:23:22.716 --> 00:23:24.546 in your after visit summary,

NOTE Confidence: 0.924298187142857

 $00:23:24.550 \longrightarrow 00:23:26.458$  there is a smart phrase for that as well.

NOTE Confidence: 0.924298187142857

 $00:23:26.460 \longrightarrow 00:23:30.450$  At the bottom, another key update,

NOTE Confidence: 0.924298187142857

 $00:23:30.450 \longrightarrow 00:23:32.586$  we need to circle back to

NOTE Confidence: 0.924298187142857

 $00:23:32.586 \longrightarrow 00:23:34.010$  the digital rectal exam.

 $00:23:34.010 \longrightarrow 00:23:36.385$  It is no longer recommended

NOTE Confidence: 0.924298187142857

 $00:23:36.385 \longrightarrow 00:23:37.810$  for screening purposes,

NOTE Confidence: 0.924298187142857

 $00:23:37.810 \longrightarrow 00:23:39.196$  but it absolutely should be done.

NOTE Confidence: 0.924298187142857

00:23:39.200 --> 00:23:40.424 For diagnostic purposes,

NOTE Confidence: 0.924298187142857

 $00:23:40.424 \longrightarrow 00:23:43.280$  if our patient maybe didn't drink the

NOTE Confidence: 0.924298187142857

00:23:43.350 --> 00:23:45.793 two cups of coffee before bedtime and

NOTE Confidence: 0.924298187142857

00:23:45.793 --> 00:23:48.290 still had those episodes of nocturia,

NOTE Confidence: 0.924298187142857 00:23:48.290 --> 00:23:49.096 you know,

NOTE Confidence: 0.924298187142857

 $00:23:49.096 \longrightarrow 00:23:51.111$  we may want to consider

NOTE Confidence: 0.924298187142857

00:23:51.111 --> 00:23:52.610 evaluating what's going on.

NOTE Confidence: 0.924298187142857

00:23:52.610 --> 00:23:55.995 But for average screening purposes

NOTE Confidence: 0.924298187142857

 $00:23:55.995 \longrightarrow 00:23:59.104$  is not recommended in terms of

NOTE Confidence: 0.924298187142857

 $00{:}23{:}59.104 \dashrightarrow 00{:}24{:}00.894$  when to start PSA screening

NOTE Confidence: 0.924298187142857

 $00:24:00.894 \longrightarrow 00:24:02.849$  for prostate cancer screening,

NOTE Confidence: 0.924298187142857

 $00:24:02.850 \longrightarrow 00:24:04.190$  if it is elevated risk,

 $00:24:04.190 \longrightarrow 00:24:05.600$  you need to tell the patient

NOTE Confidence: 0.924298187142857

 $00:24:05.600 \longrightarrow 00:24:07.164$  that there are higher risk engage

NOTE Confidence: 0.924298187142857

 $00:24:07.164 \longrightarrow 00:24:08.604$  in that shared decision making.

NOTE Confidence: 0.924298187142857

00:24:08.610 --> 00:24:09.762 I know it takes a little bit of time,

NOTE Confidence: 0.924298187142857

00:24:09.770 --> 00:24:11.130 but it's worth it.

NOTE Confidence: 0.924298187142857

 $00:24:11.130 \longrightarrow 00:24:12.830$  Because then they understand what

NOTE Confidence: 0.924298187142857

 $00:24:12.830 \longrightarrow 00:24:14.727$  they're getting into and have

NOTE Confidence: 0.924298187142857

00:24:14.727 --> 00:24:16.227 better follow-up going forward.

NOTE Confidence: 0.924298187142857

 $00{:}24{:}16.230 \dashrightarrow 00{:}24{:}18.245$  If there's really no increased

NOTE Confidence: 0.924298187142857

00:24:18.245 --> 00:24:20.789 and that'll start at 40 to 45,

NOTE Confidence: 0.924298187142857

00:24:20.790 --> 00:24:22.475 if they really don't have

NOTE Confidence: 0.924298187142857

 $00:24:22.475 \longrightarrow 00:24:23.823$  any increased risk factors,

NOTE Confidence: 0.924298187142857

 $00:24:23.830 \longrightarrow 00:24:25.830$  you can start at 50.

NOTE Confidence: 0.924298187142857

 $00:24:25.830 \longrightarrow 00:24:27.930$  If we go to the next slide,

NOTE Confidence: 0.924298187142857

 $00:24:27.930 \longrightarrow 00:24:30.567$  I wanted to spend a little bit of time

NOTE Confidence: 0.924298187142857

00:24:30.567 --> 00:24:32.906 talking about that digital rectal exam,

 $00:24:32.910 \longrightarrow 00:24:36.048$  everybody's favorite test.

NOTE Confidence: 0.924298187142857

 $00:24:36.050 \longrightarrow 00:24:38.140$  So I, I, you know,

NOTE Confidence: 0.924298187142857

 $00:24:38.140 \longrightarrow 00:24:40.222$  kind of had some trouble adjusting

NOTE Confidence: 0.924298187142857

 $00:24:40.222 \longrightarrow 00:24:42.859$  to this and and probably still do

NOTE Confidence: 0.924298187142857

 $00:24:42.860 \longrightarrow 00:24:44.916$  because I was kind of trained in medicine.

NOTE Confidence: 0.924298187142857

00:24:44.920 --> 00:24:46.405 If if you could see it and touch it

NOTE Confidence: 0.924298187142857

00:24:46.405 --> 00:24:47.838 and it was right in front of you,

NOTE Confidence: 0.924298187142857

 $00:24:47.840 \longrightarrow 00:24:49.620$  you should check it.

NOTE Confidence: 0.924298187142857

00:24:49.620 --> 00:24:52.290 But with the digital rectal exam

NOTE Confidence: 0.924298187142857

 $00:24:52.380 \longrightarrow 00:24:55.070$  that's not necessarily the case.

NOTE Confidence: 0.924298187142857

00:24:55.070 --> 00:24:56.060 As I mentioned,

NOTE Confidence: 0.924298187142857

00:24:56.060 --> 00:24:57.050 definitely for symptoms,

NOTE Confidence: 0.924298187142857

 $00:24:57.050 \longrightarrow 00:24:58.670$  not so much for screening.

NOTE Confidence: 0.924298187142857

 $00{:}24{:}58.670 \dashrightarrow 00{:}25{:}01.472$  It does have a low sensitivity

NOTE Confidence: 0.924298187142857

 $00:25:01.472 \longrightarrow 00:25:02.873$  and low specificity.

 $00:25:02.880 \longrightarrow 00:25:04.365$  The most generous estimate that

NOTE Confidence: 0.924298187142857

 $00{:}25{:}04.365 --> 00{:}25{:}06.411$  I could find was that it had a

NOTE Confidence: 0.924298187142857

 $00:25:06.411 \longrightarrow 00:25:07.600 41\%$  positive predictive value.

NOTE Confidence: 0.924298187142857

 $00:25:07.600 \longrightarrow 00:25:10.412$  But that was out of a meta analysis

NOTE Confidence: 0.924298187142857

00:25:10.412 --> 00:25:12.967 where when you broke it down into

NOTE Confidence: 0.924298187142857

 $00{:}25{:}12.967 \dashrightarrow 00{:}25{:}15.126$  the individual studies did not have

NOTE Confidence: 0.924298187142857

 $00:25:15.126 \longrightarrow 00:25:16.938$  such great evidence backing it up.

NOTE Confidence: 0.924298187142857

 $00:25:16.940 \longrightarrow 00:25:19.800$  So that was probably overgenerous.

NOTE Confidence: 0.924298187142857

 $00{:}25{:}19.800 \dashrightarrow 00{:}25{:}22.579$  They think the OR have shown that

NOTE Confidence: 0.924298187142857

 $00:25:22.579 \longrightarrow 00:25:24.575$  the digital rectal exam will

NOTE Confidence: 0.924298187142857

 $00{:}25{:}24.575 \dashrightarrow 00{:}25{:}27.050$  increase the PSA a bit, you know,

NOTE Confidence: 0.924298187142857

 $00:25:27.050 \longrightarrow 00:25:29.060$  up to .4 nanograms per milliliter.

NOTE Confidence: 0.924298187142857

 $00:25:29.060 \longrightarrow 00:25:30.362$  And of course,

NOTE Confidence: 0.924298187142857

00:25:30.362 --> 00:25:32.966 just because of anatomy and physics.

NOTE Confidence: 0.924298187142857

 $00:25:32.970 \longrightarrow 00:25:34.842$  You can only detect that that

NOTE Confidence: 0.924298187142857

 $00:25:34.842 \longrightarrow 00:25:36.730$  back surface of the prostate,

 $00:25:36.730 \longrightarrow 00:25:38.955$  making the earlier stages of

NOTE Confidence: 0.924298187142857

 $00{:}25{:}38.955 \dashrightarrow 00{:}25{:}40.290$  prostate cancer undetectable

NOTE Confidence: 0.924298187142857

 $00:25:40.290 \longrightarrow 00:25:42.529$  based on just the Dre alone.

NOTE Confidence: 0.924298187142857

 $00:25:42.530 \longrightarrow 00:25:45.398$  So for that reason.

NOTE Confidence: 0.924298187142857 00:25:45.400 --> 00:25:45.996 You know,

NOTE Confidence: 0.924298187142857

 $00:25:45.996 \longrightarrow 00:25:48.082$  up to 1/3 of cancer is detected

NOTE Confidence: 0.924298187142857

 $00:25:48.082 \longrightarrow 00:25:50.710$  by a digital rectal exam alone or

NOTE Confidence: 0.924298187142857

00:25:50.710 --> 00:25:53.425 advanced versus less than 10% or

NOTE Confidence: 0.924298187142857

 $00{:}25{:}53.425 \dashrightarrow 00{:}25{:}56.569$  advanced stages when you use the PSA.

NOTE Confidence: 0.924298187142857

 $00{:}25{:}56.570 \dashrightarrow 00{:}25{:}59.108$  So there is an advantage there.

NOTE Confidence: 0.924298187142857

00:25:59.110 --> 00:26:01.980 There have been additional comparisons,

NOTE Confidence: 0.924298187142857 00:26:01.980 --> 00:26:02.764 you know,

NOTE Confidence: 0.924298187142857

00:26:02.764 --> 00:26:04.332 looking at positive predictive

NOTE Confidence: 0.924298187142857

 $00{:}26{:}04.332 \dashrightarrow 00{:}26{:}06.046$  value using abnormal digital

NOTE Confidence: 0.924298187142857

00:26:06.046 --> 00:26:08.824 rectal exam with a normal PSA,

 $00:26:08.830 \longrightarrow 00:26:11.546$  that's about a 10% positive predictive value.

NOTE Confidence: 0.924298187142857

 $00:26:11.550 \longrightarrow 00:26:13.080$  And then there were additional

NOTE Confidence: 0.924298187142857

00:26:13.080 --> 00:26:14.304 studies looking at OK,

NOTE Confidence: 0.802824548125

 $00:26:14.310 \longrightarrow 00:26:15.300$  well, if you.

NOTE Confidence: 0.802824548125

 $00{:}26{:}15.300 \dashrightarrow 00{:}26{:}17.280$  Have a normal digital rectal exam

NOTE Confidence: 0.802824548125

 $00{:}26{:}17.280 \to 00{:}26{:}19.628$  but then you have an abnormal PSA.

NOTE Confidence: 0.802824548125

 $00:26:19.630 \longrightarrow 00:26:21.485$  Positive predictive value goes up

NOTE Confidence: 0.802824548125

 $00:26:21.485 \longrightarrow 00:26:25.170$  to you know 25% a little bit more.

NOTE Confidence: 0.802824548125

00:26:25.170 --> 00:26:26.710 So there was you know,

NOTE Confidence: 0.802824548125

00:26:26.710 --> 00:26:29.699 an advantage to using the PSA over

NOTE Confidence: 0.802824548125

 $00:26:29.699 \longrightarrow 00:26:32.069$  just the digital rectal exam.

NOTE Confidence: 0.802824548125

 $00{:}26{:}32.070 \longrightarrow 00{:}26{:}34.870$  Certainly if you're using the

NOTE Confidence: 0.802824548125

 $00:26:34.870 \longrightarrow 00:26:36.804$  Dre for evaluating symptoms

NOTE Confidence: 0.802824548125

 $00{:}26{:}36.804 \dashrightarrow 00{:}26{:}39.246$  or if the patient says Doc,

NOTE Confidence: 0.802824548125

00:26:39.250 --> 00:26:40.650 I can't sleep tonight unless you

NOTE Confidence: 0.802824548125

 $00{:}26{:}40.650 \dashrightarrow 00{:}26{:}43.674$  check my prostate and you find

 $00:26:43.674 \longrightarrow 00:26:45.690$  something nodule and duration.

NOTE Confidence: 0.802824548125

 $00:26:45.690 \longrightarrow 00:26:46.612$  It's asymmetric.

NOTE Confidence: 0.802824548125

00:26:46.612 --> 00:26:49.839 Regardless of what the PSA level is,

NOTE Confidence: 0.802824548125

00:26:49.840 --> 00:26:51.982 you're going to refer that patient

NOTE Confidence: 0.802824548125

 $00:26:51.982 \longrightarrow 00:26:54.489$  to urology to have that evaluated.

NOTE Confidence: 0.802824548125

 $00:26:54.490 \longrightarrow 00:26:58.402$  Alright, I think that's all of my slides.

NOTE Confidence: 0.802824548125

00:26:58.402 --> 00:27:00.420 All right, Jerry, onto you.

NOTE Confidence: 0.802824548125

 $00:27:01.400 \longrightarrow 00:27:01.890$  All right.

NOTE Confidence: 0.818229185714286

00:27:01.900 --> 00:27:03.724 Good evening, everyone.

NOTE Confidence: 0.818229185714286

00:27:03.724 --> 00:27:07.616 So my patient is more your

NOTE Confidence: 0.818229185714286

 $00{:}27{:}07.616 \dashrightarrow 00{:}27{:}10.868$  average patient that usually gets

NOTE Confidence: 0.818229185714286

 $00{:}27{:}10.868 \dashrightarrow 00{:}27{:}12.420$  diagnosed with prostate cancer.

NOTE Confidence: 0.818229185714286

 $00:27:12.420 \longrightarrow 00:27:15.204$  So it's a 57 year old

NOTE Confidence: 0.818229185714286

 $00{:}27{:}15.204 \dashrightarrow 00{:}27{:}17.647$  asymptomatic man with PSA of 5.6.

NOTE Confidence: 0.818229185714286

00:27:17.647 --> 00:27:20.230 We always try to get a repeat PSA to

 $00:27:20.305 \longrightarrow 00:27:23.035$  make sure that it wasn't an aberration.

NOTE Confidence: 0.818229185714286

 $00{:}27{:}23.040 \dashrightarrow 00{:}27{:}26.460$  Re PSA's basically the same.

NOTE Confidence: 0.818229185714286

00:27:26.460 --> 00:27:30.476 And for almost all our patients at Yale,

NOTE Confidence: 0.818229185714286

 $00:27:30.480 \longrightarrow 00:27:32.778$  we try to get an MRI.

NOTE Confidence: 0.818229185714286

 $00:27:32.780 \longrightarrow 00:27:35.310$  Before any biopsy because it

NOTE Confidence: 0.818229185714286

 $00:27:35.310 \longrightarrow 00:27:37.334$  increases and improves detection

NOTE Confidence: 0.818229185714286

 $00{:}27{:}37.334 \dashrightarrow 00{:}27{:}40.626$  and if we're we have technology that

NOTE Confidence: 0.818229185714286

 $00:27:40.626 \longrightarrow 00:27:43.136$  helps target the specific areas on

NOTE Confidence: 0.818229185714286

 $00:27:43.136 \longrightarrow 00:27:45.116$  the MRI to make it a better biopsy.

NOTE Confidence: 0.818229185714286

00:27:45.120 --> 00:27:47.616 So target biopsy was performed and

NOTE Confidence: 0.818229185714286

00:27:47.616 --> 00:27:50.423 it shows Gleason 3 + 4 prostate

NOTE Confidence: 0.818229185714286

 $00:27:50.423 \longrightarrow 00:27:52.894$  cancer and five out of 17 cores.

NOTE Confidence: 0.818229185714286

 $00:27:52.900 \longrightarrow 00:27:54.598$  And these biopsies can be performed

NOTE Confidence: 0.818229185714286

 $00{:}27{:}54.598 \dashrightarrow 00{:}27{:}56.100$  in the office under local,

NOTE Confidence: 0.818229185714286

 $00:27:56.100 \longrightarrow 00:27:57.520$  which most of us do,

NOTE Confidence: 0.818229185714286

 $00:27:57.520 \longrightarrow 00:28:00.100$  but also a lot of patients

 $00:28:00.100 \longrightarrow 00:28:01.820$  have anxiety about this.

NOTE Confidence: 0.818229185714286

 $00:28:01.820 \longrightarrow 00:28:03.860$  So we do offer to do it in

NOTE Confidence: 0.818229185714286

 $00:28:03.860 \longrightarrow 00:28:06.240$  the OR under sedation as well.

NOTE Confidence: 0.818229185714286

 $00:28:06.240 \longrightarrow 00:28:09.348$  I would say 80% of my patients

NOTE Confidence: 0.818229185714286

00:28:09.348 --> 00:28:12.133 tolerated very well in the office

NOTE Confidence: 0.818229185714286

 $00:28:12.133 \longrightarrow 00:28:15.304$  because we could do a good prosthetic

NOTE Confidence: 0.818229185714286

00:28:15.397 --> 00:28:18.380 nerve block and about 20% have it

NOTE Confidence: 0.818229185714286

 $00:28:18.380 \longrightarrow 00:28:21.340$  done in the OR in terms of so the

NOTE Confidence: 0.818229185714286

 $00:28:21.340 \longrightarrow 00:28:23.630$  Gleason 3 + 4 prostate cancer and.

NOTE Confidence: 0.818229185714286

 $00:28:23.630 \longrightarrow 00:28:25.238$  Go into the risk groups in a second,

NOTE Confidence: 0.818229185714286

00:28:25.240 --> 00:28:27.384 but it's considered intermediate

NOTE Confidence: 0.818229185714286

 $00:28:27.384 \longrightarrow 00:28:28.456$  risk favorable.

NOTE Confidence: 0.818229185714286

 $00{:}28{:}28.460 \dashrightarrow 00{:}28{:}31.540$  The two main treatment options that we offer.

NOTE Confidence: 0.818229185714286

00:28:31.540 --> 00:28:33.040 Active surveillance is usually for

NOTE Confidence: 0.818229185714286

 $00:28:33.040 \longrightarrow 00:28:34.994$  low risk and we offer radiation

 $00:28:34.994 \longrightarrow 00:28:36.197$  and robotic surgery,

NOTE Confidence: 0.818229185714286

 $00{:}28{:}36.200 \dashrightarrow 00{:}28{:}39.080$  which are standard of care treatments.

NOTE Confidence: 0.818229185714286

 $00:28:39.080 \longrightarrow 00:28:41.780$  There are also focal therapies that

NOTE Confidence: 0.818229185714286

00:28:41.780 --> 00:28:43.987 are considered newer treatments and

NOTE Confidence: 0.818229185714286

00:28:43.987 --> 00:28:46.339 don't have as much data behind them.

NOTE Confidence: 0.818229185714286

00:28:46.340 --> 00:28:47.715 Prostate cancer is a very

NOTE Confidence: 0.818229185714286

00:28:47.715 --> 00:28:48.540 slow growing disease,

NOTE Confidence: 0.818229185714286

 $00:28:48.540 \longrightarrow 00:28:51.600$  so a therapy has to be

NOTE Confidence: 0.818229185714286

 $00:28:51.600 \longrightarrow 00:28:53.556$  around for 1510 to 15 years.

NOTE Confidence: 0.818229185714286

 $00:28:53.556 \longrightarrow 00:28:55.316$  Before we know how well it works

NOTE Confidence: 0.818229185714286

 $00{:}28{:}55.316 \to 00{:}28{:}57.960$  in terms of recurrence risk and

NOTE Confidence: 0.818229185714286

00:28:57.960 --> 00:28:59.710 then this question always comes

NOTE Confidence: 0.818229185714286

 $00:28:59.710 \longrightarrow 00:29:01.750$  up in terms of staging.

NOTE Confidence: 0.818229185714286

00:29:01.750 --> 00:29:04.010 For patients with prostate cancer,

NOTE Confidence: 0.818229185714286

 $00:29:04.010 \longrightarrow 00:29:06.243$  CAT scan and bone scan is recommended

NOTE Confidence: 0.818229185714286

00:29:06.243 --> 00:29:07.989 for grade Group 3 or higher,

 $00:29:07.990 \longrightarrow 00:29:10.685$  meaning Gleason 4+3 or higher.

NOTE Confidence: 0.818229185714286

 $00{:}29{:}10.690 \dashrightarrow 00{:}29{:}12.772$  And there are instances where we

NOTE Confidence: 0.818229185714286

00:29:12.772 --> 00:29:15.689 use a newer PET scan called PSA PET,

NOTE Confidence: 0.818229185714286

00:29:15.690 --> 00:29:17.265 which Bruce Mcgibbon will go

NOTE Confidence: 0.818229185714286

 $00:29:17.265 \longrightarrow 00:29:19.619$  into a little bit in his slides.

NOTE Confidence: 0.640954106666667

00:29:22.120 --> 00:29:24.560 If we could go to next slide,

NOTE Confidence: 0.640954106666667

 $00:29:24.560 \longrightarrow 00:29:26.776$  so I just wanted to go over the

NOTE Confidence: 0.640954106666667

 $00{:}29{:}26.776 \dashrightarrow 00{:}29{:}28.035$ risk stratification because we

NOTE Confidence: 0.640954106666667

00:29:28.035 --> 00:29:29.916 throw around these terms, low risk,

NOTE Confidence: 0.640954106666667

 $00:29:29.916 \longrightarrow 00:29:31.068$  intermediate risk, high risk.

NOTE Confidence: 0.640954106666667

 $00:29:31.070 \longrightarrow 00:29:32.310$  What do they mean?

NOTE Confidence: 0.640954106666667

 $00:29:32.310 \longrightarrow 00:29:35.433$  So very low risk is a small amount of

NOTE Confidence: 0.640954106666667

 $00{:}29{:}35.433 \dashrightarrow 00{:}29{:}38.198$  leasing 6 basically with a low PSA.

NOTE Confidence: 0.640954106666667

 $00:29:38.200 \longrightarrow 00:29:42.730$  Gleason, Six is considered a very.

NOTE Confidence: 0.640954106666667

 $00:29:42.730 \longrightarrow 00:29:45.060$  Unaggressive and the chance of

 $00:29:45.060 \longrightarrow 00:29:47.390$  it spreading outside of the

NOTE Confidence: 0.640954106666667

 $00{:}29{:}47.478 \dashrightarrow 00{:}29{:}49.570$  prostate is extremely low.

NOTE Confidence: 0.640954106666667

 $00:29:49.570 \longrightarrow 00:29:50.914$  In most studies,

NOTE Confidence: 0.640954106666667

 $00:29:50.914 \longrightarrow 00:29:53.602$  it's actually believed to be 0.

NOTE Confidence: 0.640954106666667

00:29:53.610 --> 00:29:56.666 So both very low risk and low risk

NOTE Confidence: 0.640954106666667

00:29:56.666 --> 00:29:58.208 patients we usually recommend

NOTE Confidence: 0.640954106666667

 $00:29:58.210 \longrightarrow 00:30:00.799$  for active surveillance.

NOTE Confidence: 0.640954106666667

00:30:00.800 --> 00:30:03.270 Intermediate risk patients are split

NOTE Confidence: 0.640954106666667

 $00:30:03.270 \longrightarrow 00:30:05.740$  up into favorable and unfavorable

NOTE Confidence: 0.640954106666667

00:30:05.815 --> 00:30:08.580 and that's basically how much of the

NOTE Confidence: 0.640954106666667

 $00:30:08.580 \longrightarrow 00:30:10.900$  Gleason 4 component that they have.

NOTE Confidence: 0.640954106666667

 $00:30:10.900 \longrightarrow 00:30:12.657$  Also, it can be based on PSA.

NOTE Confidence: 0.640954106666667

 $00:30:12.660 \longrightarrow 00:30:14.404$  PSA is above 10.

NOTE Confidence: 0.640954106666667

 $00:30:14.404 \longrightarrow 00:30:17.020$  It's also falls into intermediate risk.

NOTE Confidence: 0.640954106666667

 $00:30:17.020 \longrightarrow 00:30:19.960$  High risk is usually Gleason 4+4 or higher.

NOTE Confidence: 0.640954106666667

 $00:30:19.960 \longrightarrow 00:30:23.882$  So great Group 4-5 and very high

00:30:23.882 --> 00:30:25.740 risk if there's evidence on MRI,

NOTE Confidence: 0.640954106666667

00:30:25.740 --> 00:30:27.244 if someone vascular invasion,

NOTE Confidence: 0.640954106666667

 $00{:}30{:}27.244 \to 00{:}30{:}28.860$ noble disease, metastatic disease,

NOTE Confidence: 0.640954106666667

 $00:30:28.860 \longrightarrow 00:30:31.010$  or if the top.

NOTE Confidence: 0.640954106666667

 $00:30:31.010 \longrightarrow 00:30:32.340$  Component of the Gleason score

NOTE Confidence: 0.640954106666667

 $00:30:32.340 \longrightarrow 00:30:33.404$  is the Gleason 5.

NOTE Confidence: 0.7726194225

 $00:30:35.430 \longrightarrow 00:30:38.155$  So in terms of treatment

NOTE Confidence: 0.7726194225

 $00:30:38.155 \longrightarrow 00:30:39.790$  for intermediate risk,

NOTE Confidence: 0.7726194225

 $00{:}30{:}39.790 \dashrightarrow 00{:}30{:}41.874$  robotic surgery and radiation

NOTE Confidence: 0.7726194225

 $00:30:41.874 \longrightarrow 00:30:43.958$  are considered equally effective

NOTE Confidence: 0.7726194225

00:30:43.958 --> 00:30:46.269 in prostate cancer treatment.

NOTE Confidence: 0.7726194225

 $00:30:46.270 \longrightarrow 00:30:47.782$  We haven't been able to prove that

NOTE Confidence: 0.7726194225

 $00:30:47.782 \longrightarrow 00:30:49.150$  one is better than the other,

NOTE Confidence: 0.7726194225

 $00{:}30{:}49.150 \dashrightarrow 00{:}30{:}51.376$  so we usually go over the side

NOTE Confidence: 0.7726194225

00:30:51.376 --> 00:30:53.637 effect profiles of each one and the

00:30:53.637 --> 00:30:55.584 benefits and risks of each each

NOTE Confidence: 0.7726194225

 $00:30:55.584 \longrightarrow 00:30:57.948$  one and let the patient decide.

NOTE Confidence: 0.7726194225

00:30:57.950 --> 00:30:58.588 Robotic surgery,

NOTE Confidence: 0.7726194225

 $00:30:58.588 \longrightarrow 00:31:01.140$  usually it involves A1 day stay in the

NOTE Confidence: 0.7726194225

 $00:31:01.202 \longrightarrow 00:31:03.344$  hospital and a catheter for one week.

NOTE Confidence: 0.7726194225

 $00:31:03.350 \longrightarrow 00:31:05.786$  You it's we we do a robotically,

NOTE Confidence: 0.7726194225

 $00:31:05.790 \longrightarrow 00:31:08.238$  but it's still a three to four week

NOTE Confidence: 0.7726194225

 $00:31:08.238 \longrightarrow 00:31:09.540$  recovery radiation treatments,

NOTE Confidence: 0.7726194225

 $00:31:09.540 \longrightarrow 00:31:13.770$  usually 5 or 28 treatments

NOTE Confidence: 0.7726194225

 $00:31:13.770 \longrightarrow 00:31:15.470$  depending on the patient and

NOTE Confidence: 0.7726194225

 $00:31:15.470 \longrightarrow 00:31:17.170$  cancer characteristics or let Bruce

NOTE Confidence: 0.7726194225

 $00:31:17.223 \longrightarrow 00:31:18.868$  go over that a little bit more.

NOTE Confidence: 0.7726194225

 $00{:}31{:}18.870 \dashrightarrow 00{:}31{:}21.957$  The main effects of both radiation and

NOTE Confidence: 0.7726194225

 $00{:}31{:}21.957 \dashrightarrow 00{:}31{:}25.870$  surgery are on urinary and erectile function.

NOTE Confidence: 0.7726194225

 $00:31:25.870 \longrightarrow 00:31:28.912$  Newer less proven the rapies are the

NOTE Confidence: 0.7726194225

 $00:31:28.912 \longrightarrow 00:31:31.722$  focal therapies and there are four

 $00:31:31.722 \longrightarrow 00:31:34.156$  or five of these that depending

NOTE Confidence: 0.7726194225

 $00:31:34.156 \longrightarrow 00:31:35.254$  on the institution.

NOTE Confidence: 0.7726194225

00:31:35.254 --> 00:31:38.147 And I'll go over one of the newer

NOTE Confidence: 0.7726194225

 $00:31:38.147 \longrightarrow 00:31:40.345$  ones that we have here at Yale.

NOTE Confidence: 0.7726194225

00:31:40.350 --> 00:31:41.577 Prior to radiation,

NOTE Confidence: 0.7726194225

 $00:31:41.577 \longrightarrow 00:31:43.622$  patients usually undergo a procedure

NOTE Confidence: 0.7726194225

 $00:31:43.622 \longrightarrow 00:31:45.817$  which is similar to a biopsy

NOTE Confidence: 0.7726194225

00:31:45.817 --> 00:31:47.779 where we place gold markers into

NOTE Confidence: 0.7726194225

 $00:31:47.849 \longrightarrow 00:31:49.853$  the prostate to help target the

NOTE Confidence: 0.7726194225

 $00{:}31{:}49.853 \dashrightarrow 00{:}31{:}51.974$  radiation and we place a space or

NOTE Confidence: 0.7726194225

00:31:51.974 --> 00:31:54.336 gel and Bruce will have some slides

NOTE Confidence: 0.7726194225

 $00:31:54.336 \longrightarrow 00:31:56.260$  on that and then the important thing.

NOTE Confidence: 0.7726194225

 $00{:}31{:}56.260 \dashrightarrow 00{:}31{:}59.263$  To know is patients who are getting

NOTE Confidence: 0.7726194225

 $00:31:59.263 \longrightarrow 00:32:01.629$  radiation treatment even for localized

NOTE Confidence: 0.7726194225

00:32:01.629 --> 00:32:04.470 cancer, if it's grade Group 3,

 $00:32:04.470 \longrightarrow 00:32:06.270$  the NCCN guidelines recommend four

NOTE Confidence: 0.7726194225

 $00:32:06.270 \dashrightarrow 00:32:08.700$  to six months of androgen deprivation

NOTE Confidence: 0.7726194225

 $00:32:08.700 \longrightarrow 00:32:11.755$  therapy and for great Group 4 to 5,

NOTE Confidence: 0.7726194225

00:32:11.760 --> 00:32:13.048 the NCCN guidelines recommend

NOTE Confidence: 0.7726194225

 $00:32:13.048 \longrightarrow 00:32:14.980$  at least 18 months for androgen

NOTE Confidence: 0.7726194225

00:32:15.034 --> 00:32:16.090 deprivation therapy.

NOTE Confidence: 0.7726194225

 $00:32:16.090 \longrightarrow 00:32:18.010$  This used to be two to three years.

NOTE Confidence: 0.7726194225

 $00:32:18.010 \longrightarrow 00:32:20.586$  They've decreased it in the last two,

NOTE Confidence: 0.7726194225

 $00:32:20.590 \longrightarrow 00:32:23.270$  two years.

NOTE Confidence: 0.7726194225

00:32:23.270 --> 00:32:26.190 To make it a little bit more tolerable,

NOTE Confidence: 0.7726194225

 $00{:}32{:}26.190 --> 00{:}32{:}27.030 \ \mathrm{next \ slide},$ 

NOTE Confidence: 0.7726194225

 $00:32:27.030 \longrightarrow 00:32:30.390$  so to just go over some newer technologies,

NOTE Confidence: 0.7726194225

 $00:32:30.390 \longrightarrow 00:32:34.610$  we have a. Yo.

NOTE Confidence: 0.7726194225 00:32:34.610 --> 00:32:34.908 We, NOTE Confidence: 0.7726194225

 $00:32:34.908 \longrightarrow 00:32:36.994$  we have been using for the last

NOTE Confidence: 0.7726194225

 $00:32:36.994 \longrightarrow 00:32:39.226$  10 years the Artemis system to

00:32:39.226 --> 00:32:40.786 help target MRI lesions.

NOTE Confidence: 0.7726194225

 $00:32:40.790 \longrightarrow 00:32:43.387$  We've just upgraded to the exact view,

NOTE Confidence: 0.7726194225

 $00:32:43.390 \longrightarrow 00:32:47.608$  which is a very powerful ultrasound.

NOTE Confidence: 0.7726194225

 $00:32:47.610 \longrightarrow 00:32:48.831$  It's 300 three,

NOTE Confidence: 0.7726194225

 $00:32:48.831 \dashrightarrow 00:32:51.273$  100% more powerful than standard ultrasound,

NOTE Confidence: 0.7726194225

 $00:32:51.280 \longrightarrow 00:32:53.072$  which is 7 megahertz.

NOTE Confidence: 0.7726194225

 $00:32:53.072 \longrightarrow 00:32:55.760$  And on this ultrasound we could

NOTE Confidence: 0.7726194225

 $00:32:55.854 \longrightarrow 00:32:58.642$  actually see prostate cancer

NOTE Confidence: 0.7726194225

 $00:32:58.642 \longrightarrow 00:33:00.994$  lesions and that's what the bottom

NOTE Confidence: 0.7726194225

 $00:33:00.994 \longrightarrow 00:33:02.549$  right hand corner is showing.

NOTE Confidence: 0.7726194225

00:33:02.550 --> 00:33:06.492 It's the ultrasound is so powerful

NOTE Confidence: 0.7726194225

 $00:33:06.492 \longrightarrow 00:33:08.848$  that the slide on the left

NOTE Confidence: 0.7726194225

 $00{:}33{:}08.848 \dashrightarrow 00{:}33{:}10.701$  is actually showing that you can

NOTE Confidence: 0.7726194225

 $00{:}33{:}10.701 \dashrightarrow 00{:}33{:}12.346$  actually see the previous needle

NOTE Confidence: 0.7726194225

 $00:33:12.346 \longrightarrow 00:33:13.900$  tract through the prostate.

 $00:33:16.030 \longrightarrow 00:33:19.294$  You can still do MRI fusion on these

NOTE Confidence: 0.891453644444444

 $00:33:19.294 \longrightarrow 00:33:21.146$  machines, which is very important

NOTE Confidence: 0.891453644444444

00:33:21.146 --> 00:33:22.941 because most of our patients

NOTE Confidence: 0.891453644444444

 $00:33:22.941 \longrightarrow 00:33:25.040$  get the MRI before the biopsy.

NOTE Confidence: 0.891453644444444

 $00:33:25.040 \longrightarrow 00:33:27.780$  OK. Next slide.

NOTE Confidence: 0.891453644444444

 $00:33:27.780 \longrightarrow 00:33:30.600$  And then one of these newer

NOTE Confidence: 0.891453644444444

 $00{:}33{:}30.600 \dashrightarrow 00{:}33{:}32.480$  technologies that's also available

NOTE Confidence: 0.891453644444444

 $00:33:32.562 \longrightarrow 00:33:34.458$  at Yale is the Tulsa Pro.

NOTE Confidence: 0.891453644444444

 $00:33:34.460 \longrightarrow 00:33:36.524$  And what this is is transurethral

NOTE Confidence: 0.891453644444444

 $00:33:36.524 \longrightarrow 00:33:38.480$  ultrasound ablation of the prostate.

NOTE Confidence: 0.89145364444444

 $00{:}33{:}38.480 \dashrightarrow 00{:}33{:}41.408$  So the top device of the patient is

NOTE Confidence: 0.891453644444444

 $00:33:41.408 \longrightarrow 00:33:43.904$  asleep under anesthesia and it gets

NOTE Confidence: 0.891453644444444

 $00{:}33{:}43.904 \dashrightarrow 00{:}33{:}47.190$  inserted into the ure thra like a catheter.

NOTE Confidence: 0.891453644444444

 $00:33:47.190 \longrightarrow 00:33:49.801$  And the bottom device gets inserted into

NOTE Confidence: 0.891453644444444

00:33:49.801 --> 00:33:52.572 the \*\*\*\*\* uh for cooling the rectal area

NOTE Confidence: 0.891453644444444

 $00{:}33{:}52.572 \dashrightarrow 00{:}33{:}55.510$  and if you could go to the next slide.

 $00:33:55.510 \longrightarrow 00:33:57.526$  And basically what this device does,

NOTE Confidence: 0.891453644444444

 $00:33:57.530 \longrightarrow 00:34:01.018$  it rotates and under MRI guidance it ablates

NOTE Confidence: 0.891453644444444

 $00:34:01.018 \longrightarrow 00:34:04.190$  the prostate in a circumferential fashion.

NOTE Confidence: 0.891453644444444

00:34:04.190 --> 00:34:06.188 Within 1 millimeter of the capsule,

NOTE Confidence: 0.891453644444444

 $00:34:06.190 \longrightarrow 00:34:07.648$  it's very precise.

NOTE Confidence: 0.878020462173913

 $00:34:10.090 \longrightarrow 00:34:12.306$  You can do focal therapy as shown on

NOTE Confidence: 0.878020462173913

 $00:34:12.306 \longrightarrow 00:34:14.445$  the slide on the left where you could

NOTE Confidence: 0.878020462173913

 $00:34:14.445 \longrightarrow 00:34:16.609$  just do 1/4 of the plot prostate,

NOTE Confidence: 0.878020462173913

 $00:34:16.610 \longrightarrow 00:34:18.608$  you could do 1/2 of the

NOTE Confidence: 0.878020462173913

 $00:34:18.608 \longrightarrow 00:34:20.450$  prostate or the entire thing.

NOTE Confidence: 0.878020462173913

 $00:34:20.450 \longrightarrow 00:34:22.412$  So there are two clinical trials

NOTE Confidence: 0.878020462173913

 $00:34:22.412 \longrightarrow 00:34:25.029$  right now at Yale investigating this.

NOTE Confidence: 0.878020462173913

 $00{:}34{:}25.030 {\:\dashrightarrow\:} 00{:}34{:}27.352$  One is comparing it to surgery

NOTE Confidence: 0.878020462173913

 $00:34:27.352 \longrightarrow 00:34:29.830$  and one is just comparing.

NOTE Confidence: 0.878020462173913

 $00:34:29.830 \longrightarrow 00:34:31.722$  Is just the observational

 $00:34:31.722 \longrightarrow 00:34:34.087$  study to see the the.

NOTE Confidence: 0.878020462173913

 $00:34:34.090 \longrightarrow 00:34:36.274$  It's believed to be that the side

NOTE Confidence: 0.878020462173913

 $00:34:36.274 \longrightarrow 00:34:38.113$  effects with this are significantly

NOTE Confidence: 0.878020462173913

 $00:34:38.113 \longrightarrow 00:34:40.633$  lower than with surgery or radiation.

NOTE Confidence: 0.878020462173913

 $00:34:40.640 \longrightarrow 00:34:42.806$  Another area of interest for this

NOTE Confidence: 0.878020462173913

 $00:34:42.806 \longrightarrow 00:34:45.246$  treatment is in salvage treatment for

NOTE Confidence: 0.878020462173913

 $00:34:45.246 \longrightarrow 00:34:47.556$  patients who have undergone radiation

NOTE Confidence: 0.8291518475

 $00:34:47.570 \longrightarrow 00:34:48.778$  and now have recurrence.

NOTE Confidence: 0.6555637875

 $00:34:50.850 \longrightarrow 00:34:52.965$  And now I'll turn it over to

NOTE Confidence: 0.6555637875

00:34:52.965 --> 00:34:54.369 Bruce to discuss radiation

NOTE Confidence: 0.6555637875

 $00{:}34{:}54{.}370 \dashrightarrow 00{:}34{:}58{.}660$  treatment. Thanks, Jerry. So

NOTE Confidence: 0.83039534

 $00:34:58.710 \longrightarrow 00:35:00.831$  just want to break down some of

NOTE Confidence: 0.83039534

 $00{:}35{:}00.831 \dashrightarrow 00{:}35{:}02.346$  the different scenarios where we

NOTE Confidence: 0.83039534

 $00:35:02.346 \longrightarrow 00:35:03.996$  do radiation and give some.

NOTE Confidence: 0.83039534

 $00:35:04.000 \dashrightarrow 00:35:05.944$  Some of the core details I think would

NOTE Confidence: 0.83039534

 $00{:}35{:}05.944 \dashrightarrow 00{:}35{:}07.757$  be most interesting to you guys.

 $00:35:07.760 \longrightarrow 00:35:09.560$  So for intact prostate

NOTE Confidence: 0.83039534

 $00:35:09.560 \longrightarrow 00:35:11.360$  basically the two options,

NOTE Confidence: 0.83039534

 $00:35:11.360 \longrightarrow 00:35:13.358$  one is external beam radiation where

NOTE Confidence: 0.83039534

 $00:35:13.358 \longrightarrow 00:35:15.471$  patients lying on a table machine

NOTE Confidence: 0.83039534

 $00:35:15.471 \dashrightarrow 00:35:17.613$  moves around at the distance and

NOTE Confidence: 0.83039534

00:35:17.613 --> 00:35:19.820 shoots X-rays and the others breakey

NOTE Confidence: 0.83039534

 $00:35:19.820 \longrightarrow 00:35:22.480$  therapy usually with with seed implant.

NOTE Confidence: 0.83039534

 $00{:}35{:}22.480 \to 00{:}35{:}24.636$  The vast majority of the of the

NOTE Confidence: 0.83039534

00:35:24.636 --> 00:35:26.975 gentleman these days in the US and

NOTE Confidence: 0.83039534

 $00{:}35{:}26.975 \dashrightarrow 00{:}35{:}28.665$  really I think internationally get

NOTE Confidence: 0.83039534

 $00:35:28.665 \longrightarrow 00:35:29.972$  external beam breaking therapy

NOTE Confidence: 0.83039534

 $00{:}35{:}29.972 \dashrightarrow 00{:}35{:}32.324$  still quite effective but in a much

NOTE Confidence: 0.83039534

 $00:35:32.324 \longrightarrow 00:35:34.067$  smaller percentage of the cases.

NOTE Confidence: 0.83039534

 $00:35:34.070 \longrightarrow 00:35:37.220$  Uh, and it's less commonly available.

NOTE Confidence: 0.83039534

 $00:35:37.220 \longrightarrow 00:35:40.272$  So within external beam you have what's

00:35:40.272 --> 00:35:41.900 really considered traditional IRT,

NOTE Confidence: 0.83039534

 $00{:}35{:}41.900 \dashrightarrow 00{:}35{:}42.876$  which is intensity modulated

NOTE Confidence: 0.83039534

 $00{:}35{:}42.876 \dashrightarrow 00{:}35{:}44.096$  radiation therapy that I think

NOTE Confidence: 0.83039534

 $00:35:44.096 \longrightarrow 00:35:45.340$  most people are familiar with.

NOTE Confidence: 0.83039534

 $00:35:45.340 \longrightarrow 00:35:46.690$  That's the nine week course,

NOTE Confidence: 0.83039534

 $00:35:46.690 \longrightarrow 00:35:49.096$  which is 40 to 45 treatments.

NOTE Confidence: 0.83039534

 $00{:}35{:}49.100 \dashrightarrow 00{:}35{:}51.655$  We kind of rarely use that anymore.

NOTE Confidence: 0.83039534

 $00:35:51.660 \longrightarrow 00:35:53.556$  That's really for guys who have

NOTE Confidence: 0.83039534

 $00{:}35{:}53.556 \dashrightarrow 00{:}35{:}55.777$  very large process or have a lot

NOTE Confidence: 0.83039534

 $00{:}35{:}55.777 \dashrightarrow 00{:}35{:}57.267$  of urinary issues where we're

NOTE Confidence: 0.83039534

 $00{:}35{:}57.267 \dashrightarrow 00{:}35{:}59.297$  trying to be very gentle per day.

NOTE Confidence: 0.83039534

 $00{:}35{:}59.300 \dashrightarrow 00{:}36{:}00.620$  So most guys don't need that.

NOTE Confidence: 0.83039534

 $00:36:00.620 \longrightarrow 00:36:02.216$  We're mainly doing like Jerry referring

NOTE Confidence: 0.83039534

 $00:36:02.216 \longrightarrow 00:36:04.420$  to either the 28 treatments or the five.

NOTE Confidence: 0.83039534

 $00:36:04.420 \longrightarrow 00:36:06.289$  Treatments 20 actually can be 20 or

NOTE Confidence: 0.83039534

 $00:36:06.289 \longrightarrow 00:36:08.720$  28 in the Yale system we we followed

 $00:36:08.720 \longrightarrow 00:36:10.720$  the data most closely from the

NOTE Confidence: 0.83039534

 $00{:}36{:}10.720 \dashrightarrow 00{:}36{:}12.550$  28 fraction or treatment regimen.

NOTE Confidence: 0.83039534

 $00:36:12.550 \longrightarrow 00:36:14.190$  So that's what we'll see.

NOTE Confidence: 0.83039534

 $00:36:14.190 \longrightarrow 00:36:16.445$  It's official title is moderately

NOTE Confidence: 0.83039534

00:36:16.445 --> 00:36:17.347 hypofractionated IRT,

NOTE Confidence: 0.83039534

 $00:36:17.350 \longrightarrow 00:36:20.650$  but for us it's 28 treatments.

NOTE Confidence: 0.83039534

 $00:36:20.650 \longrightarrow 00:36:22.407$  The other is the five treatment option.

NOTE Confidence: 0.83039534

 $00:36:22.410 \longrightarrow 00:36:23.978$  This one has a lot of nicknames.

NOTE Confidence: 0.83039534

 $00{:}36{:}23.980 \dashrightarrow 00{:}36{:}25.870$  There's a lot of advertising around it.

NOTE Confidence: 0.83039534

 $00{:}36{:}25.870 \longrightarrow 00{:}36{:}28.082$  So I think it's important to know

NOTE Confidence: 0.83039534

 $00{:}36{:}28.082 \dashrightarrow 00{:}36{:}31.027$  that the core technique is SBRT or

NOTE Confidence: 0.83039534

 $00:36:31.027 \longrightarrow 00:36:32.947$  stereotactic body radiation therapy.

NOTE Confidence: 0.83039534

 $00:36:32.950 \dashrightarrow 00:36:34.894$  This is the technique that the cyber knife.

NOTE Confidence: 0.83039534

 $00:36:34.900 \longrightarrow 00:36:37.476$  Sheen does, but other machines do as well.

NOTE Confidence: 0.83039534

00:36:37.480 --> 00:36:39.196 So our machine here at Greenwich

 $00:36:39.196 \longrightarrow 00:36:40.982$  is the true beam, for example,

NOTE Confidence: 0.83039534

 $00:36:40.982 \longrightarrow 00:36:43.229$  and a lot of machines like that,

NOTE Confidence: 0.83039534

 $00:36:43.230 \longrightarrow 00:36:44.465$  they're high end machines that

NOTE Confidence: 0.83039534

 $00:36:44.465 \longrightarrow 00:36:45.453$  are capable of this,

NOTE Confidence: 0.83039534

 $00:36:45.460 \longrightarrow 00:36:48.100$  but Cyber net does it also sometimes called

NOTE Confidence: 0.83039534

00:36:48.100 --> 00:36:50.538 Saber in the Sloan Kettering system,

NOTE Confidence: 0.83039534

 $00:36:50.540 \longrightarrow 00:36:50.926$  excuse me,

NOTE Confidence: 0.83039534

 $00:36:50.926 \longrightarrow 00:36:53.300$  it's referred to as precision RT.

NOTE Confidence: 0.83039534

00:36:53.300 --> 00:36:53.946 But anyway,

NOTE Confidence: 0.83039534

 $00{:}36{:}53.946 \dashrightarrow 00{:}36{:}56.207$  important to know that a lot of

NOTE Confidence: 0.83039534

 $00{:}36{:}56.207 \dashrightarrow 00{:}36{:}57.718$  machines do this technique.

NOTE Confidence: 0.83039534

 $00:36:57.720 \longrightarrow 00:36:58.988$  It is very focused.

NOTE Confidence: 0.83039534

 $00{:}36{:}58.988 \dashrightarrow 00{:}37{:}01.366$  The cure rates are the same between

NOTE Confidence: 0.83039534

 $00:37:01.366 \longrightarrow 00:37:02.146$  these options.

NOTE Confidence: 0.83039534

00:37:02.146 --> 00:37:05.234 The bowel issues and urine issues are very,

NOTE Confidence: 0.83039534

 $00:37:05.240 \longrightarrow 00:37:05.808$  very similar.

00:37:05.808 --> 00:37:07.796 There is some thought or or hints

NOTE Confidence: 0.83039534

 $00:37:07.796 \longrightarrow 00:37:09.423$  that the five treatment option

NOTE Confidence: 0.83039534

00:37:09.423 --> 00:37:11.355 because it's more intense per day

NOTE Confidence: 0.83039534

 $00{:}37{:}11.413 \dashrightarrow 00{:}37{:}13.282$  might have a little more of an

NOTE Confidence: 0.83039534

 $00:37:13.282 \longrightarrow 00:37:14.666$  acute urinary side effect profile

NOTE Confidence: 0.83039534

 $00:37:14.666 \longrightarrow 00:37:16.682$  in the data that's out there that

NOTE Confidence: 0.83039534

00:37:16.682 --> 00:37:18.358 actually looks very, very similar.

NOTE Confidence: 0.83039534

 $00:37:18.358 \longrightarrow 00:37:20.303$  But an ecdotally I think some

NOTE Confidence: 0.83039534

 $00:37:20.303 \longrightarrow 00:37:21.837$  physicians especially urologist who

NOTE Confidence: 0.83039534

 $00:37:21.837 \longrightarrow 00:37:23.727$  who follow the complications the most.

NOTE Confidence: 0.83039534

 $00:37:23.730 \longrightarrow 00:37:26.124$  Mostly feel like maybe there are

NOTE Confidence: 0.83039534

 $00:37:26.124 \dashrightarrow 00:37:28.460$  sometimes some extra issues with that.

NOTE Confidence: 0.83039534

00:37:28.460 --> 00:37:29.280 For us,

NOTE Confidence: 0.83039534

 $00:37:29.280 \longrightarrow 00:37:31.740$  I think the big distinguisher is

NOTE Confidence: 0.83039534

 $00:37:31.740 \longrightarrow 00:37:33.896$  prostate size and baseline urinary

00:37:33.896 --> 00:37:36.822 issues if you have a prostate size

NOTE Confidence: 0.83039534

 $00:37:36.900 \longrightarrow 00:37:38.560$  under 60CC's and really fairly

NOTE Confidence: 0.83039534

 $00:37:38.560 \longrightarrow 00:37:39.520$  low urinary issues.

NOTE Confidence: 0.83039534

 $00:37:39.520 \longrightarrow 00:37:41.109$  And I think these guys tend to

NOTE Confidence: 0.83039534

 $00:37:41.109 \longrightarrow 00:37:43.040$  be a good candy for either one.

NOTE Confidence: 0.83039534

00:37:43.040 --> 00:37:44.756 But if you're anything beyond that,

NOTE Confidence: 0.815241292857143

 $00:37:44.760 \longrightarrow 00:37:46.566$  I really strongly caution guys that

NOTE Confidence: 0.815241292857143

 $00:37:46.566 \longrightarrow 00:37:48.631$  they kind of asking for trouble with

NOTE Confidence: 0.815241292857143

 $00:37:48.631 \longrightarrow 00:37:50.730$  five and we should really do the 28,

NOTE Confidence: 0.815241292857143

 $00:37:50.730 \longrightarrow 00:37:52.578$  which is a very solid track

NOTE Confidence: 0.815241292857143

 $00:37:52.578 \longrightarrow 00:37:53.810$  record in terms of.

NOTE Confidence: 0.815241292857143

 $00:37:53.810 \longrightarrow 00:37:57.442$  Pure and toxicity breakey therapy

NOTE Confidence: 0.815241292857143

 $00:37:57.442 \longrightarrow 00:37:58.897$  briefly mentioned that's the seed

NOTE Confidence: 0.815241292857143

 $00{:}37{:}58.897 \dashrightarrow 00{:}38{:}00.058$  implant or sometimes temporary

NOTE Confidence: 0.815241292857143

 $00:38:00.058 \longrightarrow 00:38:01.986$  catheters that are put in and then a

NOTE Confidence: 0.815241292857143

 $00:38:01.986 \longrightarrow 00:38:03.438$  radioactive source is placed in and out.

 $00:38:03.440 \longrightarrow 00:38:05.282$  I think this technique again very

NOTE Confidence: 0.815241292857143

 $00:38:05.282 \longrightarrow 00:38:07.297$  good especially for the low risk

NOTE Confidence: 0.815241292857143

 $00:38:07.297 \longrightarrow 00:38:08.761$  and favorable intermediate the

NOTE Confidence: 0.815241292857143

00:38:08.761 --> 00:38:10.536 jury was mentioning probably is

NOTE Confidence: 0.815241292857143

 $00:38:10.536 \longrightarrow 00:38:12.060$  the worst of the urinary staff

NOTE Confidence: 0.815241292857143

 $00:38:12.060 \longrightarrow 00:38:14.502$  profiles and can also be combined

NOTE Confidence: 0.815241292857143

 $00:38:14.502 \longrightarrow 00:38:17.300$  with external beam for high risk guys.

NOTE Confidence: 0.815241292857143

 $00:38:17.300 \longrightarrow 00:38:19.550$  But that's a bit of a of a nuance

NOTE Confidence: 0.815241292857143

 $00{:}38{:}19.550 \dashrightarrow 00{:}38{:}21.745$  that it's probably not not so

NOTE Confidence: 0.815241292857143

00:38:21.745 --> 00:38:24.860 important for this this chat.

NOTE Confidence: 0.815241292857143

 $00:38:24.860 \longrightarrow 00:38:26.915$  For post prostatectomy.

NOTE Confidence: 0.815241292857143

 $00{:}38{:}26.920 \dashrightarrow 00{:}38{:}28.250$  You're sometimes asked to give

NOTE Confidence: 0.815241292857143

 $00{:}38{:}28.250 \dashrightarrow 00{:}38{:}29.924$  radiation within about 6 to 12

NOTE Confidence: 0.815241292857143

 $00:38:29.924 \longrightarrow 00:38:31.100$  months as adjuvant treatment.

NOTE Confidence: 0.815241292857143

 $00:38:31.100 \longrightarrow 00:38:32.975$  There's some very risky looking

 $00:38:32.975 \longrightarrow 00:38:35.188$  features that surgery pelvic nodes or

NOTE Confidence: 0.815241292857143

 $00{:}38{:}35.188 \dashrightarrow 00{:}38{:}37.127$  the PSA does not go to undetectable.

NOTE Confidence: 0.815241292857143

00:38:37.130 --> 00:38:39.174 But most of what we're doing these

NOTE Confidence: 0.815241292857143

00:38:39.174 --> 00:38:40.940 days is called salvage radiation

NOTE Confidence: 0.815241292857143

 $00:38:40.940 \longrightarrow 00:38:43.412$  therapy and that's where the PC's

NOTE Confidence: 0.815241292857143

 $00:38:43.412 \longrightarrow 00:38:45.172$  gone undetectable and subsequently

NOTE Confidence: 0.815241292857143

00:38:45.172 --> 00:38:47.294 risen typically to something like

NOTE Confidence: 0.815241292857143

00:38:47.294 --> 00:38:50.243 .2 is our our most common cut

NOTE Confidence: 0.815241292857143

 $00:38:50.243 \longrightarrow 00:38:52.609$  off and we see the guys there.

NOTE Confidence: 0.815241292857143

00:38:52.610 --> 00:38:54.666 It's about a 37 to 39 treatment course,

NOTE Confidence: 0.815241292857143

 $00{:}38{:}54.670 \dashrightarrow 00{:}38{:}57.600$  it's about 8 weeks and.

NOTE Confidence: 0.815241292857143

00:38:57.600 --> 00:38:59.480 There's some developing data about,

NOTE Confidence: 0.815241292857143

 $00:38:59.480 \longrightarrow 00:39:00.940$  including four to six months,

NOTE Confidence: 0.815241292857143

 $00:39:00.940 \longrightarrow 00:39:02.410$  usually six months of engine

NOTE Confidence: 0.815241292857143

 $00:39:02.410 \longrightarrow 00:39:04.190$  deprivation for these guys as well,

NOTE Confidence: 0.815241292857143

 $00:39:04.190 \longrightarrow 00:39:05.600$  especially if they're coming to

 $00:39:05.600 \longrightarrow 00:39:07.678$  us with a little bit higher PSA

NOTE Confidence: 0.815241292857143

00:39:07.678 --> 00:39:09.198 or some other feature that's

NOTE Confidence: 0.815241292857143

 $00:39:09.198 \longrightarrow 00:39:10.820$  a little riskier for Gleason.

NOTE Confidence: 0.815241292857143

 $00:39:10.820 \longrightarrow 00:39:12.549$  And the third category which is I

NOTE Confidence: 0.815241292857143

 $00:39:12.549 \longrightarrow 00:39:14.129$  think definitely the new kid on the

NOTE Confidence: 0.815241292857143

 $00:39:14.129 \longrightarrow 00:39:15.863$  block and you know is really not as

NOTE Confidence: 0.815241292857143

00:39:15.863 --> 00:39:17.375 well known but it's becoming really

NOTE Confidence: 0.815241292857143

 $00{:}39{:}17.375 \dashrightarrow 00{:}39{:}18.640$  important is oligo metastatic.

NOTE Confidence: 0.815241292857143

 $00:39:18.640 \longrightarrow 00:39:21.300$  So these are the guys who have,

NOTE Confidence: 0.815241292857143

 $00{:}39{:}21.300 \dashrightarrow 00{:}39{:}22.845$  they do have metastatic disease

NOTE Confidence: 0.815241292857143

00:39:22.845 --> 00:39:24.390 based on whichever imaging we'll

NOTE Confidence: 0.815241292857143

 $00:39:24.444 \longrightarrow 00:39:26.040$  talk in a later slide about that.

NOTE Confidence: 0.815241292857143

 $00{:}39{:}26.040 --> 00{:}39{:}27.923$  But let's say they have in the

NOTE Confidence: 0.815241292857143

 $00:39:27.923 \longrightarrow 00:39:29.919$  prostate and they have two bone sites.

NOTE Confidence: 0.815241292857143

 $00:39:29.920 \longrightarrow 00:39:32.160$  Should we treat this guy the same as

 $00:39:32.160 \longrightarrow 00:39:34.799$  a guy who has 17 bone sites and some

NOTE Confidence: 0.815241292857143

 $00{:}39{:}34.799 \dashrightarrow 00{:}39{:}37.227$  nodes in his in his chest and you

NOTE Confidence: 0.815241292857143

 $00:39:37.227 \longrightarrow 00:39:39.282$  know the the most recent data says

NOTE Confidence: 0.815241292857143

 $00{:}39{:}39.282 \dashrightarrow 00{:}39{:}40.938$  that really we should treat these

NOTE Confidence: 0.815241292857143

 $00:39:40.938 \longrightarrow 00:39:42.685$  guys differently if they have all of them.

NOTE Confidence: 0.815241292857143

00:39:42.690 --> 00:39:44.970 That disease we should treat the

NOTE Confidence: 0.815241292857143

 $00:39:44.970 \longrightarrow 00:39:47.911$  prostate as part of the case is not

NOTE Confidence: 0.815241292857143

00:39:47.911 --> 00:39:49.222 replace hormone therapy and other

NOTE Confidence: 0.815241292857143

 $00:39:49.222 \dashrightarrow 00:39:50.990$  things that that Dan will talk about.

NOTE Confidence: 0.815241292857143

 $00:39:50.990 \longrightarrow 00:39:52.290$  But in addition to that,

NOTE Confidence: 0.815241292857143

 $00:39:52.290 \dashrightarrow 00:39:55.160$  treating the prostate has a survival benefit.

NOTE Confidence: 0.815241292857143

 $00:39:55.160 \longrightarrow 00:39:56.721$  And if we have again a limited

NOTE Confidence: 0.815241292857143

 $00:39:56.721 \longrightarrow 00:39:57.740$  number of bone sites,

NOTE Confidence: 0.815241292857143

 $00:39:57.740 \longrightarrow 00:40:00.020$  actually going after those bone

NOTE Confidence: 0.815241292857143

 $00:40:00.020 \longrightarrow 00:40:02.415$  sites can help to prevent additional

NOTE Confidence: 0.815241292857143

 $00{:}40{:}02.415 \dashrightarrow 00{:}40{:}04.794$  bone sites from coming up and

00:40:04.794 --> 00:40:06.639 create a longer PSA control.

NOTE Confidence: 0.815241292857143

 $00:40:06.640 \longrightarrow 00:40:09.460$  Next slide please.

NOTE Confidence: 0.815241292857143

 $00:40:09.460 \longrightarrow 00:40:10.730$  Just give a little more detail,

NOTE Confidence: 0.815241292857143

00:40:10.730 --> 00:40:11.310 Jerry's mentioning.

NOTE Confidence: 0.815241292857143

 $00{:}40{:}11.310 \dashrightarrow 00{:}40{:}12.790$  We put in the the gold markers and

NOTE Confidence: 0.815241292857143

 $00:40:12.790 \longrightarrow 00:40:14.216$  the gel refer to the gel first.

NOTE Confidence: 0.815241292857143

00:40:14.220 --> 00:40:16.676 So this is called the main product that's

NOTE Confidence: 0.815241292857143

 $00{:}40{:}16.676 \dashrightarrow 00{:}40{:}18.855$  available these days is called space or gel,

NOTE Confidence: 0.815241292857143

 $00:40:18.860 \longrightarrow 00:40:21.020$  and this is a biodegradable gel.

NOTE Confidence: 0.815241292857143

 $00:40:21.020 \longrightarrow 00:40:21.900$  So it goes in,

NOTE Confidence: 0.815241292857143

 $00:40:21.900 \longrightarrow 00:40:23.220$  it lasts for three months and

NOTE Confidence: 0.815241292857143

00:40:23.277 --> 00:40:24.727 then dissolves back to water

NOTE Confidence: 0.815241292857143

 $00{:}40{:}24.727 \dashrightarrow 00{:}40{:}26.177$  over another three months and

NOTE Confidence: 0.8301060496

 $00:40:26.236 \longrightarrow 00:40:27.536$  just absorbed by the body.

NOTE Confidence: 0.8301060496

 $00:40:27.540 \longrightarrow 00:40:29.472$  And as you can appreciate in the

 $00:40:29.472 \longrightarrow 00:40:31.549$  upper left in the cartoon and then

NOTE Confidence: 0.8301060496

00:40:31.549 --> 00:40:33.740 the real MRI pictures on the right,

NOTE Confidence: 0.8301060496

 $00:40:33.740 \longrightarrow 00:40:36.004$  it's really trying to create this pad of

NOTE Confidence: 0.8301060496

 $00:40:36.004 \longrightarrow 00:40:38.157$  gel between the prostate and the \*\*\*\*\*\*.

NOTE Confidence: 0.8301060496

 $00:40:38.160 \longrightarrow 00:40:39.972$  And as I tell patients, it's not.

NOTE Confidence: 0.8301060496

00:40:39.972 --> 00:40:41.865 It's not a shield, it's not absorbing

NOTE Confidence: 0.8301060496

00:40:41.865 --> 00:40:43.640 radiation in some magical way,

NOTE Confidence: 0.8301060496

00:40:43.640 --> 00:40:45.677 but it's creating with that gap that's

NOTE Confidence: 0.8301060496

 $00{:}40{:}45.677 \dashrightarrow 00{:}40{:}48.088$  allowing us to drop the dose very quickly

NOTE Confidence: 0.8301060496

 $00:40:48.088 \longrightarrow 00:40:50.252$  between the process and the \*\*\*\*\* and

NOTE Confidence: 0.8301060496

 $00{:}40{:}50.252 \dashrightarrow 00{:}40{:}52.296$  it helps to reduce rectal side effects.

NOTE Confidence: 0.8301060496

 $00:40:52.300 \longrightarrow 00:40:54.364$  So not every guy is a

NOTE Confidence: 0.8301060496

 $00:40:54.364 \longrightarrow 00:40:55.740$  good candidate for this,

NOTE Confidence: 0.8301060496

 $00:40:55.740 \longrightarrow 00:40:56.836$  but most guys are.

NOTE Confidence: 0.8301060496

00:40:56.836 --> 00:40:58.920 And if there's a a nuance to it,

NOTE Confidence: 0.8301060496

 $00:40:58.920 \longrightarrow 00:41:00.439$  then we work with the urologist about,

00:41:00.440 --> 00:41:02.136 you know, who's a good candidate versus not.

NOTE Confidence: 0.8301060496

 $00{:}41{:}02.140 \dashrightarrow 00{:}41{:}04.946$  So some guy who has posterior extension of

NOTE Confidence: 0.8301060496

00:41:04.946 --> 00:41:07.340 of cancer on MRI that's pretty pronounced,

NOTE Confidence: 0.8301060496

00:41:07.340 --> 00:41:08.996 may not be a good candidate for example,

NOTE Confidence: 0.8301060496

 $00:41:09.000 \longrightarrow 00:41:11.752$  but most guys are.

NOTE Confidence: 0.8301060496

00:41:11.752 --> 00:41:14.295 And so I think you'll be hearing more

NOTE Confidence: 0.8301060496

00:41:14.295 --> 00:41:16.933 and more about guys who got gel on with

NOTE Confidence: 0.8301060496

 $00:41:16.933 \longrightarrow 00:41:18.899$  their markers with definitely a big helper.

NOTE Confidence: 0.8301060496

00:41:18.900 --> 00:41:19.779 Next slide, please.

NOTE Confidence: 0.850078931428571

 $00:41:22.030 \longrightarrow 00:41:23.011$  There are different

NOTE Confidence: 0.850078931428571

 $00:41:23.011 \longrightarrow 00:41:24.319$  fiducials that are possible.

NOTE Confidence: 0.850078931428571

 $00:41:24.320 \longrightarrow 00:41:25.448$  I say the most common ones

NOTE Confidence: 0.850078931428571

 $00:41:25.448 \longrightarrow 00:41:26.811$  and that we use are gold and

NOTE Confidence: 0.850078931428571

 $00:41:26.811 \longrightarrow 00:41:28.127$  you can see a zoomed in view.

NOTE Confidence: 0.850078931428571

 $00:41:28.130 \longrightarrow 00:41:30.322$  They they have a little bit of a

 $00:41:30.322 \longrightarrow 00:41:32.508$  texture or rifling to them to help

NOTE Confidence: 0.850078931428571

 $00:41:32.508 \longrightarrow 00:41:34.650$  stick in the prostate not migrate.

NOTE Confidence: 0.850078931428571

 $00:41:34.650 \longrightarrow 00:41:36.360$  But there there are ceramic

NOTE Confidence: 0.850078931428571

 $00:41:36.360 \longrightarrow 00:41:37.386$  versions of these.

NOTE Confidence: 0.850078931428571

 $00:41:37.390 \longrightarrow 00:41:38.930$  There are long coiled versions.

NOTE Confidence: 0.850078931428571

 $00{:}41{:}38.930 \dashrightarrow 00{:}41{:}42.754$  There's another one that has a called

NOTE Confidence: 0.850078931428571

 $00:41:42.754 \longrightarrow 00:41:45.930$  Calypso that has an electromagnetic.

NOTE Confidence: 0.850078931428571

00:41:45.930 --> 00:41:48.082 Frequency is like an RF powered device that

NOTE Confidence: 0.850078931428571

 $00{:}41{:}48.082 \dashrightarrow 00{:}41{:}50.397$  can be checked multiple times a second.

NOTE Confidence: 0.850078931428571

 $00:41:50.400 \longrightarrow 00:41:51.920$  So there are multiple types,

NOTE Confidence: 0.850078931428571

 $00:41:51.920 \longrightarrow 00:41:53.819$  but I think you know the goal ones are

NOTE Confidence: 0.850078931428571

00:41:53.819 --> 00:41:55.637 the most standard work really well.

NOTE Confidence: 0.850078931428571

00:41:55.640 --> 00:41:58.536 The imaging on on the lower right is

NOTE Confidence: 0.850078931428571

 $00:41:58.536 \longrightarrow 00:42:00.846$  what's called a cone beam CT you know

NOTE Confidence: 0.850078931428571

 $00:42:00.846 \longrightarrow 00:42:02.334$  when when patients are asking us,

NOTE Confidence: 0.850078931428571

 $00:42:02.340 \longrightarrow 00:42:03.530$  you know, how do you know that,

 $00:42:03.530 \longrightarrow 00:42:04.610$  that the treatment is accurate?

NOTE Confidence: 0.850078931428571

00:42:04.610 --> 00:42:05.540 You can't see my prostate,

NOTE Confidence: 0.850078931428571

 $00:42:05.540 \longrightarrow 00:42:06.524$  but the treatment say,

NOTE Confidence: 0.850078931428571

 $00:42:06.524 \longrightarrow 00:42:08.240$  well every day before we treat you,

NOTE Confidence: 0.850078931428571

 $00:42:08.240 \longrightarrow 00:42:09.787$  we spin the machine around and we

NOTE Confidence: 0.850078931428571

 $00{:}42{:}09.787 \dashrightarrow 00{:}42{:}11.606$  take an image that's a cone beam CT

NOTE Confidence: 0.850078931428571

00:42:11.606 --> 00:42:13.278 that looks very much like a CAT scan.

NOTE Confidence: 0.850078931428571

 $00:42:13.280 \longrightarrow 00:42:14.834$  We overlay it with the real CAT

NOTE Confidence: 0.850078931428571

 $00:42:14.834 \longrightarrow 00:42:16.420$  scan that we get for planning.

NOTE Confidence: 0.850078931428571 00:42:16.420 --> 00:42:16.765 Services. NOTE Confidence: 0.850078931428571

 $00:42:16.765 \longrightarrow 00:42:19.180$  So in this view here with this

NOTE Confidence: 0.850078931428571

00:42:19.180 --> 00:42:21.020 kind of quartered view,

NOTE Confidence: 0.850078931428571

 $00:42:21.020 \longrightarrow 00:42:23.060$  the upper left and the lower right is

NOTE Confidence: 0.850078931428571

 $00:42:23.060 \longrightarrow 00:42:25.095$  from the real CAT scan and the cone

NOTE Confidence: 0.850078931428571

 $00:42:25.095 \longrightarrow 00:42:27.516$  beam is the upper right and the lower left.

00:42:27.520 --> 00:42:29.088 You can see that there's some slight

NOTE Confidence: 0.850078931428571

 $00{:}42{:}29.088 \operatorname{--}{>} 00{:}42{:}30.579$  differences in how the tissues appear,

NOTE Confidence: 0.850078931428571

 $00:42:30.580 \longrightarrow 00:42:31.561$  but they're really,

NOTE Confidence: 0.850078931428571

 $00:42:31.561 \longrightarrow 00:42:33.523$  it's really very robust and you

NOTE Confidence: 0.850078931428571

 $00:42:33.523 \longrightarrow 00:42:35.656$  can see with the this red arrow

NOTE Confidence: 0.850078931428571

 $00:42:35.656 \longrightarrow 00:42:37.180$  what the gold markets like.

NOTE Confidence: 0.850078931428571

 $00:42:37.180 \longrightarrow 00:42:39.632$  So the gold markers are are very

NOTE Confidence: 0.850078931428571

 $00:42:39.632 \longrightarrow 00:42:41.192$  easily distinguished and this is

NOTE Confidence: 0.850078931428571

 $00{:}42{:}41.192 \dashrightarrow 00{:}42{:}43.747$  what helps us to have a high degree

NOTE Confidence: 0.850078931428571

 $00:42:43.747 \longrightarrow 00:42:45.619$  of confidence that we're on target.

NOTE Confidence: 0.850078931428571

 $00:42:45.620 \longrightarrow 00:42:47.303$  Now some guys are not a candidate for this.

NOTE Confidence: 0.850078931428571

 $00:42:47.310 \longrightarrow 00:42:47.892$  They, you know,

NOTE Confidence: 0.850078931428571

 $00:42:47.892 \longrightarrow 00:42:49.056$  they're on blood thinners and they.

NOTE Confidence: 0.850078931428571

 $00:42:49.060 \longrightarrow 00:42:50.635$  If we feel from primary care that

NOTE Confidence: 0.850078931428571

 $00:42:50.635 \longrightarrow 00:42:51.839$  you're for their cardiologist that

NOTE Confidence: 0.850078931428571

 $00{:}42{:}51.839 \dashrightarrow 00{:}42{:}53.512$  that's just not going to be safe

 $00:42:53.512 \longrightarrow 00:42:54.993$  to go off blood thinners again

NOTE Confidence: 0.850078931428571

 $00:42:54.993 \longrightarrow 00:42:56.401$  or they simply don't want another

NOTE Confidence: 0.850078931428571

 $00:42:56.401 \longrightarrow 00:42:57.456$  procedure or whatever it is.

NOTE Confidence: 0.850078931428571

 $00:42:57.460 \longrightarrow 00:42:59.828$  So we do have an option to not

NOTE Confidence: 0.850078931428571

 $00:42:59.828 \longrightarrow 00:43:02.020$  do gel and not do markers.

NOTE Confidence: 0.850078931428571

00:43:02.020 --> 00:43:03.360 If we're going without markers,

NOTE Confidence: 0.850078931428571

 $00:43:03.360 \longrightarrow 00:43:05.292$  then the margins that we use around

NOTE Confidence: 0.850078931428571

 $00{:}43{:}05.292 \dashrightarrow 00{:}43{:}07.267$  the prostate are a little bit larger

NOTE Confidence: 0.850078931428571

 $00{:}43{:}07.267 \dashrightarrow 00{:}43{:}09.245$  because we don't have quite the same

NOTE Confidence: 0.850078931428571

 $00{:}43{:}09.245 \dashrightarrow 00{:}43{:}11.015$  degree of confidence about the alignment.

NOTE Confidence: 0.850078931428571

00:43:11.020 --> 00:43:12.798 We can still take this comb beam

NOTE Confidence: 0.850078931428571

 $00{:}43{:}12.798 \dashrightarrow 00{:}43{:}14.559$  image and see the soft tissues.

NOTE Confidence: 0.850078931428571

 $00:43:14.560 \longrightarrow 00:43:16.416$  So we we can get very, very close,

NOTE Confidence: 0.850078931428571

 $00:43:16.416 \longrightarrow 00:43:19.164$  but the markers even even nicer.

NOTE Confidence: 0.850078931428571

00:43:19.170 --> 00:43:21.198 Next slide please.

00:43:21.200 --> 00:43:21.511 Uh,

NOTE Confidence: 0.850078931428571

 $00:43:21.511 \longrightarrow 00:43:23.377$  just a quick word about better

NOTE Confidence: 0.850078931428571

00:43:23.377 --> 00:43:24.310 imaging for prostate.

NOTE Confidence: 0.850078931428571

 $00:43:24.310 \longrightarrow 00:43:26.291$  So if we're moving into that intermediate

NOTE Confidence: 0.850078931428571

00:43:26.291 --> 00:43:28.172 or high risk prostate cancer and

NOTE Confidence: 0.850078931428571

 $00:43:28.172 \longrightarrow 00:43:30.128$  above where we're trying to staging,

NOTE Confidence: 0.850078931428571

00:43:30.130 --> 00:43:31.099 you know, convention,

NOTE Confidence: 0.850078931428571

00:43:31.099 --> 00:43:33.037 we're getting an MMR and usually

NOTE Confidence: 0.850078931428571

00:43:33.037 --> 00:43:34.482 getting a CAT scan, abdomen,

NOTE Confidence: 0.850078931428571

 $00:43:34.482 \longrightarrow 00:43:36.450$  pelvis and bone scan.

NOTE Confidence: 0.850078931428571

 $00{:}43{:}36.450 \dashrightarrow 00{:}43{:}37.670$  These are still good,

NOTE Confidence: 0.850078931428571

 $00:43:37.670 \longrightarrow 00:43:38.585$  still highly supported.

NOTE Confidence: 0.850078931428571

 $00:43:38.590 \longrightarrow 00:43:40.930$  Some insurance companies will still insist

NOTE Confidence: 0.850078931428571

 $00{:}43{:}40.930 \dashrightarrow 00{:}43{:}43.370$  on getting those instead of a pet scan,

NOTE Confidence: 0.850078931428571

 $00:43:43.370 \longrightarrow 00:43:45.302$  but I think that the that

NOTE Confidence: 0.850078931428571

 $00:43:45.302 \longrightarrow 00:43:46.590$  the trend is definitely

 $00:43:46.663 \longrightarrow 00:43:47.754$  to allow PET scans.

NOTE Confidence: 0.804477494166667

 $00:43:47.754 \longrightarrow 00:43:50.010$  The first PET scan that we had access

NOTE Confidence: 0.804477494166667

 $00{:}43{:}50.076 \dashrightarrow 00{:}43{:}52.020$  to around here was called Axemen.

NOTE Confidence: 0.804477494166667

 $00:43:52.020 \longrightarrow 00:43:53.749$  The newer one, I think we have

NOTE Confidence: 0.804477494166667

 $00:43:53.749 \longrightarrow 00:43:55.340$  a little more confidence in.

NOTE Confidence: 0.804477494166667

 $00:43:55.340 \longrightarrow 00:43:57.420$  It has some trade names like Polara 5,

NOTE Confidence: 0.804477494166667

00:43:57.420 --> 00:44:01.378 but it's really a PSM, a pet CT,

NOTE Confidence: 0.804477494166667

 $00:44:01.380 \longrightarrow 00:44:02.836$  another slide about this in a moment,

NOTE Confidence: 0.804477494166667

00:44:02.840 --> 00:44:06.518 but currently for the PSA pet,

NOTE Confidence: 0.804477494166667

 $00{:}44{:}06.520 \dashrightarrow 00{:}44{:}08.779$  we're having a gentleman go up to New Haven,

NOTE Confidence: 0.804477494166667

 $00:44:08.780 \longrightarrow 00:44:10.719$  but later this month it will be

NOTE Confidence: 0.804477494166667

 $00{:}44{:}10.719 \dashrightarrow 00{:}44{:}12.019$  available at Greenwich as well.

NOTE Confidence: 0.804477494166667

00:44:12.020 --> 00:44:13.742 We'll see this popping up I

NOTE Confidence: 0.804477494166667

 $00{:}44{:}13.742 \dashrightarrow 00{:}44{:}15.539$  think in other places over time.

NOTE Confidence: 0.804477494166667

 $00:44:15.540 \longrightarrow 00:44:16.398$  Next slide please.

 $00:44:18.440 \longrightarrow 00:44:19.570$  Just a little little bird

NOTE Confidence: 0.810822032

 $00:44:19.570 \longrightarrow 00:44:20.700$  I'm going to focus on,

NOTE Confidence: 0.810822032

 $00:44:20.700 \longrightarrow 00:44:22.275$  on the mid and bottom part of the slide.

NOTE Confidence: 0.810822032

 $00:44:22.280 \longrightarrow 00:44:24.272$  So this this PSM, a pet can be

NOTE Confidence: 0.810822032

 $00:44:24.272 \longrightarrow 00:44:26.506$  used for gentleman with an initial

NOTE Confidence: 0.810822032

 $00{:}44{:}26.506 \dashrightarrow 00{:}44{:}28.586$  diagnosis prostate cancer or if

NOTE Confidence: 0.810822032

00:44:28.586 --> 00:44:30.958 they're post treatment either post

NOTE Confidence: 0.810822032

 $00:44:30.958 \longrightarrow 00:44:32.846$  prostatectomy or post radiation.

NOTE Confidence: 0.810822032

00:44:32.850 --> 00:44:34.893 We're seeing a PSA rise and we want to

NOTE Confidence: 0.810822032

 $00:44:34.893 \longrightarrow 00:44:37.080$  hunt down where the spot is or spots are.

NOTE Confidence: 0.810822032

 $00{:}44{:}37.080 \dashrightarrow 00{:}44{:}39.656$  This is a a great study for that.

NOTE Confidence: 0.810822032

 $00:44:39.660 \longrightarrow 00:44:42.636$  PSA is prostate specific membrane antigen.

NOTE Confidence: 0.810822032

 $00:44:42.640 \longrightarrow 00:44:44.649$  So this is a little more specific

NOTE Confidence: 0.810822032

 $00:44:44.649 \longrightarrow 00:44:46.219$  to prostate cells is overexpressed

NOTE Confidence: 0.810822032

 $00:44:46.219 \longrightarrow 00:44:47.863$  and over 90% of prostate cancer

NOTE Confidence: 0.810822032

 $00:44:47.863 \longrightarrow 00:44:49.189$  cells and that's really the magic

 $00:44:49.189 \longrightarrow 00:44:50.498$  of how we can make this work.

NOTE Confidence: 0.810822032

 $00:44:50.500 \longrightarrow 00:44:52.588$  So this is not a regular

NOTE Confidence: 0.810822032

 $00:44:52.588 \longrightarrow 00:44:53.980$  pet scan with glucose.

NOTE Confidence: 0.810822032

00:44:53.980 --> 00:44:57.459 This is really targeted to to PSA and

NOTE Confidence: 0.810822032

 $00:44:57.459 \longrightarrow 00:44:59.373$  interestingly and hopefully it is has

NOTE Confidence: 0.810822032

 $00:44:59.373 \longrightarrow 00:45:01.924$  a high degree of expression with those

NOTE Confidence: 0.810822032

 $00:45:01.924 \longrightarrow 00:45:04.014$  higher leasing score, nastier tumors.

NOTE Confidence: 0.810822032

 $00:45:04.014 \longrightarrow 00:45:05.430$  Next slide please.

NOTE Confidence: 0.798895276666667

00:45:07.460 --> 00:45:08.009 Are you OK?

NOTE Confidence: 0.86075432

 $00:45:12.760 \longrightarrow 00:45:13.810$  Turn this over to Dan.

NOTE Confidence: 0.48301995

 $00{:}45{:}22.800 \dashrightarrow 00{:}45{:}24.014$  Hi, Dan, I think you're on mute still.

NOTE Confidence: 0.866829116470588

 $00{:}45{:}29.470 \dashrightarrow 00{:}45{:}31.213$  I think it's important to note that

NOTE Confidence: 0.866829116470588

 $00{:}45{:}31.213 \dashrightarrow 00{:}45{:}33.167$  we've made a tremendous amount of

NOTE Confidence: 0.866829116470588

 $00{:}45{:}33.167 \dashrightarrow 00{:}45{:}34.707$  progress in metastatic disease,

NOTE Confidence: 0.866829116470588

 $00:45:34.710 \longrightarrow 00:45:36.666$  not only in the earlier treatment

 $00:45:36.666 \longrightarrow 00:45:38.716$  of prostate cancer when we call

NOTE Confidence: 0.866829116470588

00:45:38.716 --> 00:45:40.088 the hormone sensitive state,

NOTE Confidence: 0.866829116470588

 $00:45:40.090 \longrightarrow 00:45:41.746$  which is what this patient is,

NOTE Confidence: 0.866829116470588

 $00:45:41.750 \longrightarrow 00:45:44.240$  but in the hormone resistant

NOTE Confidence: 0.866829116470588

 $00:45:44.240 \longrightarrow 00:45:46.232$  or castration resistant state.

NOTE Confidence: 0.866829116470588

00:45:46.240 --> 00:45:51.080 In fact, in 1991, my esteemed Lake colleague,

NOTE Confidence: 0.866829116470588

00:45:51.080 --> 00:45:52.781 Alan, you go to my published paper

NOTE Confidence: 0.866829116470588

 $00:45:52.781 \longrightarrow 00:45:54.090$  saying that patients only lived

NOTE Confidence: 0.866829116470588

 $00:45:54.090 \longrightarrow 00:45:55.415$  about a year with chemotherapy.

NOTE Confidence: 0.866829116470588

00:45:55.420 --> 00:45:56.932 Well, we've extended that out with

NOTE Confidence: 0.866829116470588

 $00{:}45{:}56.932 \dashrightarrow 00{:}45{:}58.525$  all of our other treatments to

NOTE Confidence: 0.866829116470588

 $00:45:58.525 \longrightarrow 00:46:00.127$  about three years at this point

NOTE Confidence: 0.866829116470588

 $00:46:00.127 \longrightarrow 00:46:01.815$  and with good quality of life

NOTE Confidence: 0.866829116470588

 $00:46:01.815 \longrightarrow 00:46:03.195$  and for metastatic patients such

NOTE Confidence: 0.866829116470588

 $00:46:03.195 \longrightarrow 00:46:05.838$  as this five year survival to 7

NOTE Confidence: 0.866829116470588

 $00:46:05.838 \longrightarrow 00:46:08.380$  year survival is not unexpected.

 $00:46:08.380 \longrightarrow 00:46:10.558$  So this 82 year old male,

NOTE Confidence: 0.866829116470588

00:46:10.560 --> 00:46:12.585 very active develops lower back

NOTE Confidence: 0.866829116470588

 $00{:}46{:}12.585 \dashrightarrow 00{:}46{:}14.205$  pain while playing tennis.

NOTE Confidence: 0.866829116470588

 $00:46:14.210 \longrightarrow 00:46:15.506$  He goes to see his internist,

NOTE Confidence: 0.866829116470588

 $00:46:15.510 \longrightarrow 00:46:17.750$  who does a series of L spine films,

NOTE Confidence: 0.866829116470588

 $00:46:17.750 \longrightarrow 00:46:21.740$  which demonstrate sclerotic bone metastases.

NOTE Confidence: 0.866829116470588

 $00:46:21.740 \longrightarrow 00:46:23.240$  He has a PSA of 1200.

NOTE Confidence: 0.866829116470588

 $00:46:23.240 \longrightarrow 00:46:25.696$  He's referred for a biopsy of his prostate,

NOTE Confidence: 0.866829116470588

 $00:46:25.700 \longrightarrow 00:46:28.184$  which demonstrates at least

NOTE Confidence: 0.866829116470588

00:46:28.184 --> 00:46:29.426 nine adenocarcinoma.

NOTE Confidence: 0.866829116470588

 $00:46:29.430 \longrightarrow 00:46:30.802$  Imaging detects multiple bone

NOTE Confidence: 0.866829116470588

 $00{:}46{:}30.802 \dashrightarrow 00{:}46{:}32.860$  metastases in the ribs and thoracic

NOTE Confidence: 0.866829116470588

 $00{:}46{:}32.914 \dashrightarrow 00{:}46{:}34.546$  as well as lumbar sacral spine.

NOTE Confidence: 0.866829116470588

 $00:46:34.550 \longrightarrow 00:46:36.909$  So this is not the patient that

NOTE Confidence: 0.866829116470588

 $00{:}46{:}36.909 \dashrightarrow 00{:}46{:}38.809$  Doctor Mcgibbon spoke about before.

00:46:38.810 --> 00:46:40.826 This patient would not benefit from

NOTE Confidence: 0.866829116470588

 $00:46:40.826 \longrightarrow 00:46:42.507$  receiving radiation therapy to his

NOTE Confidence: 0.866829116470588

 $00:46:42.507 \longrightarrow 00:46:45.480$  prostate or to the metastases but.

NOTE Confidence: 0.866829116470588

 $00:46:45.480 \longrightarrow 00:46:48.060$  Would really require systemic therapy.

NOTE Confidence: 0.866829116470588

 $00:46:48.060 \longrightarrow 00:46:50.802$  So this patient goes on androgen

NOTE Confidence: 0.866829116470588

 $00{:}46{:}50.802 \dashrightarrow 00{:}46{:}53.234$  deprivation therapy with a drug

NOTE Confidence: 0.866829116470588

00:46:53.234 --> 00:46:55.314 called degarelix which rapidly

NOTE Confidence: 0.866829116470588

 $00{:}46{:}55.314 \dashrightarrow 00{:}46{:}57.064$  reduces the test osterone levels

NOTE Confidence: 0.866829116470588

 $00:46:57.064 \longrightarrow 00:46:59.880$  within 24 to 48 hours to less than

NOTE Confidence: 0.866829116470588

 $00:46:59.954 \longrightarrow 00:47:02.342$  50 nanograms per deciliter which is

NOTE Confidence: 0.866829116470588

 $00:47:02.342 \longrightarrow 00:47:05.129$  considered to be castrate and also he

NOTE Confidence: 0.866829116470588

 $00{:}47{:}05.129 \dashrightarrow 00{:}47{:}07.004$  starts a drug called enzalutamide.

NOTE Confidence: 0.866829116470588

00:47:07.010 --> 00:47:09.404 Which is in next generation and antigen,

NOTE Confidence: 0.866829116470588

00:47:09.410 --> 00:47:10.529 which is originally,

NOTE Confidence: 0.866829116470588

 $00:47:10.529 \longrightarrow 00:47:12.394$  which was originally approved for

NOTE Confidence: 0.866829116470588

 $00{:}47{:}12.394 \dashrightarrow 00{:}47{:}14.189$  patients with resistant disease,

00:47:14.190 --> 00:47:16.276 but now is being moved up front

NOTE Confidence: 0.866829116470588

 $00:47:16.276 \longrightarrow 00:47:17.170$  to these patients.

NOTE Confidence: 0.866829116470588

00:47:17.170 --> 00:47:19.822 So all these patients really deserve

NOTE Confidence: 0.866829116470588

 $00:47:19.822 \longrightarrow 00:47:22.955$  the chance of having what we call

NOTE Confidence: 0.866829116470588

 $00{:}47{:}22.955 \dashrightarrow 00{:}47{:}25.090$  the best next generation agent.

NOTE Confidence: 0.866829116470588

00:47:25.090 --> 00:47:27.090 And drugs such as enzalutamide,

NOTE Confidence: 0.866829116470588

 $00:47:27.090 \longrightarrow 00:47:27.720$  apalutamide,

NOTE Confidence: 0.866829116470588

 $00:47:27.720 \longrightarrow 00:47:31.500$  abiraterone are all given to these

NOTE Confidence: 0.866829116470588

 $00{:}47{:}31.500 \dashrightarrow 00{:}47{:}33.425$  patients in the early stages of

NOTE Confidence: 0.866829116470588

 $00{:}47{:}33.425 \dashrightarrow 00{:}47{:}34.720$  metastases rather than the late

NOTE Confidence: 0.866829116470588

 $00{:}47{:}34.768 \dashrightarrow 00{:}47{:}36.588$  stages where they originally approved.

NOTE Confidence: 0.866829116470588

 $00:47:36.590 \longrightarrow 00:47:38.489$  And we see that there's more of a survival.

NOTE Confidence: 0.866829116470588

 $00{:}47{:}38.490 \dashrightarrow 00{:}47{:}40.325$  Benefit in these patients with

NOTE Confidence: 0.866829116470588

 $00:47:40.325 \longrightarrow 00:47:41.059$  this treatment,

NOTE Confidence: 0.866829116470588

 $00:47:41.060 \longrightarrow 00:47:42.444$  chemotherapy is also administered

 $00:47:42.444 \longrightarrow 00:47:44.174$  in this area as well,

NOTE Confidence: 0.866829116470588

 $00:47:44.180 \longrightarrow 00:47:47.150$  so common complications that an internist

NOTE Confidence: 0.866829116470588

00:47:47.150 --> 00:47:51.080 may see in this disease include hot flushes,

NOTE Confidence: 0.866829116470588

 $00:47:51.080 \longrightarrow 00:47:53.162$  osteoporosis, anemia.

NOTE Confidence: 0.866829116470588

00:47:53.162 --> 00:47:55.244 Impotence, fatigue,

NOTE Confidence: 0.866829116470588

00:47:55.244 --> 00:47:57.920 and weakness, muscle wasting.

NOTE Confidence: 0.866829116470588

 $00:47:57.920 \longrightarrow 00:47:59.985$  That's something we can do something about.

NOTE Confidence: 0.866829116470588

00:47:59.990 --> 00:48:02.587 All of my patients with prostate cancer,

NOTE Confidence: 0.866829116470588

 $00:48:02.590 \longrightarrow 00:48:04.900$  I recommend that they maintain

NOTE Confidence: 0.866829116470588

00:48:04.900 --> 00:48:06.748 an active exercise program,

NOTE Confidence: 0.866829116470588

 $00:48:06.750 \longrightarrow 00:48:07.962$  including lifting weights.

NOTE Confidence: 0.866829116470588

 $00:48:07.962 \longrightarrow 00:48:10.790$  They have to maintain the muscle mass

NOTE Confidence: 0.866829116470588

 $00{:}48{:}10.858 \dashrightarrow 00{:}48{:}12.858$  because of course without test osterone

NOTE Confidence: 0.866829116470588

 $00:48:12.858 \longrightarrow 00:48:15.282$  we can have issues cardiovascular side

NOTE Confidence: 0.866829116470588

00:48:15.282 --> 00:48:17.337 effects of being newly identified.

NOTE Confidence: 0.866829116470588

 $00:48:17.340 \longrightarrow 00:48:19.296$  And these include a higher risk

 $00:48:19.296 \longrightarrow 00:48:21.015$  of a second myocardial infarction

NOTE Confidence: 0.866829116470588

 $00{:}48{:}21.015 \dashrightarrow 00{:}48{:}23.430$  within six in a patient who's had

NOTE Confidence: 0.866829116470588

 $00:48:23.430 \longrightarrow 00:48:25.039$  a myocardial infarction within

NOTE Confidence: 0.866829116470588

 $00:48:25.039 \longrightarrow 00:48:27.613$  six months of starting an engine

NOTE Confidence: 0.866829116470588

 $00:48:27.613 \longrightarrow 00:48:28.471$  deprivation therapy.

NOTE Confidence: 0.866829116470588

 $00:48:28.480 \longrightarrow 00:48:30.280$  And the guidelines for managing

NOTE Confidence: 0.866829116470588

00:48:30.280 --> 00:48:31.720 cardiovascular patients are really

NOTE Confidence: 0.866829116470588

 $00{:}48{:}31.720 \dashrightarrow 00{:}48{:}33.537$  not as clear as we would like them

NOTE Confidence: 0.866829116470588

 $00{:}48{:}33.537 \dashrightarrow 00{:}48{:}35.328$  to be at this particular point.

NOTE Confidence: 0.732602069

00:48:37.340 --> 00:48:39.285 Next slide. Hot flushes occur

NOTE Confidence: 0.732602069

 $00:48:39.285 \longrightarrow 00:48:42.108$  at about half to 80% of men.

NOTE Confidence: 0.732602069

 $00{:}48{:}42.108 \dashrightarrow 00{:}48{:}44.303$  It's usually a sudden perceived

NOTE Confidence: 0.732602069

 $00{:}48{:}44.303 --> 00{:}48{:}45.620 \ \mathrm{increase} \ \mathrm{in} \ \mathrm{temperature},$ 

NOTE Confidence: 0.732602069

 $00:48:45.620 \longrightarrow 00:48:46.950$  accompanied by reading of the

NOTE Confidence: 0.732602069

 $00:48:46.950 \longrightarrow 00:48:48.014$  skin and profuse sweating.

00:48:48.020 --> 00:48:48.809 Next slide, please.

NOTE Confidence: 0.759943108

 $00:48:50.840 \longrightarrow 00:48:53.540$  And this is usually spontaneous,

NOTE Confidence: 0.759943108

 $00:48:53.540 \longrightarrow 00:48:55.320$  changes in body position or

NOTE Confidence: 0.759943108

 $00:48:55.320 \longrightarrow 00:48:57.616$  ingestion of hot liquids can also

NOTE Confidence: 0.759943108

00:48:57.616 --> 00:48:59.396 cause this particular problem,

NOTE Confidence: 0.759943108

 $00:48:59.400 \longrightarrow 00:49:00.696$  environmental changes as well.

NOTE Confidence: 0.759943108

 $00:49:00.696 \longrightarrow 00:49:03.439$  So what do we do about hot flashes?

NOTE Confidence: 0.759943108

 $00:49:03.440 \longrightarrow 00:49:05.210$  We generally will ask the patient

NOTE Confidence: 0.759943108

00:49:05.210 --> 00:49:07.219 try to try soy products because

NOTE Confidence: 0.759943108

00:49:07.219 --> 00:49:09.124 they do have phytoestrogens and

NOTE Confidence: 0.759943108

 $00:49:09.124 \longrightarrow 00:49:11.319$  that tends to counteract that.

NOTE Confidence: 0.759943108

00:49:11.320 --> 00:49:13.930 Additionally, drugs such as effects Effexor,

NOTE Confidence: 0.759943108

 $00{:}49{:}13.930 \dashrightarrow 00{:}49{:}15.466$  Clonidine are also effective

NOTE Confidence: 0.759943108

 $00:49:15.466 \longrightarrow 00:49:16.618$  in these patients.

NOTE Confidence: 0.759943108

 $00:49:16.620 \longrightarrow 00:49:18.404$  We generally will reserve

NOTE Confidence: 0.759943108

 $00:49:18.404 \longrightarrow 00:49:20.634$  that for severe hot flushes.

 $00:49:20.640 \longrightarrow 00:49:23.550$  Osteoporosis is really a more recognized

NOTE Confidence: 0.759943108

 $00{:}49{:}23.550 \dashrightarrow 00{:}49{:}27.438$  problem in men over the last several years,

NOTE Confidence: 0.759943108

 $00:49:27.440 \longrightarrow 00:49:30.466$  and about 25 to 30% of all osteoporotic

NOTE Confidence: 0.759943108

 $00:49:30.466 \longrightarrow 00:49:32.638$  hip fractures do occur in men.

NOTE Confidence: 0.759943108

 $00:49:32.640 \longrightarrow 00:49:35.656$  By 2025 we expect about 1.1 million cases,

NOTE Confidence: 0.759943108

 $00:49:35.656 \longrightarrow 00:49:38.071$  and as one would expect with a patient

NOTE Confidence: 0.759943108

00:49:38.071 --> 00:49:40.336 zoning going ancient deprivation therapy,

NOTE Confidence: 0.759943108

 $00{:}49{:}40.340 \dashrightarrow 00{:}49{:}42.552$  the major causes hypogonadism.

NOTE Confidence: 0.759943108

 $00:49:42.552 \longrightarrow 00:49:46.383$  Women can also experience this who are

NOTE Confidence: 0.759943108

 $00{:}49{:}46.383 \dashrightarrow 00{:}49{:}48.632$  on LHRH agonists for endometriosis,

NOTE Confidence: 0.759943108

 $00:49:48.632 \longrightarrow 00:49:50.090$  and that's why.

NOTE Confidence: 0.759943108

 $00:49:50.090 \longrightarrow 00:49:51.600$  The use is usually limited

NOTE Confidence: 0.759943108

00:49:51.600 --> 00:49:52.808 to about six months.

NOTE Confidence: 0.759943108

00:49:52.810 --> 00:49:53.608 Next slide please.

NOTE Confidence: 0.745898775

00:49:55.780 --> 00:49:58.498 So generally a man will lose,

 $00:49:58.500 \longrightarrow 00:50:03.156$  after age 35, zero .5 to 1% of their

NOTE Confidence: 0.745898775

 $00{:}50{:}03.156 {\:{\mbox{--}}\!>}\ 00{:}50{:}05.396$  bone mineral density per year.

NOTE Confidence: 0.745898775

 $00{:}50{:}05.400 \dashrightarrow 00{:}50{:}07.350$  That's accelerated in the patient

NOTE Confidence: 0.745898775

 $00:50:07.350 \longrightarrow 00:50:08.910$  on androgen deprivation therapy

NOTE Confidence: 0.745898775

 $00:50:08.910 \longrightarrow 00:50:12.438$  to 1.4% to 2.6% per year and

NOTE Confidence: 0.745898775

00:50:12.438 --> 00:50:15.600 compared to age matched controls.

NOTE Confidence: 0.745898775

00:50:15.600 --> 00:50:17.340 Men on energy deprivation therapy

NOTE Confidence: 0.745898775

 $00:50:17.340 \longrightarrow 00:50:21.316$  have a 6.5% to 7070.3% risk of

NOTE Confidence: 0.745898775

 $00{:}50{:}21.316 \longrightarrow 00{:}50{:}23.308$  higher bone loss and the rates

NOTE Confidence: 0.745898775

 $00:50:23.308 \longrightarrow 00:50:25.139$  of fractures are higher.

NOTE Confidence: 0.745898775

 $00{:}50{:}25.140 --> 00{:}50{:}27.720$  So in the hormone sensitive state

NOTE Confidence: 0.745898775

 $00:50:27.720 \longrightarrow 00:50:30.122$  the patient we would consider

NOTE Confidence: 0.745898775

 $00{:}50{:}30.122 \dashrightarrow 00{:}50{:}32.488$  giving calcium and vitamin D2.

NOTE Confidence: 0.796573007533333

 $00:50:34.550 \longrightarrow 00:50:37.340$  And we see this is in a patient who's

NOTE Confidence: 0.796573007533333

 $00:50:37.340 \longrightarrow 00:50:39.946$  head does not have bone metastases,

NOTE Confidence: 0.796573007533333

 $00:50:39.950 \longrightarrow 00:50:42.764$  who's treated for more than six months.

 $00:50:42.770 \longrightarrow 00:50:44.610$  This is 218 patients.

NOTE Confidence: 0.796573007533333

00:50:44.610 --> 00:50:47.581 A 6% fracture rate is seen and the median

NOTE Confidence: 0.796573007533333

 $00:50:47.581 \longrightarrow 00:50:49.810$  time to fracture is 28 months. Next slide.

NOTE Confidence: 0.788952241666667

 $00:50:51.930 \longrightarrow 00:50:53.568$  So we we generally as I said

NOTE Confidence: 0.788952241666667

00:50:53.568 --> 00:50:55.449 before in a metastatic patient,

NOTE Confidence: 0.788952241666667

 $00:50:55.450 \longrightarrow 00:50:57.490$  I generally don't do dexa scans.

NOTE Confidence: 0.788952241666667

00:50:57.490 --> 00:50:59.520 But in a patient that we're treating

NOTE Confidence: 0.788952241666667

 $00{:}50{:}59.520 \to 00{:}51{:}01.252$  with the urologist as well as

NOTE Confidence: 0.788952241666667

00:51:01.252 --> 00:51:02.597 radiation oncologist who may be

NOTE Confidence: 0.788952241666667

00:51:02.597 --> 00:51:04.335 on Angie and deprivation therapy

NOTE Confidence: 0.788952241666667

00:51:04.335 --> 00:51:06.245 who don't have metastatic disease,

NOTE Confidence: 0.788952241666667

 $00:51:06.250 \longrightarrow 00:51:08.066$  we we do do dexa scans and then

NOTE Confidence: 0.788952241666667

 $00{:}51{:}08.066 \dashrightarrow 00{:}51{:}09.307$  treat the patient accordingly

NOTE Confidence: 0.788952241666667

00:51:09.307 --> 00:51:11.497 depending upon the level of bone

NOTE Confidence: 0.788952241666667

 $00:51:11.497 \longrightarrow 00:51:13.230$  metal density loss at baseline.

 $00:51:18.880 \longrightarrow 00:51:21.088$  Great. That was terrific.

NOTE Confidence: 0.777388924

00:51:21.088 --> 00:51:23.550 Dan, really, can we stop sharing?

NOTE Confidence: 0.845946254285714

 $00:51:26.640 \longrightarrow 00:51:29.536$  This means we actually have a a decent

NOTE Confidence: 0.845946254285714

00:51:29.536 --> 00:51:32.180 amount of time for for questions and

NOTE Confidence: 0.845946254285714

 $00:51:32.180 \longrightarrow 00:51:34.860$  the Q& amp; A which which is wonderful.

NOTE Confidence: 0.845946254285714

 $00:51:34.860 \longrightarrow 00:51:37.460$  So folks who are listening,

NOTE Confidence: 0.845946254285714

 $00:51:37.460 \longrightarrow 00:51:41.118$  please type in your questions in the Q&A.

NOTE Confidence: 0.845946254285714

 $00:51:41.120 \longrightarrow 00:51:44.698$  And as we were discussing this initially,

NOTE Confidence: 0.845946254285714

 $00:51:44.700 \longrightarrow 00:51:46.527$  I know that there are a number of people

NOTE Confidence: 0.845946254285714

 $00:51:46.527 \longrightarrow 00:51:48.495$  who had questions already for each other.

NOTE Confidence: 0.845946254285714

 $00{:}51{:}48.500 \dashrightarrow 00{:}51{:}51.668$  So I'm going to allow Aaron to start off.

NOTE Confidence: 0.824887522222222

00:51:54.160 --> 00:51:55.440 Alright. I guess dance,

NOTE Confidence: 0.824887522222222

00:51:55.440 --> 00:51:57.040 since you finished most recently,

NOTE Confidence: 0.824887522222222

 $00:51:57.040 \longrightarrow 00:51:59.264$  uh, I wanted to ask if there a

NOTE Confidence: 0.824887522222222

00:51:59.264 --> 00:52:00.957 recommendation for how often to check,

NOTE Confidence: 0.824887522222222

 $00:52:00.960 \longrightarrow 00:52:04.402$  uh, bone density testing on

 $00{:}52{:}04.402 \dashrightarrow 00{:}52{:}05.906$  those patients who receive

NOTE Confidence: 0.824887522222222

 $00:52:05.906 \longrightarrow 00:52:07.034$  androgen deprivation therapy?

NOTE Confidence: 0.850277862

00:52:10.460 --> 00:52:11.740 I think you're on mute, Dan. Sorry.

NOTE Confidence: 0.792064501111111

 $00:52:13.530 \longrightarrow 00:52:14.558$  It's usually every two

NOTE Confidence: 0.792064501111111

 $00:52:14.558 \longrightarrow 00:52:16.230$  years we we check it, OK?

NOTE Confidence: 0.815558738333333

00:52:17.080 --> 00:52:18.994 OK, I figured that with the, uh,

NOTE Confidence: 0.815558738333333

 $00:52:18.994 \longrightarrow 00:52:20.772$  I guess the 28 month marker there

NOTE Confidence: 0.815558738333333

 $00{:}52{:}20.772 \dashrightarrow 00{:}52{:}22.839$  that you gave the average bone loss.

NOTE Confidence: 0.815558738333333

 $00:52:22.840 \longrightarrow 00:52:26.635$  OK, and have you had any experience

NOTE Confidence: 0.815558738333333

 $00:52:26.635 \longrightarrow 00:52:28.310$  with gabapent in helping with hot

NOTE Confidence: 0.815558738333333

00:52:28.375 --> 00:52:30.110 flashes for your patients with?

NOTE Confidence: 0.815468311666667

 $00{:}52{:}32.210 \dashrightarrow 00{:}52{:}33.218$  But I've not really tried it.

NOTE Confidence: 0.815468311666667

 $00{:}52{:}33.220 \dashrightarrow 00{:}52{:}34.920$  I've used predominantly Effexor.

NOTE Confidence: 0.815468311666667

00:52:34.920 --> 00:52:36.620 But anyway some literature

NOTE Confidence: 0.815468311666667

 $00:52:36.620 \longrightarrow 00:52:38.278$  that that does use it.

00:52:38.280 --> 00:52:40.720 You know, The funny thing is that that

NOTE Confidence: 0.815468311666667

 $00:52:40.720 \longrightarrow 00:52:43.088$  the soil products do actually work.

NOTE Confidence: 0.815468311666667

00:52:43.090 --> 00:52:45.196 Not. Soy milk, which has very

NOTE Confidence: 0.815468311666667

 $00:52:45.196 \longrightarrow 00:52:47.460$  little soy but tofu soy cheese.

NOTE Confidence: 0.815468311666667

 $00:52:47.460 \longrightarrow 00:52:50.252$  It will least reduce the the

NOTE Confidence: 0.815468311666667

00:52:50.252 --> 00:52:51.712 frequency or actually the intensity

NOTE Confidence: 0.815468311666667

 $00:52:51.712 \longrightarrow 00:52:53.734$  of the hot flashes may make not

NOTE Confidence: 0.815468311666667

 $00:52:53.734 \longrightarrow 00:52:55.059$  make them go away completely,

NOTE Confidence: 0.815468311666667

 $00:52:55.060 \longrightarrow 00:52:56.425$  but makes it a little more tolerable.

NOTE Confidence: 0.774724

00:52:58.550 --> 00:53:00.366 Do you have any soy products you recommend?

NOTE Confidence: 0.837142781111111

 $00:53:00.370 \longrightarrow 00:53:02.029$  I have a lot of patients who

NOTE Confidence: 0.837142781111111

 $00:53:02.029 \longrightarrow 00:53:06.260$  like supplements, tofu, tofu.

NOTE Confidence: 0.837142781111111

 $00:53:06.260 \longrightarrow 00:53:07.588$  Sounds tasty to me.

NOTE Confidence: 0.817610376666667

00:53:07.820 --> 00:53:10.478 Here's a question from Beth Allard.

NOTE Confidence: 0.817610376666667

00:53:10.480 --> 00:53:13.174 Can you address PSA testing and

NOTE Confidence: 0.817610376666667

 $00:53:13.174 \longrightarrow 00:53:15.980$  patient on on testosterone replacement,

 $00:53:15.980 \longrightarrow 00:53:18.178$  the frequency and cut offs for referral?

NOTE Confidence: 0.931050734

 $00{:}53{:}21.320 \dashrightarrow 00{:}53{:}22.820$  Yeah, that's a great question.

NOTE Confidence: 0.931050734

00:53:22.820 --> 00:53:24.268 UM, to my knowledge,

NOTE Confidence: 0.931050734

00:53:24.268 --> 00:53:27.940 when I looked at the most recent guidelines,

NOTE Confidence: 0.931050734

 $00:53:27.940 \longrightarrow 00:53:31.912$  there was not a strong relationship

NOTE Confidence: 0.931050734

 $00:53:31.912 \longrightarrow 00:53:34.640$  between testosterone and worsening

NOTE Confidence: 0.931050734

 $00:53:34.640 \longrightarrow 00:53:37.600$  of prostate cancer outcomes.

NOTE Confidence: 0.931050734

 $00:53:37.600 \longrightarrow 00:53:39.320$  So I think the guidelines

NOTE Confidence: 0.931050734

 $00:53:39.320 \longrightarrow 00:53:41.040$  are still the same for.

NOTE Confidence: 0.931050734

 $00:53:41.040 \longrightarrow 00:53:41.762$  Those patients.

NOTE Confidence: 0.931050734

 $00:53:41.762 \longrightarrow 00:53:43.206$  But Dan, correct me

NOTE Confidence: 0.987502616666667

 $00:53:43.220 \longrightarrow 00:53:43.748$  if I'm wrong.

NOTE Confidence: 0.737959583636364

00:53:45.290 --> 00:53:47.654 Uh, it. At Harvard, they've actually

NOTE Confidence: 0.737959583636364

00:53:47.654 --> 00:53:49.900 been looking into that question.

NOTE Confidence: 0.737959583636364

 $00:53:49.900 \longrightarrow 00:53:54.476$  They do have a number grammar 7 adjustment.

00:53:54.480 --> 00:53:56.958 And I'm blanking on the author's name.

NOTE Confidence: 0.737959583636364

 $00{:}53{:}56.960 \dashrightarrow 00{:}53{:}59.568$  I can. If if I think of it,

NOTE Confidence: 0.737959583636364

 $00:53:59.570 \longrightarrow 00:54:00.788$  I'll put it in the chat but

NOTE Confidence: 0.737959583636364

 $00:54:00.788 \longrightarrow 00:54:01.918$  but they but they have it.

NOTE Confidence: 0.737959583636364

 $00:54:01.920 \longrightarrow 00:54:04.440$  Looking at this particular issue

NOTE Confidence: 0.737959583636364

00:54:04.440 --> 00:54:05.885 interestingly I thought the other

NOTE Confidence: 0.737959583636364

 $00:54:05.885 \longrightarrow 00:54:07.931$  question would be should a man with

NOTE Confidence: 0.737959583636364

00:54:07.931 --> 00:54:09.306 prostate cancer go on androgen,

NOTE Confidence: 0.737959583636364

 $00:54:09.310 \longrightarrow 00:54:10.128$  androgen supplementation.

NOTE Confidence: 0.737959583636364

 $00:54:10.128 \longrightarrow 00:54:12.173$  That's one of the more

NOTE Confidence: 0.737959583636364

 $00{:}54{:}12.173 \dashrightarrow 00{:}54{:}13.680$  controversial areas right now.

NOTE Confidence: 0.737959583636364

 $00{:}54{:}13.680 \dashrightarrow 00{:}54{:}15.816$  And in fact we're actually using

NOTE Confidence: 0.737959583636364

00:54:15.816 --> 00:54:17.701 high dose testosterone in some

NOTE Confidence: 0.737959583636364

 $00:54:17.701 \longrightarrow 00:54:19.200$  patients for right with resistant

NOTE Confidence: 0.737959583636364

 $00:54:19.200 \longrightarrow 00:54:21.220$  disease and about a third of those

NOTE Confidence: 0.737959583636364

 $00:54:21.220 \longrightarrow 00:54:22.780$  patients will respond to that.

 $00:54:22.780 \longrightarrow 00:54:26.368$  So that testosterone is a very.

NOTE Confidence: 0.737959583636364

 $00:54:26.370 \longrightarrow 00:54:28.560$  Poorly understood hormone.

NOTE Confidence: 0.737959583636364

00:54:28.560 --> 00:54:31.022 And you know, again,

NOTE Confidence: 0.737959583636364

00:54:31.022 --> 00:54:32.926 I think you really should consult with

NOTE Confidence: 0.737959583636364

 $00:54:32.926 \longrightarrow 00:54:34.478$  your physician before embarking on

NOTE Confidence: 0.737959583636364

 $00:54:34.478 \longrightarrow 00:54:36.068$  any of those particular supplements.

NOTE Confidence: 0.86761089

00:54:37.580 --> 00:54:39.140 Ryan, were you going to add to that?

NOTE Confidence: 0.55971944

00:54:41.920 --> 00:54:43.288 No, sorry, I was just

NOTE Confidence: 0.751221041111111

 $00:54:44.040 \longrightarrow 00:54:45.762$  responding. I was since the best

NOTE Confidence: 0.751221041111111

 $00:54:45.762 \longrightarrow 00:54:47.270$  question was answered, I just

NOTE Confidence: 0.8978264

00:54:48.360 --> 00:54:49.910 took it out of the queue. I'm sorry.

NOTE Confidence: 0.845975722857143

 $00:54:52.590 \longrightarrow 00:54:54.368$  Let's see another question from the chat.

NOTE Confidence: 0.845975722857143

 $00{:}54{:}54.370 \dashrightarrow 00{:}54{:}57.002$  If a Dre is abnormal and the

NOTE Confidence: 0.845975722857143

00:54:57.002 --> 00:54:59.660 PSA within normal, what is the

NOTE Confidence: 0.845975722857143

00:54:59.660 --> 00:55:01.860 next step maybe going to Jerry?

 $00:55:02.710 \longrightarrow 00:55:06.385$  Yeah, so I would have probably recommend.

NOTE Confidence: 0.760029963571429

 $00{:}55{:}06.390 \dashrightarrow 00{:}55{:}10.254$  Referring to the urologist at that point.

NOTE Confidence: 0.760029963571429

00:55:10.260 --> 00:55:14.368 Because I think we, you know.

NOTE Confidence: 0.741945946363636

 $00:55:18.170 \longrightarrow 00:55:21.754$  It's rare for me to call a Dre

NOTE Confidence: 0.741945946363636

00:55:21.754 --> 00:55:24.262 abnormal unless I, you know,

NOTE Confidence: 0.741945946363636

00:55:24.262 --> 00:55:26.886 truly, truly feel something.

NOTE Confidence: 0.741945946363636

 $00:55:26.890 \longrightarrow 00:55:30.022$  Because of the sensitivity and

NOTE Confidence: 0.741945946363636

00:55:30.022 --> 00:55:32.486 specificity that Aaron quoted,

NOTE Confidence: 0.741945946363636

 $00:55:32.486 \longrightarrow 00:55:35.482$  so you know if if there is

NOTE Confidence: 0.741945946363636

 $00:55:35.482 \longrightarrow 00:55:37.367$  something real on the Dre,

NOTE Confidence: 0.741945946363636

 $00{:}55{:}37.370 \dashrightarrow 00{:}55{:}40.373$  usually the PSA is 15 to 20

NOTE Confidence: 0.741945946363636

 $00:55:40.373 \longrightarrow 00:55:43.020$  and those patients as well.

NOTE Confidence: 0.741945946363636

 $00{:}55{:}43.020 \dashrightarrow 00{:}55{:}44.848$  There are rare instances

NOTE Confidence: 0.741945946363636

 $00:55:44.848 \longrightarrow 00:55:47.133$  when that's not the case.

NOTE Confidence: 0.741945946363636

 $00:55:47.140 \longrightarrow 00:55:48.685$  And there are some instances

NOTE Confidence: 0.741945946363636

 $00:55:48.685 \longrightarrow 00:55:50.230$  where the patient is older

 $00:55:50.289 \longrightarrow 00:55:51.915$  and doesn't have a PSA level.

NOTE Confidence: 0.741945946363636

 $00:55:51.920 \longrightarrow 00:55:53.906$  So if the Dre is abnormal

NOTE Confidence: 0.741945946363636

 $00:55:53.906 \longrightarrow 00:55:56.100$  and we were very concerned,

NOTE Confidence: 0.741945946363636

00:55:56.100 --> 00:56:00.519 I would get a PSA on that patient and.

NOTE Confidence: 0.741945946363636

 $00:56:00.520 \longrightarrow 00:56:02.299$  There have been patients that have

NOTE Confidence: 0.741945946363636

 $00:56:02.299 \longrightarrow 00:56:04.477$  been diagnosed that way who have

NOTE Confidence: 0.741945946363636

 $00:56:04.477 \longrightarrow 00:56:06.572$  stopped PSA screening because of their

NOTE Confidence: 0.741945946363636

 $00:56:06.572 \longrightarrow 00:56:09.440$  age and the Dre was very concerning.

NOTE Confidence: 0.914776776666667

 $00{:}56{:}11.120 \dashrightarrow 00{:}56{:}12.338$  Yeah, but I think it's important.

NOTE Confidence: 0.914776776666667

 $00{:}56{:}12.340 \dashrightarrow 00{:}56{:}13.714$  If the DVR is abnormal it

NOTE Confidence: 0.914776776666667

00:56:13.714 --> 00:56:15.120 it needs a second opinion.

NOTE Confidence: 0.800570215

 $00:56:18.980 \longrightarrow 00:56:19.450$  I agree.

NOTE Confidence: 0.70869264

 $00:56:24.020 \longrightarrow 00:56:25.118$  Nope, and I think you're on

NOTE Confidence: 0.671645566666667

 $00:56:25.130 \longrightarrow 00:56:29.149$  mute. Having an epidemic of mute.

NOTE Confidence: 0.671645566666667

 $00:56:29.150 \longrightarrow 00:56:30.980$  Any data on acupuncture for

 $00:56:30.980 \longrightarrow 00:56:32.444$  hot flashes and flashes?

NOTE Confidence: 0.671645566666667

 $00{:}56{:}32.450 \dashrightarrow 00{:}56{:}33.670$  Keep these questions coming in.

NOTE Confidence: 0.671645566666667

00:56:33.670 --> 00:56:34.810 They're fantastic.

NOTE Confidence: 0.727500584

00:56:38.300 --> 00:56:40.140 No, not that I found. Dan anything?

NOTE Confidence: 0.7536266275

 $00:56:41.150 \longrightarrow 00:56:44.064$  I've not found that either. I found

NOTE Confidence: 0.7536266275

 $00:56:44.064 \longrightarrow 00:56:46.326$  mixed mixed mixed experiences with it.

NOTE Confidence: 0.73661760555556

 $00:56:51.140 \longrightarrow 00:56:55.406$  And then why stop PSA at 75 years old?

NOTE Confidence: 0.35445680575

 $00:56:59.300 \longrightarrow 00:57:01.328$  How proud here this

NOTE Confidence: 0.527658442

00:57:01.340 --> 00:57:06.590 is actually. Pretty controversial, uh?

NOTE Confidence: 0.527658442

00:57:06.590 --> 00:57:08.974 The AUA guidelines actually

NOTE Confidence: 0.527658442

 $00.57.08.974 \longrightarrow 00.57.11.358$  recommend 55 to 70.

NOTE Confidence: 0.527658442

 $00:57:11.360 \longrightarrow 00:57:13.694$  I I did have a discussion

NOTE Confidence: 0.527658442

 $00:57:13.694 \longrightarrow 00:57:15.950$  with my patients at age 75.

NOTE Confidence: 0.527658442

 $00:57:15.950 \longrightarrow 00:57:18.475$  And we discussed the harms

NOTE Confidence: 0.527658442

 $00:57:18.475 \longrightarrow 00:57:20.495$  of continuing to test.

NOTE Confidence: 0.527658442

 $00:57:20.500 \longrightarrow 00:57:22.940$  The problem is when you can.

 $00:57:22.940 \longrightarrow 00:57:24.848$  When you tell a patient to

NOTE Confidence: 0.527658442

 $00:57:24.848 \longrightarrow 00:57:25.919$  consider life expectancy,

NOTE Confidence: 0.527658442

 $00:57:25.920 \longrightarrow 00:57:27.420$  that's not something that

NOTE Confidence: 0.527658442

 $00:57:27.420 \longrightarrow 00:57:28.920$  they want to consider.

NOTE Confidence: 0.527658442

 $00:57:28.920 \longrightarrow 00:57:32.376$  So it's it's it's it is difficult to stop

NOTE Confidence: 0.527658442

00:57:32.376 --> 00:57:35.720 testing at 75 because most patients will.

NOTE Confidence: 0.527658442

00:57:35.720 --> 00:57:38.492 I I've had, I've had a lot of patients

NOTE Confidence: 0.527658442

00:57:38.492 --> 00:57:40.767 who've come to see me who were

NOTE Confidence: 0.527658442

00:57:40.767 --> 00:57:42.790 told by their previous urologist.

NOTE Confidence: 0.527658442

 $00:57:42.790 \longrightarrow 00:57:44.844$  You're you're going to die anyway.

NOTE Confidence: 0.527658442

00:57:44.844 --> 00:57:46.082 Why? Why test your PSA?

NOTE Confidence: 0.527658442

00:57:46.082 --> 00:57:49.127 And they don't like hearing that, so, uh, it.

NOTE Confidence: 0.527658442

 $00{:}57{:}49.127 \dashrightarrow 00{:}57{:}52.022$  I usually look at their

NOTE Confidence: 0.527658442

 $00:57:52.022 \longrightarrow 00:57:54.890$  medications and comorbidities.

NOTE Confidence: 0.527658442

 $00:57:54.890 \longrightarrow 00:57:57.368$  If the patient is on Plavix and

00:57:57.368 --> 00:57:59.789 aspirin and has had three stents,

NOTE Confidence: 0.527658442

 $00:57:59.790 \longrightarrow 00:58:00.610$  you know,

NOTE Confidence: 0.527658442

00:58:00.610 --> 00:58:02.660 the chance that you're gonna

NOTE Confidence: 0.527658442

00:58:02.660 --> 00:58:04.300 increase their lifespan with

NOTE Confidence: 0.527658442

 $00:58:04.300 \longrightarrow 00:58:06.005$  PSA testing is pretty low.

NOTE Confidence: 0.527658442

 $00:58:06.010 \dashrightarrow 00:58:08.830$  Most prostate cancer that's intermediate

NOTE Confidence: 0.527658442

 $00:58:08.830 \longrightarrow 00:58:12.145$  risk probably takes anywhere from 7

NOTE Confidence: 0.527658442

 $00:58:12.145 \longrightarrow 00:58:14.629$  to 10 years to actually metastasize.

NOTE Confidence: 0.527658442 00:58:14.630 --> 00:58:14.968 So. NOTE Confidence: 0.527658442

00:58:14.968 --> 00:58:16.996 That's why the 10 year life

NOTE Confidence: 0.527658442

 $00{:}58{:}16.996 \dashrightarrow 00{:}58{:}19.377$  expectancy is a good rule as well.

NOTE Confidence: 0.822020705

 $00{:}58{:}23.530 \dashrightarrow 00{:}58{:}26.288$  Got it. We were talking about Dre

NOTE Confidence: 0.822020705

 $00{:}58{:}26.288 \operatorname{--}{>} 00{:}58{:}29.160$  also earlier in in the planning and

NOTE Confidence: 0.822020705

 $00:58:29.160 \longrightarrow 00:58:32.250$  it is something that many of us are

NOTE Confidence: 0.822020705

00:58:32.250 --> 00:58:35.341 have grown up in a certain way and

NOTE Confidence: 0.822020705

00:58:35.341 --> 00:58:38.445 it it marks their dates us I guess.

 $00:58:38.450 \longrightarrow 00:58:41.201$  Karen Ryan, any thoughts on on on

NOTE Confidence: 0.822020705

 $00{:}58{:}41.201 \dashrightarrow 00{:}58{:}44.358$  the Dre and and how things have

NOTE Confidence: 0.822020705

00:58:44.358 --> 00:58:47.650 changed recommendations over time?

NOTE Confidence: 0.822020705 00:58:47.650 --> 00:58:48.120 So NOTE Confidence: 0.92695143

 $00:58:48.130 \longrightarrow 00:58:49.530$  I was going to ask a different

NOTE Confidence: 0.92695143

 $00:58:49.530 \longrightarrow 00:58:51.738$  question, but a quick story.

NOTE Confidence: 0.737154565

00:58:51.790 --> 00:58:53.116 Remember, I once told the patient,

NOTE Confidence: 0.737154565

 $00:58:53.120 \longrightarrow 00:58:54.994$  this is 20 years ago, back when it was,

NOTE Confidence: 0.737154565

 $00{:}58{:}54.994 \dashrightarrow 00{:}58{:}57.530$  I think, still a standard of care about

NOTE Confidence: 0.737154565

 $00:58:57.530 \longrightarrow 00:58:59.598$  to do a digital rectal exam. And he said,

NOTE Confidence: 0.792343765

 $00:58:59.690 \longrightarrow 00:59:02.978$  oh, they're digital now.

NOTE Confidence: 0.792343765

 $00:59:02.980 \longrightarrow 00:59:05.259$  True story, true story.

NOTE Confidence: 0.792343765

 $00{:}59{:}05.260 \dashrightarrow 00{:}59{:}06.690$  No, I think you know what. What we

NOTE Confidence: 0.872251888181818

 $00:59:06.700 \longrightarrow 00:59:08.182$  find, and I'll be really interested

NOTE Confidence: 0.872251888181818

00:59:08.182 --> 00:59:09.610 in Karen's perspective as well, is

 $00:59:09.620 \longrightarrow 00:59:10.830$  that, you know, old habits

NOTE Confidence: 0.76244468

 $00:59:10.840 \longrightarrow 00:59:12.298$  die hard and,

NOTE Confidence: 0.908166156666667

00:59:12.420 --> 00:59:14.808 you know, it's hard to convince

NOTE Confidence: 0.831238543333333

00:59:15.080 --> 00:59:20.300 people that the evidence is evolved. And,

NOTE Confidence: 0.908320963333333

 $00:59:18.520 \longrightarrow 00:59:18.988$  you know, we

NOTE Confidence: 0.909836433333333

00:59:19.000 --> 00:59:20.290 find that, you

NOTE Confidence: 0.787446900588235

 $00:59:20.300 \longrightarrow 00:59:22.360$  know. Conversations like this

NOTE Confidence: 0.787446900588235

 $00:59:22.360 \longrightarrow 00:59:24.935$  or presentations like this are

NOTE Confidence: 0.787446900588235

 $00{:}59{:}24.935 \dashrightarrow 00{:}59{:}27.910$  ways in which we can share best

NOTE Confidence: 0.787446900588235

 $00:59:27.910 \longrightarrow 00:59:30.820$  evidence and evolve practice.

NOTE Confidence: 0.787446900588235

 $00:59:30.820 \longrightarrow 00:59:32.700$  But you know for the record when I

NOTE Confidence: 0.787446900588235

 $00:59:32.700 \longrightarrow 00:59:34.895$  trained it was the standard of care

NOTE Confidence: 0.787446900588235

 $00:59:34.895 \longrightarrow 00:59:36.668$  and I'm wrapping my head around it.

NOTE Confidence: 0.787446900588235

00:59:36.670 --> 00:59:38.160 So Karen, I don't know

NOTE Confidence: 0.819550056

00:59:38.170 --> 00:59:39.580 more thoughtful answer than mine.

NOTE Confidence: 0.67945423

 $00:59:41.990 \longrightarrow 00:59:45.250$  I mean the answer that

00:59:45.380 --> 00:59:47.977 I mean Aaron presented some of the

NOTE Confidence: 0.890008486666667

 $00{:}59{:}47.977 \dashrightarrow 00{:}59{:}51.609$  statistics we we do get a lot of false

NOTE Confidence: 0.890008486666667

 $00:59:51.609 \longrightarrow 00:59:53.390$  positives and urology consultation I

NOTE Confidence: 0.890008486666667

 $00:59:53.390 \longrightarrow 00:59:55.042$  still consider a precious resource

NOTE Confidence: 0.890008486666667

00:59:55.042 --> 00:59:58.259 and so you know I want to make sure

NOTE Confidence: 0.890008486666667

 $00:59:58.259 \longrightarrow 01:00:00.891$  that most of the people who most need

NOTE Confidence: 0.890008486666667

 $01:00:00.891 \longrightarrow 01:00:03.284$  to get there do and and the reality

NOTE Confidence: 0.890008486666667

 $01:00:03.284 \longrightarrow 01:00:05.267$  is and and it's kind of funny because

NOTE Confidence: 0.890008486666667

 $01:00:05.267 \longrightarrow 01:00:07.416$  ten years ago we weren't saying this,

NOTE Confidence: 0.890008486666667

 $01:00:07.420 \longrightarrow 01:00:10.800$  but the blood test does work remarkably well.

NOTE Confidence: 0.890008486666667

01:00:10.800 --> 01:00:12.870 It's not perfect,

NOTE Confidence: 0.890008486666667

 $01:00:12.870 \longrightarrow 01:00:15.718$  but I think most of us have really.

NOTE Confidence: 0.890008486666667

 $01:00:15.720 \longrightarrow 01:00:16.896$  At the same time,

NOTE Confidence: 0.890008486666667

 $01:00:16.896 \longrightarrow 01:00:18.660$  we decreased our our rectal exams,

NOTE Confidence: 0.890008486666667

01:00:18.660 --> 01:00:21.090 we increased our PSA and and

 $01:00:21.090 \longrightarrow 01:00:24.490$  so on a kind of summary level,

NOTE Confidence: 0.890008486666667

01:00:24.490 --> 01:00:25.408 you know, my,

NOTE Confidence: 0.890008486666667

01:00:25.408 --> 01:00:27.550 my guess is that we're finding more

NOTE Confidence: 0.890008486666667

 $01:00:27.616 \longrightarrow 01:00:30.178$  prostate cancer and being more sensitive.

NOTE Confidence: 0.890008486666667

 $01:00:30.180 \longrightarrow 01:00:31.360 I \text{ mean I, I,}$ 

NOTE Confidence: 0.890008486666667

01:00:31.360 --> 01:00:32.860 I offered every man, I said,

NOTE Confidence: 0.882029092857143

 $01:00:32.870 \longrightarrow 01:00:35.612$  you know, I don't, I'm not required to

NOTE Confidence: 0.882029092857143

 $01:00:35.612 \longrightarrow 01:00:37.540$  do a rectal exam anymore, but I'm happy

NOTE Confidence: 0.922311652857143

 $01:00:37.550 \longrightarrow 01:00:39.377$  to do one if you would like.

NOTE Confidence: 0.922311652857143

01:00:39.380 --> 01:00:41.420 And I find that actually most patients

NOTE Confidence: 0.922311652857143

 $01{:}00{:}41.420 \dashrightarrow 01{:}00{:}43.850$  are far more happy to give it up than

NOTE Confidence: 0.922311652857143

01:00:43.850 --> 01:00:46.930 if I phrased it any other way. Uh, but

NOTE Confidence: 0.818237412

01:00:48.060 --> 01:00:50.972 you know. I mean, everything we do,

NOTE Confidence: 0.818237412

 $01{:}00{:}50.972 \dashrightarrow 01{:}00{:}53.059$  there's always a risk of missing something

NOTE Confidence: 0.817327743

 $01:00:53.170 \longrightarrow 01:00:56.176$  and and so everything we do just has to

NOTE Confidence: 0.817327743

 $01:00:56.176 \longrightarrow 01:00:58.886$  be with the greatest good in mind and and

 $01:00:58.886 \longrightarrow 01:01:01.558$  what we can do routinely for everybody.

NOTE Confidence: 0.817286335

 $01:01:03.020 \longrightarrow 01:01:04.496$  Just want to make one point.

NOTE Confidence: 0.817286335

01:01:04.500 --> 01:01:06.564 I think it's great that you

NOTE Confidence: 0.817286335

 $01:01:06.564 \longrightarrow 01:01:07.596$  having that discussion.

NOTE Confidence: 0.817286335

01:01:07.600 --> 01:01:09.560 Going back to the preventative task force,

NOTE Confidence: 0.817286335

 $01:01:09.560 \longrightarrow 01:01:11.816$  there was a study that was done at

NOTE Confidence: 0.817286335

01:01:11.816 --> 01:01:14.968 ASCO presented at Asco Gu this year

NOTE Confidence: 0.817286335

 $01:01:14.968 \longrightarrow 01:01:18.923$  where they look state by state at the

NOTE Confidence: 0.817286335

 $01{:}01{:}18.923 \dashrightarrow 01{:}01{:}21.845$  incidence of prostate cancer and the.

NOTE Confidence: 0.817286335

 $01{:}01{:}21.850 \dashrightarrow 01{:}01{:}24.150$  The development of metastatic disease

NOTE Confidence: 0.817286335

 $01:01:24.150 \longrightarrow 01:01:27.154$  and there's been a 28% increase in

NOTE Confidence: 0.817286335

 $01{:}01{:}27.154 \dashrightarrow 01{:}01{:}29.094$  metastatic disease since that task

NOTE Confidence: 0.817286335

 $01:01:29.094 \longrightarrow 01:01:31.209$  force made that recommendation.

NOTE Confidence: 0.817286335

 $01:01:31.210 \dashrightarrow 01:01:33.121$  So I'm glad that we're getting back

NOTE Confidence: 0.817286335

 $01:01:33.121 \longrightarrow 01:01:34.587$  to having shared discussions because

01:01:34.587 --> 01:01:36.939 clearly we want to move to a curable

NOTE Confidence: 0.817286335

 $01:01:36.999 \longrightarrow 01:01:39.209$  situation rather than incurable situation.

NOTE Confidence: 0.25415978

 $01:01:40.670 \longrightarrow 01:01:43.558$  And that's go ahead, Chris.

NOTE Confidence: 0.78851936

 $01:01:43.650 \longrightarrow 01:01:45.936$  I was just going to add to that that

NOTE Confidence: 0.78851936

01:01:45.936 --> 01:01:48.097 you know Jerry and Dan and I are.

NOTE Confidence: 0.78851936

01:01:48.100 --> 01:01:50.200 Are managing these days really a really

NOTE Confidence: 0.78851936

 $01:01:50.200 \longrightarrow 01:01:52.499$  high number of gentlemen in their late,

NOTE Confidence: 0.78851936

 $01:01:52.500 \longrightarrow 01:01:55.308$  mid to late 70s to early 80s who have

NOTE Confidence: 0.78851936

 $01{:}01{:}55.308 \to 01{:}01{:}57.577$  great longevity in their family,

NOTE Confidence: 0.78851936

01:01:57.580 --> 01:01:59.615 relatively few comorbidities and they

NOTE Confidence: 0.78851936

01:01:59.615 --> 01:02:02.308 have Gleason 8-9 disease and no Mets

NOTE Confidence: 0.78851936

01:02:02.308 --> 01:02:04.380 on on advanced imaging and I think

NOTE Confidence: 0.78851936

 $01:02:04.380 \longrightarrow 01:02:06.888$  these guys are are gentlemen where they

NOTE Confidence: 0.78851936

 $01:02:06.888 \longrightarrow 01:02:08.935$  don't all need treatment but I think

NOTE Confidence: 0.78851936

 $01:02:08.935 \longrightarrow 01:02:10.675$  quite a few of them really do benefit

NOTE Confidence: 0.78851936

 $01:02:10.675 \longrightarrow 01:02:12.715$  from treatment you know they and and I

 $01{:}02{:}12.720 \dashrightarrow 01{:}02{:}13.994$  what the this part of the discussion

NOTE Confidence: 0.78851936

 $01{:}02{:}14.000 \dashrightarrow 01{:}02{:}16.024$  I have with guys is that you know

NOTE Confidence: 0.78851936

 $01:02:16.024 \longrightarrow 01:02:18.048$  long before prostate cancer kills you.

NOTE Confidence: 0.78851936

 $01:02:18.050 \longrightarrow 01:02:20.253$  If it spreads it creates a considerable

NOTE Confidence: 0.78851936

 $01:02:20.253 \longrightarrow 01:02:22.659$  reduction in your quality of life

NOTE Confidence: 0.78851936

 $01:02:22.659 \longrightarrow 01:02:25.031$  and so you know the the offer

NOTE Confidence: 0.78851936

 $01:02:25.031 \longrightarrow 01:02:26.626$  treatment is trying to help survival.

NOTE Confidence: 0.78851936

 $01:02:26.626 \longrightarrow 01:02:28.313$  But as maybe even before that with

NOTE Confidence: 0.78851936

 $01:02:28.313 \longrightarrow 01:02:29.537$  that older gentleman it's hey can

NOTE Confidence: 0.78851936

 $01:02:29.537 \dashrightarrow 01:02:31.759$  I can I keep you from being on long

NOTE Confidence: 0.78851936

 $01:02:31.759 \longrightarrow 01:02:32.803$  term manager deprivation having

NOTE Confidence: 0.78851936

 $01:02:32.810 \dashrightarrow 01:02:35.096$  bone Mets with pain a fracture.

NOTE Confidence: 0.78851936

 $01{:}02{:}35.100 \dashrightarrow 01{:}02{:}37.622$  And I think these are all really important

NOTE Confidence: 0.78851936

 $01:02:37.622 \longrightarrow 01:02:40.184$  discussions to to have so I think.

NOTE Confidence: 0.78851936

 $01:02:40.190 \longrightarrow 01:02:42.465$  You know being more flexible and you

01:02:42.465 --> 01:02:44.112 know individualized with PSA screening

NOTE Confidence: 0.78851936

 $01:02:44.112 \longrightarrow 01:02:45.966$  these things and maybe going a

NOTE Confidence: 0.78851936

01:02:45.966 --> 01:02:47.808 little longer I think is paying off.

NOTE Confidence: 0.78851936

 $01:02:47.810 \longrightarrow 01:02:49.525$  We're just seeing a lot of these

NOTE Confidence: 0.78851936

 $01:02:49.525 \longrightarrow 01:02:51.298$  guys these days who fit that that

NOTE Confidence: 0.78851936

 $01:02:51.298 \longrightarrow 01:02:53.057$  description and and if we pick some

NOTE Confidence: 0.78851936

 $01:02:53.057 \longrightarrow 01:02:54.897$  up and it's released in six or seven

NOTE Confidence: 0.78851936

01:02:54.897 --> 01:02:56.415 and like Jerry's referring to they

NOTE Confidence: 0.78851936

 $01:02:56.415 \longrightarrow 01:02:57.443$  don't all need treatment.

NOTE Confidence: 0.78851936

01:02:57.450 --> 01:02:59.088 But again there are a lot of these guys,

NOTE Confidence: 0.78851936

 $01:02:59.090 \dashrightarrow 01:03:00.590$  the higher grade disease that I

NOTE Confidence: 0.78851936

 $01:03:00.590 \longrightarrow 01:03:01.590$  think need need attention.

NOTE Confidence: 0.3220430825

 $01:03:02.350 \longrightarrow 01:03:03.598$  I think that actually

NOTE Confidence: 0.814645543333333

 $01:03:03.610 \longrightarrow 01:03:05.515$  that attitude that's allowed us

NOTE Confidence: 0.814645543333333

01:03:05.515 --> 01:03:07.739 to feel more comfortable with more

NOTE Confidence: 0.814645543333333

01:03:07.739 --> 01:03:10.070 PSA screening, I mean it there.

 $01:03:10.070 \longrightarrow 01:03:12.683$  There was a point where it felt a little bit

NOTE Confidence: 0.814645543333333

01:03:12.683 --> 01:03:15.198 like if you had an elevated PSA, you know,

NOTE Confidence: 0.814645543333333

 $01:03:15.198 \longrightarrow 01:03:17.466$  the people may be getting unnecessary care,

NOTE Confidence: 0.814645543333333

 $01:03:17.470 \longrightarrow 01:03:19.409$  some component of the care was under.

NOTE Confidence: 0.814645543333333

 $01:03:19.410 \longrightarrow 01:03:21.768$  And with the better risk stratification

NOTE Confidence: 0.814645543333333

 $01:03:21.768 \longrightarrow 01:03:24.841$  and attention to the kind of geriatric

NOTE Confidence: 0.814645543333333

 $01:03:24.841 \longrightarrow 01:03:27.560$  and comorbid medical concerns that,

NOTE Confidence: 0.814645543333333

 $01{:}03{:}27.560 \dashrightarrow 01{:}03{:}29.920$ you know, I feel like even if there

NOTE Confidence: 0.814645543333333

 $01:03:29.920 \longrightarrow 01:03:32.589$  is a PSA that's mildly elevated.

NOTE Confidence: 0.814645543333333

01:03:32.590 --> 01:03:35.442 People get the right care, you know,

NOTE Confidence: 0.814645543333333

 $01:03:35.442 \longrightarrow 01:03:37.098$  on both ends of the urology

NOTE Confidence: 0.814645543333333

01:03:37.098 --> 01:03:38.210 primary care spectrum.

NOTE Confidence: 0.814645543333333

01:03:38.210 --> 01:03:39.542 And have you had that same

NOTE Confidence: 0.814645543333333

 $01:03:39.542 \longrightarrow 01:03:41.261$  kind of ability to let go and

NOTE Confidence: 0.814645543333333

 $01:03:41.261 \longrightarrow 01:03:42.556$  feel more comfortable doing it?

01:03:43.730 --> 01:03:45.728 No, it's it's definitely added to,

NOTE Confidence: 0.606352826666667

 $01:03:45.730 \longrightarrow 01:03:48.554$  I think my comfort as well as my

NOTE Confidence: 0.606352826666667

01:03:48.554 --> 01:03:50.929 patients knowing that there's you know,

NOTE Confidence: 0.606352826666667

 $01:03:50.930 \longrightarrow 01:03:52.658$  a procedure, there's great

NOTE Confidence: 0.606352826666667

 $01:03:52.658 \longrightarrow 01:03:54.818$  specialists who are highly involved.

NOTE Confidence: 0.606352826666667

01:03:54.820 --> 01:03:58.271 There's so much to offer these patients

NOTE Confidence: 0.606352826666667

01:03:58.271 --> 01:04:02.308 now versus you know 20 years ago we we

NOTE Confidence: 0.606352826666667

 $01:04:02.308 \longrightarrow 01:04:05.229$  just haven't had this explosion in.

NOTE Confidence: 0.606352826666667

 $01:04:05.230 \longrightarrow 01:04:07.870$  And tech and options.

NOTE Confidence: 0.606352826666667

 $01:04:07.870 \longrightarrow 01:04:09.290$  I think it's a great development.

NOTE Confidence: 0.7558675249375

 $01{:}04{:}10.060 \dashrightarrow 01{:}04{:}12.780$  And I think that shared decision making is

NOTE Confidence: 0.7558675249375

01:04:12.780 --> 01:04:15.540 employed is it's what we're doing today too.

NOTE Confidence: 0.7558675249375

 $01:04:15.540 \longrightarrow 01:04:18.460$  So in the Smiler shares with primary care.

NOTE Confidence: 0.7558675249375

 $01:04:18.460 \longrightarrow 01:04:21.100$  So we have run out of time unfortunately.

NOTE Confidence: 0.7558675249375

01:04:21.100 --> 01:04:22.780 It's been fantastic discussion,

NOTE Confidence: 0.7558675249375

 $01:04:22.780 \longrightarrow 01:04:25.300$  a few more questions that maybe

 $01:04:25.367 \longrightarrow 01:04:27.299$  we can answer after the fact,

NOTE Confidence: 0.7558675249375

 $01{:}04{:}27.300 \dashrightarrow 01{:}04{:}31.017$  but really appreciate all of the panelists.

NOTE Confidence: 0.7558675249375

01:04:31.020 --> 01:04:32.860 Karen Ryan are really pleased

NOTE Confidence: 0.7558675249375

 $01{:}04{:}32.860 \dashrightarrow 01{:}04{:}35.118$  with the attendance and tell your

NOTE Confidence: 0.7558675249375

 $01{:}04{:}35.118 \dashrightarrow 01{:}04{:}37.188$  friends we'll be back next month.

NOTE Confidence: 0.7558675249375

01:04:37.190 --> 01:04:39.254 Thanks so much. OK.

NOTE Confidence: 0.7558675249375

01:04:39.254 --> 01:04:42.000 Thanks, everybody. Thank you.